

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
1 April 2004 (01.04.2004)


PCT

(10) International Publication Number  
**WO 2004/026888 A2**

- (51) International Patent Classification<sup>7</sup>: **C07H**
- (21) International Application Number:  
**PCT/US2003/029577**
- (22) International Filing Date:  
19 September 2003 (19.09.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/412,479 19 September 2002 (19.09.2002) US
- (71) Applicants (for all designated States except US): **COLEY PHARMACEUTICAL GMBH** [DE/DE]; Elisabeth-Selbert-Strasse 9, 40764 Langenfeld (DE). **UNIVERSITY OF SASKATCHEWAN** [CA/CA]; Kirk Hall, 117 Science Place, Saskatoon, Saskatchewan S7N 5C8 (CA). **QIAGEN GMBH** [DE/DE]; Max-Volmer-Strasse 4, 40724 Hilden (DE).
- (72) Inventors; and  
(75) Inventors/Applicants (for US only): **LIPFORD, Grayson, B.** [US/US]; 38 Bates Road, Watertown, MA 02472 (US). **MOOKHERJEE, Neeloffer** [IN/CA]; Apt 408, 2233 Allison Road,, Vancouver, BC V6T 1T7 (CA). **BABIUK, Lorne** [CA/CA]; 245 East Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). **BROWNIE, Robert** [CA/CA]; 123 O'Brien Crescent, Saskatoon, Saskatchewan S7K 5K3 (CA). **GRIEBEL, Philip** [CA/CA]; Box 36, RR5, Saskatoon, Saskatchewan S7K 3J8 (CA). **MUTWIRI, George** [CA/CA]; 569 Nordstrum Road, Saskatoon, Saskatchewan S7K 7X6 (CA). **HECKER, Rolf** [DE/DE]; Benrodestr. 60, 40597 Düsseldorf (DE).
- (74) Agent: **STEELE, Alan, W.**; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).
- (81) Designated States (national): AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,

[Continued on next page]

(54) Title: TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES



(57) Abstract: Novel amino acid and nucleotide sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) Toll-like receptor 9 (TLR9) are provided. Also provided are amino acid and nucleotide sequences for dog (canine), cat (feline), mouse (murine), and human TLR9. Comparison of these sequences, especially in combination with functional assessment for species-specific CpG motif preferences, permits identification of specific regions and amino acid residues of interest in TLR9 ligand interaction. Novel chimeric TLR9 receptor molecules, cells expressing these molecules, and methods for their use in screening assays for TLR9 ligands are also provided.



MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— without international search report and to be republished upon receipt of that report

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

### Background of the Invention

Synthetic oligodeoxynucleotides (ODN) and DNA containing immunostimulatory  
5 CpG motifs (CpG DNA) function as potent adjuvants and activators of the innate immune  
system. Heeg K et al. (2000) *Int Arch Allergy Immunol* 121:87-97; Krieg AM (2001)  
*Vaccine* 19:618-22. A wide variety of CpG-containing sequences have been screened for  
biological activity and it is reported that optimal CpG DNA sequences can vary among  
species. Rankin R et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:333-40.  
10 Toll-like receptor 9 (TLR9) has recently been identified as a receptor for CpG ODN.  
Hemmi H et al. (2000) *Nature* 408:740-5. The molecular mechanism by which TLR9  
recognizes CpG DNA is not understood.

### Summary of the Invention

15 Toll-like receptor 9 (TLR9) is known to be involved in innate immunity and to signal  
in response to CpG DNA. To date, the amino acid sequences only of human and murine  
TLR9 have been reported, and, interestingly, these two species are known to prefer different  
CpG motifs. The structural basis for this species-specific CpG motif preference has not yet  
been fully elucidated. The instant invention provides, in part, novel amino acid and  
20 nucleotide sequences of rat, pig, cow, and horse TLR9. These novel TLR9 sequences are  
useful for elucidating certain key structural features of TLR9. Specifically, comparison of  
sequences of murine, human, and these novel TLR9 sequences permits identification of areas  
of highly conserved sequence, areas of group conservation, and areas of hypervariability. In  
addition, such comparisons permit an assessment of evolutionary relatedness among TLR9  
25 molecules of the various species, as well as an assessment of inter-species homologies.  
Importantly, such comparisons permit a rational basis for identifying amino acids in TLR9  
that may be involved in the CpG binding site, as well as amino acids involved in conferring  
species specificity for particular CpG motifs. Such information may be used to design and  
construct novel TLR9 molecules which incorporate specific point or regional mutations and  
30 which possess desired ligand binding characteristics. Such information may also be useful in  
designing and identifying novel ligands for TLR9 of a given species.

- 2 -

In one aspect, the invention provides isolated polypeptides having amino acid sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) TLR9 polypeptides. These amino acid sequences correspond to SEQ ID NOs 1, 5, 9, 13, and 17, respectively. Each of these sequences is believed to include at least a majority of an  
5 extracellular domain, as well as a transmembrane region and at least part of a TLR/IL-1 receptor (TIR) domain. To the extent any such sequence may lack an amino-terminal and/or carboxy-terminal sequence, such sequence is ascertainable, without undue experimentation, using conventional molecular biology techniques and the sequence information provided herein.

10 In another aspect the invention provides isolated polypeptides having amino acid sequences for essentially the whole extracellular domain, optionally including a signal peptide, of each of rat, porcine, bovine, equine, and ovine TLR9. These amino acid sequences correspond to SEQ ID NOs 2, 6, 10, 14, and 18, respectively. Such extracellular domains are believed to include sequence specifically involved in binding to TLR9 ligand,  
15 such as CpG DNA. In addition, such extracellular domains are believed to include sequence that confers species specificity for particular CpG motifs.

Isolated nucleic acid molecules encoding the polypeptides just described above are also provided according to further aspects of the invention. Such nucleic acid molecules include, but are not limited to, nucleic acid molecules having sequences provided by SEQ ID  
20 NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively. Isolated nucleic acid molecules encoding the TLR9 polypeptides of SEQ ID NOs 1, 5, 9, 13, 17; and 2, 6, 10, 14, and 18 also include nucleic acid molecules that differ in sequence from SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively, due to degeneracy of the genetic code. Such nucleic acid molecules will hybridize, under stringent conditions, with suitably selected nucleic acid  
25 molecules having sequences selected from SEQ ID NOs 3, 4, 7, 8, 11, 12, 15, 16, 19, and 20.

In another aspect the invention provides a vector which includes an isolated nucleic acid molecule of the invention. In one embodiment the vector is an expression vector and the isolated nucleic acid molecule of the invention is operably linked to a regulatory sequence in the vector. When present within a cell, an expression vector according to this aspect of the  
30 invention causes the cell to express a polypeptide of the invention.

The invention according to another aspect provides a cell in which a vector of the invention is present. In one embodiment the cell containing the vector expresses a



- 3 -

polypeptide of the invention. In certain embodiments the cell also contains a reporter construct that transduces a TLR9-mediated signal in response to contact of the polypeptide of the invention or a TLR9 with a suitable TLR9 ligand. The cell containing the vector, and optionally containing the reporter construct, can be used in screening methods also provided  
5 by the invention.

In yet another aspect the invention provides an antibody or antibody fragment that binds specifically to an isolated polypeptide of the invention. In certain embodiments the antibody or antibody fragment binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide. More specifically, the antibody or antibody fragment binds uniquely to  
10 one of the isolated polypeptides of the invention. In one embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide also binds to either mouse or human TLR9. In another embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide does not also bind to either mouse or human TLR9. In some embodiments  
15 the antibody or antibody fragment binds selectively to a chimeric TLR9 polypeptide of the invention. In certain embodiments the antibody or antibody fragment of the invention is a monoclonal antibody or fragment of a monoclonal antibody.

In one aspect the invention provides a method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the  
20 first species. The method involves aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species; generating an initial set of candidate amino acids in the TLR9 of the  
25 first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b)  
30 differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

- 4 -

In another aspect the invention provides a method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9. The method according to this aspect of the invention involves aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9; generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids. In one embodiment the method according to this aspect of the invention is performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

In another aspect the invention also provides an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (extracellular domain (ECD) of murine TLR9) except for substitution of at least one key amino acid identified according to the method above. The polypeptide according to this aspect of the invention is a chimeric TLR9 polypeptide. Preferably the polypeptide according to this aspect of the invention binds to CpG DNA optimized for human TLR9 better than does the isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (ECD of murine TLR9). In one embodiment the polypeptide includes only one substituted amino acid. The isolated polypeptide according to this aspect of the invention may further include sequence involved in TLR/IL-1R signal transduction, e.g., intracellular domain of TLR9 as provided in SEQ ID NOs 29 and 33. For example, in one embodiment a polypeptide according to this aspect of the invention is an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:29 (full length murine TLR9) except for substitution of at least one key amino acid identified according to the method above.

- 5 -

In another aspect the invention provides an isolated nucleic acid molecule including a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described. In one embodiment the isolated nucleic acid molecule has a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described.

5 In yet another aspect, the invention provides a screening method to identify a TLR9 ligand. The method involves contacting a polypeptide (including a chimeric TLR9 polypeptide) of the invention with a candidate TLR9 ligand; measuring a signal in response to the contacting; and identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling. In one embodiment  
10 the candidate TLR9 ligand is an immunostimulatory nucleic acid. In one embodiment the candidate TLR9 ligand is a CpG DNA.

The invention also provides, in yet a further aspect, a screening method to identify species-specific CpG-motif preference of an isolated polypeptide of the invention. The method according to this aspect of the invention involves contacting an isolated polypeptide  
15 of the invention with a CpG DNA including a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG; measuring a signal in response to the contacting; and identifying a species-specific CpG-motif preference when the signal in  
20 response to the contacting is consistent with TLR9 signaling. In one embodiment the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
25	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
30	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
35	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),

- 6 -

TCCATGACGTCTTTGATGTT (SEQ ID NO:55),  
 TCCATGACGTATTTGATGTT (SEQ ID NO:56), and  
 TCCATGACGTGTTTGATGTT (SEQ ID NO:57).

In certain embodiments of the screening methods of the invention, the signal includes  
 5 expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway. In one  
 embodiment the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B. In one  
 embodiment the signal in response to contacting is binding of the candidate TLR9 ligand or  
 CpG DNA to the polypeptide of the invention.

In one embodiment the screening method is performed on a plurality of test  
 10 compounds. In one embodiment the response mediated by the TLR9 signal transduction  
 pathway is measured quantitatively and the response mediated by the TLR9 signal  
 transduction pathway associated with each of the plurality of test compounds is compared  
 with a response arising as a result of an interaction between the functional TLR9 and a  
 reference immunostimulatory compound.

#### 15 Brief Description of the Figures

Figure 1 depicts a Clustal W multiple sequence alignment of deduced amino acid  
 sequences for cat (feline), dog (canine), cow (bovine), mouse (murine), sheep (ovine), pig  
 (porcine), horse (equine), human, and rat TLR9 polypeptides. The deduced amino acid  
 20 sequences for feline, canine, bovine, murine, ovine, porcine, equine, human, and rat TLR9  
 polypeptides shown in the figure correspond to SEQ ID NOs 25, 21, 9, 29, 17, 5, 13, 33, and  
 1, respectively. Lines labeled "multiple" refer to the multiple sequence alignment of all six  
 sequences shown. Lines labeled "mo/hu" refer to a paired sequence alignment of mouse and  
 human TLR9 sequences alone.

25 Figure 2 is a cladogram depicting an evolutionary relatedness tree for rat, murine,  
 porcine, bovine, equine, and human TLR9 polypeptides in Figure 1.

Figure 3 is a graph depicting species specificity of TLR9 signaling with selected  
 oligonucleotides having strong specificity for human (2006), mouse (5890), or neither (1982).

#### 30 Detailed Description of the Invention

The present invention provides novel amino acid and nucleotide sequences for TLR9  
 derived from rat, pig, cow, horse, and sheep. These sequences can be used to identify key  
 features of the primary sequences of these and related TLR molecules, including previously

- 7 -

known primary sequences of human and mouse (murine) TLR9. Such key features include binding site information and species specificity toward particular CpG motifs. Native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to identify and to design novel TLR9 ligands. Additionally, the native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to compare various TLR9 ligands, including CpG DNA.

In one aspect the invention provides isolated TLR9 polypeptides, and isolated nucleic acid molecules encoding them, from rat, pig, cow, horse, and sheep. The term "isolated" as used herein with reference to a nucleic acid molecule or polypeptide means substantially free of or separated from components with which it is normally associated in nature, e.g., other nucleic acids, proteins, lipids, carbohydrates or *in vivo* systems to an extent practical and appropriate for its intended use. In particular, the nucleic acids or polypeptides are sufficiently pure and are sufficiently free from other biological constituents of host cells so as to be useful in, for example, producing pharmaceutical preparations. Because an isolated nucleic acid or polypeptide of the invention may be admixed with a pharmaceutically acceptable carrier in a pharmaceutical preparation, the nucleic acid or polypeptide may represent only a small percentage by weight of such a preparation. The nucleic acid or polypeptide is nonetheless substantially pure in that it has been substantially separated from the substances with which it may be associated in living systems.

An amino acid sequence of rat TLR9 is provided as SEQ ID NO:1. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:1 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of rat TLR9 (See Figure 1). Amino acids numbered 1-821 of SEQ ID NO:1 are presumptively extracellular domain and correspond to SEQ ID NO:2. SEQ ID NO:3 is a nucleotide sequence of rat TLR9 cDNA having an open reading frame corresponding to nucleotides 1-3096. SEQ ID NO:4 is a nucleotide sequence of rat cDNA encoding amino acids 1-821 of SEQ ID NO:1.

An amino acid sequence of porcine TLR9 is provided as SEQ ID NO:5. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:5 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of porcine TLR9

- 8 -

(See Figure 1). Amino acids numbered 1-819 of SEQ ID NO:5 are presumptively extracellular domain and correspond to SEQ ID NO:6. SEQ ID NO:7 is a nucleotide sequence of porcine TLR9 cDNA having an open reading frame corresponding to nucleotides 77-3166. SEQ ID NO:8 is a nucleotide sequence of porcine cDNA encoding amino acids 1-819 of SEQ ID NO:5.

An amino acid sequence of bovine TLR9 is provided as SEQ ID NO:9. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:9 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of bovine TLR9

(See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:9 are presumptively extracellular domain and correspond to SEQ ID NO:10. SEQ ID NO:11 is a nucleotide sequence of bovine TLR9 cDNA having an open reading frame corresponding to nucleotides 84-3170. SEQ ID NO:12 is a nucleotide sequence of bovine cDNA encoding amino acids 1-818 of SEQ ID NO:9.

An amino acid sequence of equine TLR9 is provided as SEQ ID NO:13. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:13 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of equine TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:13 are presumptively extracellular domain and correspond to SEQ ID NO:14. SEQ ID NO:15 is a nucleotide sequence of equine TLR9 cDNA having an open reading frame corresponding to nucleotides 115-3207. SEQ ID NO:16 is a nucleotide sequence of equine cDNA encoding amino acids 1-820 of SEQ ID NO:13.

An amino acid sequence of ovine TLR9 is provided as SEQ ID NO:17. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:17 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of ovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:17 are presumptively extracellular domain and correspond to SEQ ID NO:18. SEQ ID NO:19 is a nucleotide sequence of ovine TLR9 cDNA having an open reading frame corresponding to nucleotides 92-3178. SEQ ID NO:20 is a nucleotide sequence of ovine cDNA encoding amino acids 1-818 of SEQ ID NO:17.

## SEQ ID NO:1 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
 HHLHNLDFVHLPNVRQLNLKWNCPPLGLSPLHFSCRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
 5 SHTNILLVDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTPDAFLGLSNLTHLSLKYNNTLVEVPRLPPSLEYL  
 LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSLSLHSLN  
 SKWFQGLANLSVLDLSENFLEYESINKTSAFQNLTRLRKLDSLNFYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
 FRLLNKNTLRWLAGLPGKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVFW  
 PASLTPALPSTPVSKNFMVRCKNLRFMTDLNRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
 10 VLDLSYNKLDLYHKSFSSELPQLQALDLSYNSQPFMSQGIHNFSLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
 VEYLDPSGNGVGRMWDEEDLYLYFFQDLRLSLIHLDSLQNKHLILRPQNLNLYLPKSLTKLSFRDNHLSFFNWSSLA  
 FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGLSLL  
 AVAVGTVLPPLLQHLGWDVWYCFHLCCLAWPLLLTRGRRSAQALPYDAFVVFDAQSAVADWVYNELRVRLERRG  
 15 RRALRLCLEDRDWLPGQTLFENLWASIYGSRKTLFVLAHTDKVSGLLRTSFLLAQQRILLEDRKDVVVLVILRPDA  
 HRSRYVRLRQRLCRQSVLFWPHQPNGQGSFWAQLSTALTRDNHFFYNRNFRCRGPTAE

## SEQ ID NO:2 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
 20 HHLHNLDFVHLPNVRQLNLKWNCPPLGLSPLHFSCRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
 SHTNILLVDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTPDAFLGLSNLTHLSLKYNNTLVEVPRLPPSLEYL  
 LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSLSLHSLN  
 SKWFQGLANLSVLDLSENFLEYESINKTSAFQNLTRLRKLDSLNFYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
 25 FRLLNKNTLRWLAGLPGKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVFW  
 PASLTPALPSTPVSKNFMVRCKNLRFMTDLNRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
 VLDLSYNKLDLYHKSFSSELPQLQALDLSYNSQPFMSQGIHNFSLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
 VEYLDPSGNGVGRMWDEEDLYLYFFQDLRLSLIHLDSLQNKHLILRPQNLNLYLPKSLTKLSFRDNHLSFFNWSSLA  
 FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 30 MNLTVLDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG

## SEQ ID NO:3 (Rat TLR9)

atgggtctctctgtcgcaggaccctgcaccccttctctctcctggtagcaggccgcagtgctggctgaggctctggcc  
 ctgggtaccctgcctccttccctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttccctg  
 aagtctgtgcctcacttctctgcgcgagaaccccggtcccaacatcaccagccttctcttgatcgccaaccgcac  
 35 caccacctgcacaacctcgacttctgtccacctgcccacgtgcgacagctgaacctcaagtggaaactgtccgccc  
 cctggcctcagcccttgcacttctctctgcgcgatgaccattgagcccaaaccttctctggctatgcgcagctg  
 gaagagctgaacctgagctataacggtatcaccactgtgccccgcctgccagctccctgacgaatctgagccta  
 agccacaccaacatcctggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctcttcatggac  
 40 gggaaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagcgccttctctgggcttgagcaac  
 ctacccactgtctcccttaagtataacaacctcacagaggtgccccgcaactgccccccagcctggagtacctc  
 ctgctgtcctataaacctcatcgctcaagctggggcggaagacctagccaacctgacctcccttcgaatgcttgat  
 gtgggtgggaattgacctgctgtgatcacgccccgacctctgtacagaatgcgggcagaagtcccttgatctg  
 caccctcagacttctcatcacctgagccacctgaaggcctgggtgctgaaggacagttctctccactcgctgaac  
 45 tccaagtgggtccagggtctggcgaaacctctcggtgctggacctaaagcgagaacttctctacgagagcatcaac  
 aaaaccagcgccttctcagaacctgacccgtctgcgcaagctcgacctgtccttcaattactgcaagaaggatcg  
 ttccgcccgcctccacctggcaagttccttcaagagcctgggtgctcgctgcaggagctgaacatgaacggcatctc  
 ttccgcttactcaacaagaacacgctcaggtggctggctgctgcccgaagctccacacgctgcaccttcaaag  
 aatttcatcaaccaggcgagctcagctccttagtaccttccgagccctcgcttctgtggacctgccaataatg  
 50 cgcacacagcgggctcccaacgctgtccagagtcgccccgaaaaggcagacgaggcgagagggttccatgg  
 cctgcaagctctacccccagctctcccgagcactcccgctctcaaagaacttcatggctcaggtgtaagaacctcaga  
 ttccacatggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctcccatctccag  
 tgtctgagcctgagccacaactgcatcgcgagggtgtcaatggctctcagttcctgcccgtgaccaacctgaag  
 gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcggtcagtgagctccacagttgcaggcc

- 10 -

ctggacctgagctacaacagccagccattcagcatgcaggggataggccacaacttcagttttctggccaatctg  
tccagggttacagaaccttagcctggcacacaatgacattcacagccgctgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcagtggtgggacgaggaggacctttacctctatttcttc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
5 tacctccccaaagacctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagctctggcc  
ttcctgccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcacccctgccta  
ggcagctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagcctctttgtctctggcg  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggttgggcccattgtg  
atgaacctgacgggtctagacgtgagcagcaacctctgcattgtgcctgcggtgcaccctttgtagacttactg  
10 ctggaagtgcagaccaaggtgcctggcctggctaaccgggtgtgaagtgtggcagtcctccgcccagctgcagggccgc  
agcatctttgcgaagacctgcggtgtgcctggatgacgtcctttctcgggactgctttggcctttcactcctg  
gctgtggcctgtgggacgggtgtgcctttactgcagcatctctgcggtgggacgtctggtactgtttccatctg  
tgccctggcatggctacctttgtgacctggcggcgccagcgccccagctctccttatgatgccttcgtggtg  
ttcgataaggcgagagcgcggttgcctgactgggtgtataacgagcttcgagtgccggttagaggagcgcgcggt  
15 cgccgagccctacgcttgtgtctggaggaccgagattggctgcctggccagacactcttcgagaacctctggggc  
tccactctatggcagccgcaagactctgtttgtgctggccacacggacaaggctcagtggtgctctctgcgaccagc  
ttcctgctggctcagcagcgctgtgtggaggaccgcaaggacgtggtggtgtggtgatcctgcgcccctgatgcc  
caccgctcccgtacgtgcgactgcgcccagcgctctgcgcccagagtgtgctcttctggccccatcagcccaac  
gggcagggcagcttctggggccagctgagtacagccctgactagggacaaccaccacttctataaccggaacttc  
20 tgccggggacctacagcagaatag

## SEQ ID NO:4 (Rat TLR9)

atgggttctctgtgcgagacctgcaccccttgtctctcctggtagcggccgagtgctggctgaggctctggcc  
ctgggtacctgtgcctgccttctacacctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg  
25 aagtctgtgcctcacttctctgcgcgagaacccggttccaacatcaccagcctttccttgatcgccaaccgcatc  
caccactgcacaacctcgactttgtccacctgcccaacgtgcagactgaacctcaagtgaactgtccgccc  
cctggcctcagcccttgcaacttctcctgcgcgcatgaccattgagccaaaaccttccctggcttagcgcacatc  
gaagagctgaacctgagctataacgggtatcaccactgtgccccgcctgccagctccctgacgaatctgagccta  
agccacaccaacatcctggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctcttcatggac  
30 gggaaactgtactacaagaaccttgcaacggggcggtgaacgtgaccccgagcgccttctgggcttgagcaac  
ctcaccacttgtcccttaagtataacaacctcacagaggtgccccgccaactgccccccagcctggagtacctc  
ctgctgtctataacctcatcgtaagctgggggcccgaagacctagccaacctgacctccttctgaatgcttgat  
gtgggtgggaattgcccgtcgctgtgatcacgccccgacctctgtacagaatgcccggcagaagtcccttgatctg  
caccctcagactttccatcacctgagccaccttgaaggcctgggtgtgaaggacagtctctccactcgctgaac  
35 tccaaagtgttccagggtctggcgaacctctcggtctggacttaagcgagaactttctctacgagagcacaac  
aaaaccagcgcttctcagaacctgacctgtctgcgcaagctcgacctgtccttcaattactgcaagaaggatcg  
ttcgcccgctccacctggcaagtctccttcaagagcctgggtgtcgctgcaggagctgaacatgaacggcatcttc  
ttccgcttactcaacaagaacacgctcaggtggctgggtgtgcccagctccacacgctgcaccttcaaatg  
aatctcatcaaccaggcgagctcagcgtctttagtacctccgagcccttcgctttgtggacctgtccaataat  
40 cgcacagcgggctccaacgtgtccagagtcgccccgaaaaggcagacgaggcggaagggggtccatgg  
cctgcaagtctcaccacagctctcccgagcactcccgctctcaaagaacttcattggtcaggtgtaagaacctcaga  
ttcaccatggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctcccatctccag  
tgtctgagcctgagccacaactgcatcgcgaggctgtcaatggctctcagttcctgcccgtgaccaacctgaag  
gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcgcttcagtgcagctccacagttgcaggcc  
45 ctggacctgagctacaacagccagccattcagcatgcaggggataggccacaacttcagttttctggccaatctg  
tccagggttacagaaccttagcctggcacacaatgacattcacagccgctgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcagtggtgggacgaggaggacctttacctctatttcttc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
tacctccccaaagagcctgacgaagctgagtttccgtgacaatcacctctcttctttaactggagcagctctggcc  
50 ttctctgccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcacctgccta  
ggcagctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagcctcttctgtctggcg  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggttgggcccattgtg  
atgaacctgacgggtctagacgtgagcagcaacctctgcattgtgcctgcggtgcaccctttgtagacttactg  
ctggaagtgcagaccaaggtgcctggcctggctaaccgggtgtgaagtgtggcagtcctccgcccagctgcaggccgc  
55 agcatctttgcgaagacctgcggtgtgcctggatgacgtcctttctcgggactgctttggc



- 11 -

## SEQ ID NO:5 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRIPAFLPCELQPHGLVNCNWLFLKSVPHFSAAAPRANVTLSLLSNRIH  
HLHDSDFVHLSSLRTLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTPALPDSLVSLSLS  
RTNIIVLDPHTLTGLHALRYLYMDGNCYKNPCQGALEVPVPGALLGLGNLTHLSLKYNNTLTPRSLPPSLETLL  
5 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHKPLHSDTFSHLSRLEGLVLKDSLSYLNLD  
RWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLSLNLNFNYHKKVSFAHLHLAPSPFGLHLSRKELDMHGIF  
RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRISGAARPVAITREVDGRERVWLPSR  
NLAPRPLDTRLSEDFMPNCKAFSFTLDLSRNNLVTIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL  
10 DLSHNKLDLYHGSRFTELPRLEALDLSYNSQPFMTQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
ALDFSGNDLSRMWAEGDLYLRFFQGLRSLVWLDLSQNLHHTLLPRALDNLPSKSLKHLHLRDNNAFFNWSSTLL  
PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
LKVLDSVANPLHCACGATFVGFLLEVQAAPVGLPSRVKCGSPGQLQGHISFAQDLRLCLDETLSWNCFCG  
ALGLVVPMLHHLGWDLYCFHLCLAWLPHRGQRGADALFYDAFVVDKAQSAVADWVYNELRVQLEERRGRRA  
15 LRLCLEERDWLPGKTLFENLWASVYSSRKTFLVLAHTDRVSGLLRASFLLAQQRLLLEDKDVVVLVILRPDAYRS  
RYVRLRQRLCRQSVLLWPHQPRGQGSFWAQLGTALTRDNHFFYNRNFCRGPTTAE

## SEQ ID NO:6 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRIPAFLPCELQPHGLVNCNWLFLKSVPHFSAAAPRANVTLSLLSNRIH  
HLHDSDFVHLSSLRTLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTPALPDSLVSLSLS  
20 RTNIIVLDPHTLTGLHALRYLYMDGNCYKNPCQGALEVPVPGALLGLGNLTHLSLKYNNTLTPRSLPPSLETLL  
LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHKPLHSDTFSHLSRLEGLVLKDSLSYLNLD  
RWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLSLNLNFNYHKKVSFAHLHLAPSPFGLHLSRKELDMHGIF  
RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRISGAARPVAITREVDGRERVWLPSR  
NLAPRPLDTRLSEDFMPNCKAFSFTLDLSRNNLVTIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL  
25 DLSHNKLDLYHGSRFTELPRLEALDLSYNSQPFMTQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
ALDFSGNDLSRMWAEGDLYLRFFQGLRSLVWLDLSQNLHHTLLPRALDNLPSKSLKHLHLRDNNAFFNWSSTLL  
PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
LKVLDSVANPLHCACGATFVGFLLEVQAAPVGLPSRVKCGSPGQLQGHISFAQDLRLCLDETLSWNCFCG

## 30 SEQ ID NO:7 (Porcine TLR9)

gagcacgaacatccttcactgtagctgctgcccggctctgccagccagaccctttggagaagacccccactccctgt  
catgggccccgcctgcacccctgcacccctttctctcctggtgcaggtgacagcgctggctcggctctggccca  
gggcaggctgcctgccttcctgccctgtgagctccagccccacggcctggtgaactgcaactggctcttcctgaa  
gtccgtgccccactctcctggcgccagcgccccggccaaactgaccagcctctccttactctccaacccgcatcca  
35 ccactgcacgactccgacttcgtccacctgcagctccagctcactgaactctcaactcgaagtggagctcccgccgc  
tggcctcagccccatgcacttcctcctgccacatgaccatcgagcccaacaccttcctggcctgcccacccctgga  
ggagctgaactgagctacaacagcatcacgacgtgcctgcccactccctcgtgtccctgtcgtgag  
ccgcaccaacatcctggtgctagacccccacccactcactggcctacatgccctgcgctacctgtacatggatgg  
caactgctactacaagaacccctgccagggggcgctggaggtggtgccgggtgccctcctcggcctgggcaacct  
40 cacacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagacctgct  
gttgtctacaaccacattgtcaccctgacgcctgaggacctggccaatctgactgccctgcgcgtgcttgatgt  
gggggggaactgccgcgctgtgaccatgcccgcaacccctgcaggagtgcccaaggaccaccccaagctgca  
ctctgacaccttcagccacctgagccgctcgaaggcctggtgttgaaagacagttctctctacaacctggacac  
cagggtggttcaggagcctggacaggtccaagtgtggacctgagtgagaacttcctctacgactgcatcaccaa  
45 gaccacggccttcagggcctggcccgactgagcagcctcaacctgtccttcaattaccacaagaaggtgtcctt  
tgccacactgacctggcaccctcctttgggcacctccggtccctgaaggagctggacatgcatggcatcttctt  
ccgctcgtcagtgagaccacgctccaacctctggtccaactgcctatgctccagaccctgcgcctgcagatgaa  
cttcattaaccaggcccagctcagcatctttggggccttcctggcctgctgtacgtggacctatcggaacaccg  
catcagcggagctgcaaggccagtgccattactaggaggtggatggtaggagaggggtctggctgccttcag  
50 gaacctcgtccactccactggacactctccgctcagaggacttcagccaaactgcaaggccttcagcttcac  
cttggaacctgtctcggaacaacctgggtgacaactccagtcggagatgtttgctcgctctcagcctcagctgct  
gcgcctgagccacaacagcatctccaggcggtcaatggctctcagtttgtgcgctgaccagcctgcgggtgct  
ggacctgtccacaacaagctggacctgtatcacggcgctcgttcacggagctgccgcgctggaagcactgga  
cctcagctacaatagccagccctttaccatgcagggtgtgggccacaacctcagcttcgtggccagctgcccg



- 13 -

## SEQ ID NO:9 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPFLPCELQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
 HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVSLSL  
 5 HTSILVLGPTHFTGLHALRFLYMDGNCYYMNPCPRALEVAPGALLGLGNLTHLSLKYNLLEVPRLPPLSLDTLL  
 LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
 DWFRGLGRLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVLEKLDMHGIF  
 RSLTNITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
 GLAPGPLDAVSSKDFMPSCNLNFTLDLSRNNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
 10 LSHNKL DLYHGRSFTLPLQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
 LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLNLPKSLRQLRLRDNNLAFFNWSSLTVLP  
 RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIPGFVRATRLIELNLSANALKTVDPWFGLSLAGTL  
 KILDVSANPLHCACGAFAVDLFLERQEAEPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFGLSLLMVA  
 LGLAVPMLHHLGWDLYCFHLCLAHLPRLRRQRGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEERRGRRL  
 15 RLCLEERDWPGLKTLFENLWASVYSSRKTMTFVLDHTDRVSGLLRASFLLAQQRLEDRKDVVVLVILRPAAYRSR  
 YVRLRQRLCRQSVLLWPHQPSGQGSFWANGLIALTRDNHRHFYNNRNCRGPTTAE

## SEQ ID NO:10 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPFLPCELQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
 20 HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVSLSL  
 HTSILVLGPTHFTGLHALRFLYMDGNCYYMNPCPRALEVAPGALLGLGNLTHLSLKYNLLEVPRLPPLSLDTLL  
 LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
 DWFRGLGRLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVLEKLDMHGIF  
 25 RSLTNITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
 GLAPGPLDAVSSKDFMPSCNLNFTLDLSRNNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
 LSHNKL DLYHGRSFTLPLQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
 LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLNLPKSLRQLRLRDNNLAFFNWSSLTVLP  
 RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIPGFVRATRLIELNLSANALKTVDPWFGLSLAGTL  
 KILDVSANPLHCACGAFAVDLFLERQEAEPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFG  
 30

## SEQ ID NO:11 (Bovine TLR9)

gggaaagtggcgcccaagcatccttccctgcagctgcctcccaacctgcccgcagaccctctggagaagccgcat  
 tccctgtcatgggcccctactgtgccccgcaccccccttctctcctggtgcaggcgccgactggcagcgccccc  
 35 tggcgaggccaccctgcctgccttccctgcctgcctgcctgcctgcctgcctgcctgcctgcctgcctgcctgcct  
 tctgaagtctgtgcccacttttgcctggagcccccgcccaatgtcaccagcctctccttaactctcccaacc  
 gcatccaccacttgcatgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcc  
 cgccggccggcctcagccccatgcacttccctgcctgatgaccatcgagcccaaaccttctggtgtgccc  
 cctggaggagctgaacctgagctacaacggcatcacgacctgcctgacctgcccagttccctcgtgtccctgt  
 40 cgctgagccacaccagcatcctggtgctaggccccaccacttcacggcctgcacgcccctgcgcttctgtaca  
 tggacggcaactgctactacatgaaccctgcccggggccctggaggtggccccaggcgccctcctcgccctgg  
 gcaacctcacgcactgtcgctcaagtacaacaacctcacggaggtgccccgcgctgccccagcctggaca  
 cctgctgctgtcctacaaccacattgtcaccctggcaccggaggacctggccaacctgactgcccgtgcgctgc  
 ttgacgtgggtgggaactgcgcgcgctgcgacctgcccgaacccctgcaggagtgcccaagaacttccca  
 45 agctgcacctgacaccttcagtcacctgagcgccctgaaggcctggtgtgaaggacagttctctacaaac  
 tagagaaagattggttccgcgccctgggagggctccaagtgcctgacctgagtgagaacttctctatgactaca  
 tcaccaagaccacctcttcaacgacctgacctgagctgcgagactcaacctgtccttcaattaccacaagaagg  
 tgtccttcgcccacctgcacctagcgtcctccttgggagctggtgtccctggagaagctggacatgcacggca  
 tcttcttccgctccctcaccacatcacgctccagtcgctgacctggctgcccagctccagagctgcatctgc  
 50 agctgaacttcattcaaccaggccagctcagcattcttggggccttcccagagctgctctcgtggacctgtcgg  
 acaaccgcatcagcgagcgccgagcgccgctgggggaggtggacagcaggggtggaagtctggcgat  
 tggccaggggcctcgctccaggccgctggacgcgctcagctcaaaggacttcagccaagctgcaacctcaact  
 tcacctggacctgtcacggaacaacctggtgacaatccagcaagagatgtttaccgcctctcccgcctccagt  
 gcctgcgctgagccacaacagcatctcgaggcggttaattggctcccagttcgtgcgctgaccagcctgcgag

- 14 -

tgctcgacctgtcccacaacaagctggacctgtaccatggcgctcattcaaggagctgccgagctggaggcac  
tggacctcagctacaacagccagcccttcagcatgcaggcgctgggccacaacctcagcttcgtggccagctgc  
cctccctgcgtacctcagccttgccgacaaatggcatccacagccgctgtcacagaagctcagcagcgctcgt  
5 tgcgcgcccctggacttcagcggcaactccctgagccagatgtgggcccaggagacctctatctctgcttttca  
aaggcttgaggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcacctggaca  
acctgcccgaagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccg  
tccgtcccccggctggaagccctggatctggcaggaaccagctgaaggccctgagcaacggcagcctgcgcctg  
gcatccggtccagaagctggacgtgagcagcaacagcatcggttcgtgatccccggcttcttcgtccgcgcga  
ctcggtgatagagcttaacctcagcgccaatgcctgaagacagtggatccctcctgggttcgggttccttagcag  
10 ggacctgaaaatcctagacgtgagcgccaacctgcctcactgcgcctgcggggcggtcttctggacttcctgc  
tggagagacaggaggcgctgccgggctgtccaggcgctcacatgtggcagtcggggcagctccaggggccgca  
gcatcttcacacaggacctgcgcctctgcctggatgagacctctccttggaactgcttggcctctcactgctaa  
tgggtggcgctgggctggcagtgcccatgctgcaccacctctgtggctgggacctctggtaactgcttccacctgt  
gtctggcccatgtgccccgacggcgggcgagcgggcgaggacacctgctctatgatgcctgctgggtcttcg  
15 acaaggtgcagagtgcagtggtgattgggtgtacaacgagctccgcgtgcagctggaggagcgccggggcgcc  
ggcgctccgcctctctgcctggagcgagactggctccctggtaagacgctcttcgagaacctgtgggctcgg  
tctacagcagccgcaagacctgttcgtgctggaccacacggaccgggtcagcgccctctgcgcgcagcttcc  
tgctggccagcagcgctgttgaggaccgcaaggacgtcgtagtgctggatcctgcgccccgcgcctatc  
gggtccgcgtacgtgcggctgcgcagcgctctgcgcagagcgtcctcctctggccccaccagccagtgggc  
20 agggtagttctggggccaacctgggcatagccctgaccagggacaaccgtcacttctataaccggaaacttctgc  
ggggccccacgacagccgaatagcacagagtgactgcccag

## SEQ ID NO:12 (Bovine TLR9)

atgggccccactgtgccccgcaccccccttctctcctgggtgcaggcgggcggaactggcagcgggccctggccgag  
25 ggcacctgcctgccttctgcccctgtgagctccagccccatgggtcaggtggactgcaactggctgttcttgaag  
tctgtgcgcgacttttcggctggagccccccgggccaatgtcaccagcctctccttaatctccaaccgcatccac  
caactgcatgacttctgacttctgctccacctgtccaacctgcgggtcctcaacctcaagtggactgcccgccgccc  
ggcctcagccccatgcacttccccctgcggtatgaccatcgagcccaacaccttctgggtgtgcccacctggag  
gagctgaacctgagctacaacggcatcacgacctgcctgcctgcccagttccctcgtgtccctgtcgtgagc  
30 cacaccagcatcctgggtgctaggccccacccacttcacggcctgcacgcctgcgcttctgtacatggacggc  
aactgctactacatgaaccttgcgcggggccctggaggtggccccaggcgccctcctcggcctgggcaacctc  
acgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgcctgccccccagcctggacaccttgcgtg  
ctgtcctacaaccacattgtcacctggcaccgcaggacctggccaacctgactgcctgcgcgtgcttgacgtg  
gggtgggaactgcgcgcgtgagacctgcccgaacccccctgcaggagtgcccaagaacttccccagactgcac  
35 cctgacaccttcagtcacctgagcgcctcgaaggcctgggtgttgaggacagttctctacaaactagagaaa  
gattgggttccgcggcctgggagggctccaagtgtcgacctgagtgagaacttctctatgactacatcaccaag  
accacctcttcaacgacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagggtgtccttc  
gcccacctgcaactagcgtcctccttgggagctgtgtgctcctggagaagctggacatgcacggcatcttcttc  
cgctccctcaccaacatcacgtccagtcgctgaccgggtgcccagctccagagctcgcacatctgcagctgaac  
40 ttcacacacagggccagctcagcatcttggggccttcccagcctgctcttcgtggacctgtcggaacaaccgc  
atcagcggagccgcgacgcccagcgcccgccctgggggaggtggacagcaggggtggaagtctggcgattgcccagg  
ggcctcgctccaggcccgctggacgcgctcagctcaaaggacttcagccaagctgcaacctcaactcaccttg  
gacctgtcacggaacaacctggtgacaatccagcaagagatgtttaccgcctctcccgctccagtgccctgcgc  
ctgagccacaacagcatctcgaggcggttaatggctcccagttcgtgcccgtgaccagcctgcgagtgctcgac  
45 ctgtcccacaacaagctggacctgtaccatggcgctcattcacggagctgcgcagctggaggcactggacctc  
agctacaacagccagcccttcagcatgcaggcgctggggccacaacctcagcttcgtggccagctgcccctcctg  
cgctacctcagccttgccgacaaatggcatccacagccgctgtcacagaagctcagcagcgctcgttgccgcgc  
ctggacttcagcggcaactccttgagccagatgtgggcccaggagacctctatctctgcttttcaaaggcttg  
aggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcacctggacaacctgccc  
50 aagacctgcgcgagctgcgtctccgggacaataacctggccttcttcaactggagcagcctcagcctcctgccc  
cggttggaagccctggatctggcaggaaccagctgaaggccctgagcaacggcagcctgcgcctggcatccgg  
ctccagaagctggacgtgagcagcaacagcatcggttcgtgatccccggcttcttcgtccgcgcgactcggtg  
atagagcttaacctcagcgcaatgcctgaagacagtggatccctcctgggttcggttccttagcagggaacctg  
aaaatcctagacgtgagcgcaacctgcctcactgcgcctgcggggcgcccttctgtgacttctgctggagaga  
55 caggaggcctgccccgggtgtccaggcgctcacatgtggcagtcggggccagctccaggggccgagcatcttc  
acacaggacctgcgcctctgcctggatgagacctctccttggaactgctttggc

- 15 -

## SEQ ID NO:13 (Equine TLR9)

5 MGPCHGALQPLSLLVQAAMLAVALAQGTLPPFLPCELQPHGLVNCNWFLKSVPHFSAAAPRDNVTSLSLLSNRI  
 HHLHDSDFQLSNLQKLNKWNCPAGLSPMHFPCMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
 SRTNIIQLDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTTPRSLPPSLEYL  
 10 LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSLYQLN  
 PRWFRGLGNLTVDLSENFLYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGLLSLQELDMHGIF  
 FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
 RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
 15 LDLSHNKLDLYHGRSFTTELPRLEALDLSYNSQPFMRGVGHNLFSVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
 WALDFSGNLSQMWAEGLDLYLRFQGLRSLIRLDLSQNLRLHTLLPCTLGNLPKSLQLLRLRNNYLAFFNWSSTL  
 LPNLETDLAQNQLKALSNGSLPSGTQLQRLDVSRSNIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
 SLEVLDVSANPLHCACGAAFVDFLLQVQAAVPGLPSPRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLV  
 VALGLAMPMLHHLGWDLYCFHLGLAWLPRRGWQRGADALS YDAFVVDKAQSAVADWVYNELRVRLEERRGR  
 20 ALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQQRLEDRKD VVVLVILSPDARR  
 SRYVRLRQLRCRQSVLFWPHQPSGQRSFQAQLGMALTRDNHRHFYNQNFRCGPTMAE

## SEQ ID NO:14 (Equine TLR9)

20 MGPCHGALQPLSLLVQAAMLAVALAQGTLPPFLPCELQPHGLVNCNWFLKSVPHFSAAAPRDNVTSLSLLSNRI  
 HHLHDSDFQLSNLQKLNKWNCPAGLSPMHFPCMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
 SRTNIIQLDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTTPRSLPPSLEYL  
 LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSLYQLN  
 25 PRWFRGLGNLTVDLSENFLYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGLLSLQELDMHGIF  
 FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
 RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
 LDLSHNKLDLYHGRSFTTELPRLEALDLSYNSQPFMRGVGHNLFSVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
 WALDFSGNLSQMWAEGLDLYLRFQGLRSLIRLDLSQNLRLHTLLPCTLGNLPKSLQLLRLRNNYLAFFNWSSTL  
 LPNLETDLAQNQLKALSNGSLPSGTQLQRLDVSRSNIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
 30 SLEVLDVSANPLHCACGAAFVDFLLQVQAAVPGLPSPRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG

## SEQ ID NO:15 (Equine TLR9)

ctctgttctctgagctgttgccgctgaaggactgagcagcacaagcatcctcctctgcagctgctgcccagtg  
 tgccagctggaccctctggatcatctccactcctgtcatgggccccttgccatggtgcccctgcagccccctgtct  
 ctctgtgctgagcgccatgctggccgtgctctggcccaaggcaccctgctccctctcctgcccctgtgagctc  
 35 cagccccacggcctggtgaactgcaactgctgttctctgaagtcctgcccacttctcagcagcagcaccggg  
 gacaatgtcaccagccttctctgtctctccaaccgcatccaccactccacgactccgactttgcccactgtcc  
 aacctgcagaaactcaacctcaaatggaactgcccgcagccggcctcagccccatgcacttcccctgccacatg  
 accatcagcccaacactttcctggtgtgacccacctggaggagctgaacctgagctacaacggcatcacgact  
 gtgctgcccctgcccagctccctcgtgtccctgatcctgagccgcaccaacatcctgcagctagacccccaccagc  
 40 ctccagggcctgcagcctgcttctctatacatggatggcaactgctactacaagaaccctgcccgcggggcc  
 ctggaggtggccccaggcgccctccttgccctgggcaacctcaccacctgtcactcaagtacaacaacctcaca  
 acggctgccccagcctgccccctagcctggagtacctgctgtgtcctacaaccacattgtcacccctggcact  
 gaggacctggccaatctgactgcctgctgtgtcctgatgtgggtggaactgcccgcgctgtgacctgacgc  
 aacctgctgctggagtggccacataaattccccagctgcactccgacacctcagccacctaaagccgcttagaa  
 45 ggctcgtgtggaagtagttctctctaccagctgaacccagatggttcctgctggcctgggcaacctcacagt  
 ctgcagctgagtgagaacttctctacgactgcataccaaaaccaaggcattccagggcctggcccagctgcga  
 agactcaactgtccttcaattaccataagaaggtgtccttcgcccactgacgctggcaccctccttcgggagc  
 ctgctctccctgcaggaactggacatgcatggcatcttctccgctcactcagccagaagacgctccagccactg  
 gcccgcctgcccagctccagcgtctgtatctgcagatgaacttcatcaaccaggcccagctcgccatcttcaag  
 50 gacttccctggtctgcgctacatagacctgtcagacaaccgcatcagtgaggctgtggagccggtggccaccaca  
 ggggaggtggatgggtgggaagaaggtctggctgacatccagggaacctcactccaggcccactggacacccccagc  
 tctgaggacttcatgccaagctgcaagaacctcagcttcaccttgacactgtcacggaacaacctggtaacagtc  
 cagccagagatgtttgcccagctctcgcgctccagtgctgctgcgctgagccacaacagcatctcgaggcggtc

- 16 -

aatggctcacagttcgtgccactgaccagcctgcaggtgctggacctgtcccataacaaactggacctgtaccat  
 gggcgctcgtttacggagctgccgcgactggaggccctggacctcagctacaacagccagcccttcagcatgcgg  
 ggtgtggggccacaacctcagctttgtggccagctgccaccctgcgtacctcagcctggcacacaatggcatc  
 cacagccgtgtgtcccagcagctctgcagcacctcgctgtgggcccctggacttcagcggcaattccctgagccag  
 5 atgtgggctgagggagacctctatctccgcttcttccaaggcctgagaagcctaattccggctagacctgtcccag  
 aatcgtctgcataccctcctgccatgcacctgggcaacctccccaaagagcttgagctgctgcgtctccgtaac  
 aattacctggccttcttcaattggagcagcctgacctcctgcccacctggaaacctggacctggctggaaac  
 cagctgaaggctctgagcaatggcagcctgccttctggcaccagctccagaggctggacgtcagcaggaacagc  
 atcatcttcgtgggtccctggcttctttgctctggccacgaggtgcgagagctcaacctcagtgccaacgcctc  
 10 aggcagagaggagccctcctgggtttgggtttctagcaggtcccttgaagtcttagatgtgagcgccaacctctg  
 cactgcgcctgtggggcagcctttgtggacttctgctgcaggttcaggctgccgtgctggctgctgccagccgc  
 gtcaagtgtggcagtcgggcccagctccaggccgcagcatcttcgcacaagacctgcgcctctgacctggacaag  
 tccctctcctgggactgttttgggtctctcattgctgggtgtggccctgggctggccatgcctatgttgaccac  
 ctctgcggctgggacctctgggtactgcttccacctgggctggcctggctgccccggcggggtggcagcggggc  
 15 gcggatgccctgagctatgatgcctttgtggctctcgacaaggcacagagcgcagtgccgactgggtgtacaat  
 gaactgcgggtgcggctagaggagcgcgtggcgccggcgctccgcctgtgtctggaggagcgtgactggcta  
 cctggcaagacgctgttcgaaaacctgtgggctcagctctacagcagccgcaagatgctgtttgtgctggccac  
 acggaccaggtcagtgccctcttgcgtgccagcttctctgctggccagcagcgtctgctggaggaccgcaaggac  
 gttgtgggtgctggtaacctgagccctgacgcccgcggttcccgtaactgctgggtgcgcccagcgctctgccc  
 20 cagagtgtcctcttctggccccaccagcctagtggccagcgcagcttctgggcccagctaggcatggccctgacc  
 agggacaaccgcccacttctataaccagaacttctgcccggggcccagcagatggctgagtagcacagagtgaacg  
 tggcatgtacaacccccagccctgaccttgcctctctgacctatgatgccagctctgcctcactctgtgaccccc  
 tgctctgcctccgcccacctcacccttggtacacagcaggcactcaataaatgccactggcaggccaaacagcca  
 aaaaaaaaaaaaaaaaaa

25

## SEQ ID NO:16 (Equine TLR9)

atgggccccttgccatgggtgccctgcagccctgtctctcctgggtgcaggcgcccatgctggcctggctctggcc  
 caaggcaccctgcctcccttctgcctgtgagctccagccccacggcctgggtgaactgcaactggctgttctg  
 aagtccgtgcccacttctcagcagcagcaccgccgggacaatgtcaccagccttctcttgcctccaaccgcac  
 30 caccacctccagactccgactttgcccactgtccaacctgcagaaactcaacctcaaagtgaactgcccgcca  
 gccggcctcagccccatgcacttcccctgccacatgacctcgagcccaacacttctctggctgtaccacccctg  
 gaggagctgaacctgagctacaacggcatcacgactgtgcctgccctgccagctccctcgtgtccctgatcctg  
 agccgcaccaacatcctgcagctagacccccaccagcctcacgggctgcattgcctgcgcttctctatacatggat  
 ggcaactgtactacaagaaccttgcggcgggccctggagggtggccccaggcgccctccttggcctgggcaac  
 35 ctacccacctgtcactcaagtacaacaacctcacacgggtgccccgcagcctgccccctagcctggagtaacctg  
 ctgttgcctacaaccacatgtcaccttggcactgaggacctggccaatctgactgccctgcgtgtgctcgat  
 gtgggtggaaactgccgcgctgtgacctgacgcaaccttgcgtggagtggccacataaattccccagctg  
 cactccgacaccttcagccacctaaagccgcttagaaggcctcgtgtgaaggatagtctctctaccagctgaac  
 cccagatggttccgtggcctgggcaacctcacagtgctcgacctgagtgagaacttctctacgactgcacacc  
 40 aaaaccaaggcatccaggcctggcccagctgcgaagactcaacttgcttcaattaccataagaagggtgctc  
 ttgccccacctgacgtggcaccctccttgggagcctgctctcctgcaggaactggacatgcattggcatcttc  
 ttccgctcactcagccagaagacgctccagccactggccgcctgcccattgctccagcgtctgtatctgcagatg  
 aacttcacacacaggccagctcggcatcttcaaggacttccctggctctgcgtacatagacctgtcagacaac  
 cgcacagtgaggctgtggagccggtggccaccacaggggaggtggatgggtgggaagaaggctctggctgacatcc  
 45 agggacctcactccaggccactggacacccccagctctgaggacttcattgccaagctgcaagaacctcagcttc  
 accttggacctgtcacggaacaacctggtaacagtccagccagagatgtttgcccagctctcgcgccctccagtgc  
 ctgcgcctgagccacaacagcatctcgcaggcggctcaatggctcacagttcgtgccactgaccagcctgcaggtg  
 ctggacctgtcccataacaaactggacctgtaccatggcgctcgtttacggagctgccgcgactggaggccctg  
 gacctcagctacaacagccagcccttcagcatgcggggtgtggggccacaacctcagctttgtggcccagctgccc  
 50 acctgcgctcagcctggcacacaatggcatccagccgctgtgtccagcagctctgcagcactcgtctg  
 tgggcccctggacttcagcggcaattccctgagccagatgtgggctgagggagacctctatctccgcttcttccaa  
 ggccctgagaagcctaattccggctagacctgtcccagaatcgtctgcataacctcctgccatgcacctgggcaac  
 ctccccaaagagcttgacgtgtgcgtctccgtaacaattacctggccttcttcaattggagcagcctgacctc  
 ctgcccacacctggaaacctggacctggctggaaaccagctgaaggctctgagcaatggcagcctgccttctggc  
 55 accagctccagaggctggacgtcagcaggaacagcatcatctcgtgggtccctggcttcttctgctctggccag  
 aggtgcgagagctcaacctcagtgccaacgcctcaggacagaggagccctcctgggttgggttctctagcaggc  
 tcccttgaagtcttagatgtgagcggcaacctctgcactgcgcctgtggggcagccttctgtggacttctgctg

- 17 -

cagggttcaggctgccgtgcctggtctgccagccgcgtcaagtgtggcagtcggggccagctccagggccgcagc  
atcttcgcacaagacctgcgcctctgcctggacaagtcctctcctgggactgttttggt

## SEQ ID NO:17 (Ovine TLR9)

5 MGPYCAPHPLSLLVQAAALAAALAQGTLPAPFLPCELQPRGKVCNWLFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTPALPSSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAVEVAPGALLGLGNLTHLSLKYNLLEVPRLPPLSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
10 DWFRGLGRLQVLDLSENFLYDYITKTTFIRNLTLQRLRLNLSFNHYHKKVSAHLQLAPSFGGLVLEKLDMHGIF  
RSLTNTTLRPLTQLPKLQSLSLQNLFINQAELSI FGAPPSLLFVDLSDNRI SGAARPVAALGEVDSGVEVWRWR  
GLAPGPLAAVSAKDFMPSCNLTDLNLTQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTLQLEALDLSYNSQPFMSQGVGHNL SFVAQLPSRLYSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGLDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSTVLP  
15 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFVFLANRLKELNLSANALKTVDPFWFGRLTETL  
NILDV SANPLHCACGA AFVDFLEMQAAV PGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFGFSLLMVA  
LGLAVPMLHHL CGWDLWYCFHLCLAHLP RRRRQRGEDTLLYDAFVVF DKAQSAVADWVYNELRVQLEERRGRRAL  
RLCLEERDWP LPGKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRLL EDRKD VVVLVILRPAAYRSR  
YVRLRQLRCRQSVLLWPHQPSGQGSFWANLGMALTRDNRHFYNRNFCRGPTTAE

## 20 SEQ ID NO:18 (Ovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAQGTLPAPFLPCELQPRGKVCNWLFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTPALPSSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAVEVAPGALLGLGNLTHLSLKYNLLEVPRLPPLSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
25 DWFRGLGRLQVLDLSENFLYDYITKTTFIRNLTLQRLRLNLSFNHYHKKVSAHLQLAPSFGGLVLEKLDMHGIF  
RSLTNTTLRPLTQLPKLQSLSLQNLFINQAELSI FGAPPSLLFVDLSDNRI SGAARPVAALGEVDSGVEVWRWR  
GLAPGPLAAVSAKDFMPSCNLTDLNLTQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTLQLEALDLSYNSQPFMSQGVGHNL SFVAQLPSRLYSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGLDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSTVLP  
30 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFVFLANRLKELNLSANALKTVDPFWFGRLTETL  
NILDV SANPLHCACGA AFVDFLEMQAAV PGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFG

## SEQ ID NO:19 (Ovine TLR9)

gtcggcacgggaagtgcagcgccaagcatccttccctgcagctgcgcgcccaacttgcccgcagaccctctggaga  
35 agccgcattccctgcatggggccctactgtgcccgcaccccttctctcctggtgcaggcgccgcgtggc  
agcagccctggcccagggcaccctgctgccttccctgctgagctccagccccgggtaaggtaactgcaa  
ctggctgttctgaagtctgtgcgcgcttttcggccggagccccccgggccaatgtcaccagcctctcctaat  
ctccaaccgcatccaccacttgacgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagt  
gaactgcccgcggccggcctcagccccatgcacttccctgcccgcagcatgaccatcgagcccaacaccttccctggc  
40 tgtgcccaccctggaggagctgaacctgagctacaatggcatcacgaccgtgctgcccctgccagtctctcgt  
atccctgtcgtgagccgcaccagcatcctggtgctagggcccccaccacttcaccggcctgcacgccctgcgctt  
ctgtgacatggacggcaactgctactataagaacccctgcagcaggccgtggaggtggccccaggcgccctcct  
tggcctgggcaacctcacgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgctgccccccag  
cctggacacctgctgctgtcctacaaccacatcatcaccctggcaccggaggacctggccaatctgactgcct  
45 gcgtgtgcttgatgtggcggaactgcccgcgtgcgaccacgcccgaacccctgcaggagtgcccaagaa  
cttccccaaagctgcaccctgacaccttcagccacctgagccgctcgaaggcctggtgttgaggacagtctct  
ctacaaactagagaaagactggttccgcccctgggcaggtccaagtgtcgacctgagtgagaacttctcta  
tgactacatcaccaagaccaccatcttcaggaacctgaccagctgcgcagactcaacctgtccttaattacca  
caagaaggtgtccttcgcccacctgcaactggcaccctcctttggggcctggtgtccttgagaagctggacat  
50 gcacggcatcttctccgctccctcaccacaccacgctccggccgctgaccagctgcccagctccagagctc  
gagtctgcagctgaacttcatcaaccaggccgagctcagcatcttggggccttcccagacctgctctctgga  
cctgtcggacaaccgcatcagcggagctgcgaggccggtggccgcccctggggaggtggacagcgggggtggaagt  
ctggcggtggcccaggggcctcgctccaggcccgctggccgcccgtcagcgcaaaaggacttcatgccaagctgcaa



- 18 -

cctcaacttcaccttggacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctcccg  
 cctccagtgcctgcgctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgccgctgacctg  
 cctgcgagtgctcgacctgtcctacaacaagctggacctgtaccatggcgctcgttcacggagctgcgcagct  
 5 ggaggcactggacctcagctacaacagccagcccttcagcatgcagggcgctggggccacaacctcagcttcgtggc  
 ccagctgcccgtccctgcgctacctcagccttgcgcacaacggcatccacagccgctgtcacagaagctcagcag  
 cgcctcgtgcgcccctggacttcagcggcaactccctgagccagatgtgggcccaggaggacctctatctctg  
 ctcttcaaaggcttgaggaaacctggctccagctggacctgtccaagaaccacctgcacacctcctgcctcgtca  
 cctggataacctgcccagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcag  
 cctgactgttctgccccagctggaagccctggatctggcggaaccagctgaaggccctgagcaacggcagcct  
 10 gccacctggcaccggctccagaagctggacgtgagcagcaacagcatcggtttgtgacctctggcttcttctgt  
 ccttgccaaccggctgaaagagcttaacctcagcgccaacgcctgaagacagtggtacctctctggttcggctcg  
 cttaacagagacctgaatatcctagacgtgagcgccaacccgctccactgtgctgcggggcgcccttctgtgga  
 ctctcgtgctggagatgcaggcgccgctgcctgggctgtccaggcgctcacgtgtggcagctccgggcccagctcca  
 gggcgccagcatcttcgcacaggacctgcgcctctgcctggatgagacctctccttggactgcttggcttctc  
 15 gctgctaattggctggcgctgggctggcggtgccatgctgcaccacctctgtggctgggacctgtggtactgctt  
 ccacctgttctggcccatttgccccgacggcgggcgaggggagacacctgctctacgatgctctcgt  
 ggtcttcgacaaggcgagctgcagtgccgactgggtgtacaacagagctccgctgcagctggaggagcgccg  
 cgggcccggcgctccgcctctgcctggaggagcgagactggctccctggcaagacgctcttcgagaacctgtg  
 ggctcggcttacagcagccgttaagacctgttctgtgctggaccacacggaccgggtcagtgccctcctgcgcgc  
 20 cagcttctcgtggcccagcagcgctgttgaggagccgcaaggatgtcgtggctggtgatcctgcgccccgc  
 cgctaccggctcccgctacgtgcgctgcgcccagcgctctgcgcccagagcgctcctccttggccccaccagcc  
 cagtgggccagggtagcttctgggccaacctgggcatggccctgaccagggacaaccgccacttctataaccggaa  
 ctctgcgggggccccacgacagccgaatagcacagagtgaactgcccag

# 25 SEQ ID NO:20 (Ovine TLR9)

atgggccccactgtgccccgcaccccccttctctcctgggtgcaggcgggcgctggcagcagccctggccccag  
 ggcacctgcctgccttccctgctgagctccagccccgggtaagggtgaactgcaactggctgttccctgaag  
 tctgtgcgcgcttttgcggccggagccccccgggccaatgtcaccagcctctccttaattccaaccgcatccac  
 30 cacttgacgactctgacttctgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgccgcggcc  
 ggctcagccccatgcacttccctgcgcagatgacctgcagcccaacaccttccctggctgtgccacctggag  
 gagctgaacctgagctacaatggcatcacgacctgcctgcccctgccagttctctcgtatccctgtcgtgagc  
 cgcaccagcatcctgggtgctaggccccaccacttcaaccggcctgcacgcccctgcgcttctgtacatggacggc  
 aactgctactataagaaccttgcagcaggcgctggagggtggccccaggcgccctccttggcctgggcaacctc  
 acgcacctgtcgtcctaagtacaacaacctcagggaggtgccccgcgctgccccccagcctggacacctgctg  
 35 ctgtcctacaaccacatcatcaccctggcaccgcagacctggccaatctgactgcccctgctgtgctgtg  
 ggcggaactgcgcgcgctgcgaccacgcccgaacacctgcagggagtgccaaagaacttcccaagctgcac  
 cctgacaccttcagccacctgagcgcctcgaaggcctgggtgtgaaggacagttctctctacaaactagagaaa  
 gactggttccgcggcctgggagggctccaagtgtcgacctgagtgaagaacttctctatgactacatcaccaag  
 accacctcttcaggaacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagggtgtccttc  
 40 gccacctgcaactggcaccctccttgggggctgggtgtccttgagaagctggacatgcacggcatcttcttc  
 cgctccctcaccacaccacgctccggcgctgacctgcccagctgccaagctccagagctgagctgtcagctgaac  
 ttcatcaaccaggccgagctcagcatcttggggccttcccagcctgctctctcgtggacctgtcggaacaaccgc  
 atcagcggagctgcgaggccggtggcgccctcggggaggtggacagcggggtggaagtctggcggtggccagg  
 ggcctcgtccaggcccgtggcgccgtcagcgcaaggacttcatgccaagctgcaacctcaacttcaccttg  
 45 gacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctcccgcctccagtgctgcgc  
 ctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgcccgtgacctgctgcgagtgctcgac  
 ctgtcctacaacaagctggacctgtaccatggcgctcgttcacggagctgcgcagctggaggcactggacctc  
 agctacaacagccagcccttcagcatgcaggcgctggggcacaacctcagcttctggtggccagctgcccgtccctg  
 cgctacctcagcttgcgcacaacggcatccacagcgctgtcacagaagctcagcagcgctcctcgttcgagcgcc  
 50 ctggacttcagcggcaactccctgagccagatgtggcgcgaggtgagacctctatctcgtctcttcaaaggcttg  
 aggaacctggctcagctggacctgtccaagaaccacctgcacacctcctgcctcgtcacctggataacctgccc  
 aagagctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgactgttctgccc  
 cagctggaagccctggatctggcggaaccagctgaaggccctgagcaacggcagcctgccacctggcaccggg  
 ctccagaagctggacgtgagcagcaacagcatcggtttgtgaccttggttcttctgtccttgccaaccggctg  
 55 aaagagcttaacctcagcggcaacgcctgaagacagtggtaccttctggttcggtcgttaacagagacctg  
 aatatcctagacgtgagcgcaaccgcctccactgtgctgcggggcgcccttctgtggaactcctgctggagatg



- 19 -

caggcgccgtgctgggctgtccaggcgcggtcacgtgtggcagtcgggcccagctccaggggccgcagcatcttc  
gcacaggacctgcgctctgcctggatgagacctctccttggaactgctttggc

Complete nucleotide and amino acid sequences for canine and feline TLR9 are  
publicly available. For example, an amino acid sequence for canine TLR9 is available as  
GenBank accession number BAC65192 and its corresponding nucleotide sequence is  
available as GenBank accession number AB104899. An amino acid sequence for feline  
TLR9 is available as GenBank accession number AAN15751 and its corresponding  
nucleotide sequence is available as GenBank accession number AY137581.

Complete nucleotide and amino acid sequences for canine and feline TLR9 were also  
determined independently from those available from public databases.

An amino acid sequence of canine TLR9 is provided as SEQ ID NO:21. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:21 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of canine TLR9  
(See Figure 1). Amino acids numbered 1-822 of SEQ ID NO:21 are presumptively  
extracellular domain and correspond to SEQ ID NO:22. SEQ ID NO:23 is a nucleotide  
sequence of canine TLR9 cDNA having an open reading frame corresponding to nucleotides  
91-3186. SEQ ID NO:24 is a nucleotide sequence of canine cDNA encoding amino acids 1-  
822 of SEQ ID NO:21.

An amino acid sequence of feline TLR9 is provided as SEQ ID NO:25. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:25 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of feline TLR9 (See  
Figure 1). Amino acids numbered 1-820 of SEQ ID NO:25 are presumptively extracellular  
domain and correspond to SEQ ID NO:26. SEQ ID NO:27 is a nucleotide sequence of feline  
TLR9 cDNA having an open reading frame corresponding to nucleotides 87-3179. SEQ ID  
NO:28 is a nucleotide sequence of feline cDNA encoding amino acids 1-820 of SEQ ID  
NO:25.

SEQ ID NO:21 (Canine TLR9)

MGPCRGALHPLSLVQAAALALALAQGTLPALPCELQPHGLVNCNWLFLKSVPRFSAAAPRGNVTSLSLYSNRI  
HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSLVSLSL  
SRTNILLVDPATLAGLYALRFLFDGNCYYKNPCQALQVAPGALLGLGNLTHLSLKYNLTVVPRGLPPSLEYL

- 20 -

LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKGFPPQLHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNHKKVSAHLHLASSFGSLLSLQELDIHGIF  
 FRSLSKTTLQSLAHLPLMLQRLHLQLNFIISQAQLSIFGAFPGRLRYVDLSDNRISGAAPAAATGEVEADCGERVWP  
 5 QSRDLALGPIGTPGSEAFMPSCRTLNFTLDLSRNNLVTVPQEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 RVLDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSMRGVGHNLFSVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNRHLTLPRNLDNLPKSLRLLRLRDNLYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGLPNGTQLQRLDLSGNSIGFVVPSPFALAVRLRELNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGPLSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSLSL  
 LAVALSLAVPMLHQLCGWDLWYCFHLCLAWLPRRGRRGVDALAYDAFVVDKAQSSVADWVYNELRVQLEERRG  
 10 RRALRLCLEERDWPVGKTLFENLWASVYSSRKTFLVRLARTDRVSGLLRASFLLAQORLLEDKRDVVVLVILCPDA  
 HRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGTALTRDNRHFYNQNFRCGPTTA

## SEQ ID NO:22 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPRFSAAAPRGNVTSLSLYSNRI  
 15 HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDLNLNSYNISITVPALPSSLVSLSL  
 SRTNIVLDPATLAGLYALRFLFDGNCYYKNPCQQALQVAPGALLGLGNLTHLSLKYNNLTVVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKGFPPQLHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNHKKVSAHLHLASSFGSLLSLQELDIHGIF  
 20 FRSLSKTTLQSLAHLPLMLQRLHLQLNFIISQAQLSIFGAFPGRLRYVDLSDNRISGAAPAAATGEVEADCGERVWP  
 QSRDLALGPIGTPGSEAFMPSCRTLNFTLDLSRNNLVTVPQEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 RVLDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSMRGVGHNLFSVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNRHLTLPRNLDNLPKSLRLLRLRDNLYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGLPNGTQLQRLDLSGNSIGFVVPSPFALAVRLRELNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGPLSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSL  
 25

## SEQ ID NO:23 (Canine TLR9)

aggaaggggctgtgagctccaagcatcctttcctgcagctgctgcccagcctgccagccagaccctctggagaag  
 cccccgctccctgtcatgggccccctgccgtggcgccctgcacccccctgtctctcctggtgcaggctgccgcgcta  
 30 gccctggccctggcccagggcacccctgctgctcctgctgctgagctccagcccatggcctggtgaactgc  
 aactggctgttccctcaagtcctgccccgcttctcggaagctgcaccccggttaacgtcaccagccttctccttg  
 tactccaacgcgcatccaccacctccatgactatgactttgtccacttcgtccacctgcggcgctcctcaatctcaag  
 tggaaactgcccgcggccagcctcagcccatgcaacttccctgtcacatgaccattgagcccaacaccttccctg  
 gctgtgcccaccctagaggacctgaatctgagctataacagcatcacgactgtgcccgcctgcccagttcgctt  
 35 gtgtccctgtccctgagccgcaccaacatcctggtgctggaccctgccaccctggcaggcctttatgccctgcgc  
 ttccctgttccctggatggcaactgctactacaagaacccctgccagcaggccctgcagggtggccccaggtgccctc  
 ctgggctgggcaacctcacacacctgtcactcaagtacaacaacctcaccgtggtgccgcggggcctgcccccc  
 agcctggagtacctgtcttctgctacaaccacatcatcaccctggcaactgaggacctggccaatctgactgcc  
 ctgctgtcctcgatgtgggtgggaactgtcgccgctgtgaccatgcccgtaacccctgcaggagtgcccaag  
 40 ggcttccccagctgcaccccaacaccttcggccacctgagccacctcgaaggcctggtgttgaggagacagctct  
 ctctacagcctggacccaggtggttccatggcctgggcaacctcatggtgctggacctgagtgagaacttccctg  
 tatgactgcatcaccaaaacaaagccttctacggcctggcccggtgcgcagactcaacctgtccttcaattat  
 cataagaagggtgtcctttgcccacctgcatctggcatcctccttcgggagcctactgtccctgcaggagctggac  
 atacatggcatcttcttccgctcgctcagcaagaccagctccagtcgctggcccacctgccatgctccagcgt  
 45 ctgcatctgcagttgaactttatcagccagggccagctcagcatcttcggcgcttccctggactgcggtacgtg  
 gacttgcagacaaccgcatcagtgaggctgcagagcccggtgcccacagggaggtagaggcagactgtggg  
 gagagagtctggccacagtcacgggacctgtcctcgggcccactgggcaaccccggtcagaggccttcatgccc  
 agctgcaggacctcaacttcaccttgacctgtctcggaacaacctagtactgttcagccggagatgtttgtc  
 cggctggcgccctccagtgctgggctgagccacaacagcatctcgaggcggtcaatggctcgagcttctgtg  
 50 cctctgagcaacctgcgggtgctggacctgtccataacaagctggacctgtaccacgggctcgttcacggag  
 ctgcccgggctggaggccttgacctcagctacaacagccagccctcagcatgcggggcggtgggcccacaatctc  
 agctttgtggcacagctgccagccctgcgctacctcagcctggcgcaaatggcatccacagcccgctgtcccag  
 cagctccgcagcgcctcgctccgggcccctggacttcagtggaataacctgagccagatgtgggcccaggaggac  
 ctctatctcogcttcttcaaggcctgagaagcctggttcagctggacctgtccagaatcgctgcatacctc  
 55 ctgccacgcaacctggacaacctccccaaagcctgcggctcctgcggctccgtgacaattacctgcttcttcc  
 aactggagcagcctggccctcctaccaagctggaagcctggacctggcgggaaaccagctgaaggccctgagc

- 21 -

aatggcagcttgcaccaacggcaccagctccagaggtggacctcagcggcaacagcatcggcttcgtgggtcccc  
 agcttttttgccttgccgtgaggttcgagagctcaacctcagcgccaacgccctcaagacggtggagccctcc  
 tgggttgggtccctggcgggtgacctgaaagtccatagacgtgaccgccaaccccttgcatcgttgcggcgca  
 accttcgtggacttcttgcgtggaggtgcaggctgcggtgcccgccctgcctagccgtgtcaagtgcggcagcccg  
 5 ggccagctccaggggcgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgtctcctgggtctgt  
 ttcagcctctcgtgctggtgctggtgacctgagcctggctgtgcccattgctgcaccagctctgtggctgggacctc  
 tgggtactgcttccacctgtgacctgacctgacctgacctgacctgacctgacctgacctgacctgacctgacctg  
 gacgcttcgtgggtcttcgacaaggcgacagctcggtggcggaactgggtgtacaatgagctgcgggtacagcta  
 gaggagcgccgtggggcgccggcgctacgcctgtgtctggaggaaactgactgggtaccggcggcaaacctcttc  
 10 gagaacctctgggacctcagtttacagcagccgcaagacgtgtttgtgctggcccgacggacagagtcagcggc  
 ctctgctgctgaccttctgctggcccaacagcgctgctggaggaccgcaaggacgtcgtggtgctggtgatc  
 ctgtgccccgacgcccacgctcccgctatgtgcggtgcgcccagcgctctgcccagagctgctcctctctgg  
 cccaccagcccagtgccagcgagcttctggggccagctgggcacggccctgaccaggggacaacggccacttc  
 tacaaccagaacttctgccccggggcccaacagcagcctgataggcagacagcccagcacttcgccccctacacc  
 15 ctgctgctgctgctgggatgccccgacctgctggctctacaccgcccgtctgtctccccctacaccagccctggca  
 taaagcgaccgctcaataaatgctgctggtagac

## SEQ ID NO:24 (Canine TLR9)

atggggccctgcccgtggcgccctgcacccctgtctctcctgggtgcaggctgcgcgctagccctggccctggcc  
 20 caggggaccctgctgaccttccctgacctgtgagctccagccccatggcctgggtgaactgcaactggctgttccctc  
 aagtccgtgccccgcttctcggcagctgcaccccgcggttaacgtcaccagccttccctgtactccaaccgcatc  
 caccacctccatgactatgactttgtccacttcgtccacctgcggcgctctcaatctcaagtggaaactgccccccc  
 gccagcctcagccccatgcactttccctgtcacatgaccattgagcccaacaccttccctggctgtgcccacccta  
 gaggacctgaatctgagctataacagcatcacgactgtgcccgcctgcccagttccgcttgtgtccctgtccctg  
 25 agccgcaccaacatccctgggtgctggacctgcccacctggcaggcctttatgccctgaccttccctgttccctggat  
 ggcaactgctactacaagaacccctgcccagcagccctgcagggtggccccaggtgcccctcctgggctgggcaac  
 ctcacacacctgtcactcaagtacaacaacctcaccgtgggtgcccggggcctgccccccagcctggagtagctg  
 ctcttgtcctacaaccaacatcatcacctggcacctgaggacctggcgaatctgactgcccctgctgtcctcgat  
 gtgggtgggaactgtgcgcgtgtgacctgcccgttaacccctgcaggagtgccccaagggttccccagctg  
 30 caccccaacaccttcggccacctgagccacctcgaaggcctgggtgttgaggagacagctctctctacagcctggac  
 ccaggtgggttccatggcctgggcaacctcatgggtgctggacctgagtgagaacttccctgtatgactgcatcacc  
 aaaacaaaagccttctacggcctggcccggtgcgcagactcaacctgtccttcaattatcataagaagggtgtcc  
 tttgcccacctgcatctggcatcctccttcgggagcctactgtccctgcaggagctggacatacatggcatccttc  
 tccgctcgctcagcaagaccagctccagtcgctggccacctgcccattgctccagcgtctgcatctgcagttg  
 35 aactttatcagccaggcccagctcagcatcttcggcgcccttccctggactgcggtacgtggacttgcagacaac  
 cgcacagtgaggctgcagagcccgcggtgccacaggggaggttagaggcagactgtggggagagagctctggcca  
 cagtcccggaaccttgccttggggccactgggaccccccggtcagaggccttcatgcccagctgcaggaccttc  
 aacttcaccttggaacctgtctcggaacaacctagtactgttcagccggagatgtttgtccggctggcgcgctc  
 cagtgcctgggctgagccacaacagcatctcgcaggcggtcaatggctcgcagttcgtgacctgagcaacctg  
 40 cggtgctggacctgtcccataacaagctggacctgtaccacggggcgctcgttcacggagctgcgcgggctggag  
 gccttggacctcagctacaacagccagcccttcagcatgcggggcggtgggcccacaatctcagcttctgtggcacag  
 ctgccagccctgcgctacctcagcctggcgcaacaatggcatccacagccgctgtcccagcagctccgcagcgcc  
 tcgctccgggcccctggacttcagtggaataacctgagccagatgtggggccgagggagacctctatctccgcttc  
 ttccaaggcctgagaagcctgggttcagctggacctgtcccagaatcgctgcataacctcctgccacgcaacctg  
 45 gacaacctccccaaagagcctgcggctcctgcggctccgtgacaattacctggctttcttcaactggagcagcctg  
 gccctcctacccaagctggaagcctggacctggcgggaaaccagctgaaggccctgagcaatggcagcttggcc  
 aacggcaccagctccagaggtggacctcagcggcaacagcatcggcttctgtgggtccccagcttttttgcctg  
 gccgtgaggttcgagagctcaacctcagcgccaacgccctcaagacggtggagccctcctgggtttgggttccctg  
 50 gcgggtgacctgaaagtccatagacgtgaccgccaaccccttgcatcgttgcgttgcggcgcaaccttcgtggacttc  
 ttgctggaggtgcaggctgcgggtgcccggcctgctgacctgacggtgtcaagtgcggcagccgggcccagctccagggc  
 cgcagcatcttcgcacaggacctgcgcctgacctggaagcagcgtctcctgggtctgtttcagc

## SEQ ID NO:25 (Feline TLR9)

55 MGPCGHALHPLSLVQAAALAVLAQGTLPALFLPCELQRHGLVNCWDLFLKSVPHFSAAAPRGNVTSLSLYSNRI  
 HHLHDSDFVHLSSLRLRLNLKWNCPASLSPMHFPCHMTIEPHTFLAVPTLEELNLSYNSITTVPALPSSLVLSLSL

- 22 -

SRTNIVLDPANLAGLSLRLFLDGNLCYYKNPCPQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLHNHLEGLVLKDSLSYLNIN  
 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNYHKKVSFAHLHLAPSFGLLSLQQLDMHGIF  
 5 FRSLSETTLRSLVHL PMLQSLHLQMNFINQAQLSIFGAFPLGRYVDLSNDRISGAMELAAATGEVDGGERVRLPS  
 GDALGPPGTPSPSEGFMPGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSQGVGHNLSFVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNLRLHTLLPRTL DNLPKSLRLLRLRDNYLAFFNWSSLV  
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
 10 TLKVLVDVTGNPLHCACGAAFVDFLLEVQAAVPLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDGFLSLLT  
 VALGLAVPMLHHLGWDLYCFHLCLAWLPRRGRRRGADALPYDAFVVDKAQSAVADWVYNELRVRLERERRGR  
 ALRLCLEERDWLPKGTFLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQRLLBDRKDVVVLVILRPDAHR  
 SRYVRLRQRLCRQSVLLWPHQPSGQRSFQAQLGTALTRDNQHFYNQNFRCRGPTTAE

## SEQ ID NO:26 (Feline TLR9)

15 MGPCHGALHPLSLLVQAAALAVALAQGTLPAPFLPCELQRHGLVNCDFLKSVPHFSAAPRGNVTSLSLYSNRI  
 HHLHDSDFVHLSLRLNLKWNCPASLSPMHFCHMTIEPHTFLAVPTLEELNLSYNSITTPALPSSLSVLSL  
 SRTNIVLDPANLAGLSLRLFLDGNLCYYKNPCPQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLHNHLEGLVLKDSLSYLNIN  
 20 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNYHKKVSFAHLHLAPSFGLLSLQQLDMHGIF  
 FRSLSETTLRSLVHL PMLQSLHLQMNFINQAQLSIFGAFPLGRYVDLSNDRISGAMELAAATGEVDGGERVRLPS  
 GDALGPPGTPSPSEGFMPGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSQGVGHNLSFVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNLRLHTLLPRTL DNLPKSLRLLRLRDNYLAFFNWSSLV  
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
 25 TLKVLVDVTGNPLHCACGAAFVDFLLEVQAAVPLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDGFLSLLT

## SEQ ID NO:27 (Feline TLR9)

agggctctgcgagctccaggcattcttctctgccatcgctgccagctctgccatccagaccctctggagaagcccc  
 cactccctgtcatgggccccctgccatggcgccccctgcacccccctgtctctcctgggtgcaggtgcgcgctggcgcg  
 30 tggccctggccaggccaccctgcctgcttcttgcctctgtgagctccagcgccacggcctgggtgaattctcgact  
 ggctgttccctcaagctccgtgccccacttctcgccgagcgccccctggtaacgtcaccagccttccctgtact  
 ccaacgcctccaccactccagcactccgacttctgtccacctgtccagcctgcccgtctcaacctcaaatgga  
 actgcccccccgccagcctcagccccatgcacttccctgtcacatgaccattgagccccacaccttccctggcgcg  
 tgccccccctggaggagctgaacctgagctacaacagcatcacgacagtaccgccccctgcccaggttccctcggtg  
 35 cctgtccttgagccgtaccaacatcctgggtgctggaccctgccaacctcgagggctgactccctgcgcttct  
 tgttccctggatggcaactgctactacaagaaccttgcgcgagggcctgcaggtggccccggcgccccctcttg  
 gcctgggcaaccttacgcacctgtcactcaagtacaacaacctcactgcgggtgcccccgcgccctgccccccagcc  
 tggagtacctgtctattgtcctacaaccacatcatcaccctggcactgaggacctggccaacctgaccgccccctgc  
 gtgtgctcgatgtgggtgggaactgccgtcgctgtgaccacgccccgaacctgtatggagtggccccaaagggtc  
 40 tcccgccactgcacctgacaccttcagccacctgaaccacctgaaggcctgggtgttgaggacagctctctct  
 acaacctgaacccagatgggtccatgccctgggcaacctcatgggtgctggacctgagtgaagaacttccatgatg  
 actgcatcaccaaaaccacagccttccagggcctggcccagctgcccagactcaacttgtcttcaattaccaca  
 agaaggtgtcctttgcccacctgccttggcgccccctccttcgggagcctgctctccctgcagcagctggacatgc  
 atggcatcttcttcgctcgctcagcgagaccagctccggctcgctgggtccacctgcccagctccagagctctgc  
 45 acctgcagatgaacttcatcaatcaggcccagctcagcacttctcggggccttccctggcctgcgatacgtggacc  
 tgtcagacaacccgataagtggagcctggagctggcggtgcccacgggggaggtggatgggtggggagagagtc  
 ggctgccatctggggacctagctctggggccaccgggacccccctagctccgagggcttcaagcaggtgcgaaga  
 cctcaacttcaacttggacctgtcacggaacaacctagtgaacaatccagccagagatgtttgccccggctctcgc  
 gcctccagtgctgctcctgagccgcaacagcatctcgaggcagtcacaggctcacaatttatgcccgtgacca  
 50 gcctgcaggtgctggacctgtccataacaagctggacctgtaccatggcgctcttccacggagctgcccgggc  
 tggaggccctggacctcagctacaacagccagcccttcagcatgcaggcgctgggtcacaacctcagcttctggtg  
 cacagctgcccggccctgcgctatctcagcctggcgcaaacgacatccacagccgtgtgtcccagcagctctgca  
 ggcctcgctgcccggccttggaactcagcgggcaatgccttgagccggatgtggggcgaggagacctgtatctcc  
 acttctccgaggcctgaggagcctgggtccggttgatctgtccagaatcgctgcataccctctgcccagca  
 55 cctgggacaacctcccccaagagcctgcccgtgctgcgtctccgtgacaattatctggcttcttcaactggagca

- 23 -

gcctgggtcctcctccccaggtggaagccctggacctggcggaaccagctgaaggccctgagcaacggcagct  
 tgcctaattggaaccagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagcttttttg  
 ctctggccaccaggtgagagctcaacctcagtgccaacgccctcaagacgggtggagccctcctgggttcggtt  
 ctctagcgggacccctgaaagtcttagatgtgactggcaacccccctgactgcgcctgtggggcgcccttcgtgg  
 5 acttcttgctggaggtgcaggctgcagtgcgcgcctgcccaggccacgtcaagtgtggcagtcagggtcagctcc  
 agggccgcagcatctttgcgaggtatctgcgcctctgctggatgaggccctctcctgggactgttttggcctct  
 cgctgctgaccgtggccctggcctggcctggcctgcccagctgcaccacctctgtggctgggacctctggtactgct  
 tccacctgtgctggcctggcctggcctggcctggcctggcctggcctggcctggcctggcctggcctggcctggcct  
 10 tggctctcgacaaggcacagagcgcggtggcctgactgggtgtacaacagagctgcgggtacggctagaggagcgcc  
 gtggacgcccagcgctccgctgtgctggaggaacgtgactggctaccggtaaaacgctctttgagaacctgt  
 gggcctcagtttacagcagccgcaagatgctgtttgtgctggcccacacagacaggggtcagcgccctcttgccg  
 ccagctttctgctggcccagcagcctgctggaggaccgcaaggacgttgtgtgtgctggtgatcctgcccccg  
 acgcccaccgctcccgtatgtgcggtgcccagcgctctgcccagagcgctcctcctctggccccaccagc  
 ccagtggccagcgagcttctggcccagctgggcacggccctgaccagggaacaaccagcactctataaccaga  
 15 acttctgcccggggccccacgacggcagagtaccgcccagcaccccaagcctcctacacctgctgtctgctg  
 ggtgcccggg

## SEQ ID NO:28 (Feline TLR9)

atggggccctgccatggcgccctgcacccctgtctctcctgggtgcaggctgcccgcctggccgtggccctggcc  
 20 caggccacctgcctgcctttctgccctgtgagctccagcgccacggcctggatgaattgcgactggctgttctc  
 aagtccgtgccccacttctcgccggcagcgccccgtggtaacgtcaccagcctttccctgtactccaaccgcatc  
 caccacctccagactccgactttgtccacctgtccagcctggcgctctcaacctcaaagtgaactgccaccc  
 gccagcctcagccccatgcacttcccctgtcacatgaccattgagccccacaccttccctggccgtgccacccctg  
 25 gaggagctgaacctgagctacaacagcatcacgacgtaccgcccctgccagttccctcgtgctccctgtccttg  
 agccgtaccaacatccctgggtgctggacccctgccaacctcgcagggctgcactccctgcgcttctgttccctggat  
 ggcaactgtactacaagaaccttgcgcgagccctgcaggtggccccggcgccctccttggcctgggcaac  
 cttacgcacctgtcactcaagtacaacaacctcactgcgggtgccccgcggcctgccccccagcctggagtacctg  
 ctattgtctacaaccacatcatcaccctggcacctgaggacctggccaacctgaccgcccctgcgtgtgctcgat  
 30 gtgggtgggaactgccgtgctgtgaccacgccccgaacccctgtatggagtggccaaggccttcccgacactg  
 caccctgacaccttcagccacctgaaccacctcgaaggcctgggtgttgaaggacagctctctctacaacctgaac  
 cccagatggttccatgccctgggcaacctcatggtgctggacctgagtgagaacttccatataactgactgcacacc  
 aaaaccacagccttccagggcctggcccagctgcgcagactcaacttgtctttcaattaccacaagaagggtgtcc  
 tttgccacctgcactggtggcgccctccttcgggagcctgctctccctgcagcagctggacatgcatggcatcttc  
 35 ttcgctcgtcagcgagaccagcctccggctgctggctccacctgcccagctgctcagctgacacctgcagatg  
 aacttcataatcaggcccagctcagcatcttcggggccttccctggcctgcgatacgtggacctgtcagacaac  
 cgcataagtggagccatggagctggcggtgcccaggggaggtggatgggtggggagagagtcggcgtccatct  
 ggggacctagctctggggccaccgggcacccctagctccgagggttccatgccaggctgcaagacctcaacttc  
 accttgacctgtcacggaacaacctagtgaacatccagccagagatgtttgcccggctctcgccctccagtgc  
 40 ctgctcctgagccgcaacagcatctcgccaggcagtcacggctcacaatttatgccgctgaccagcctgcaggtg  
 ctggacctgtcccataacaagctggacctgtaccatggggcgtctttcacggagctgcccgggctggaggccctg  
 gacctcagctacaacagccagcccttcagcatgcaggcggtgggtcacaacctcagctttgtggcacagctgcgcg  
 gccctgcgctatctcagcctggcgcaacagcatccacagccgtgtgtcccagcagctctgcagcgccctcgctg  
 45 cgggcttggacttcagcggaatgccttgagccgagtggtggccgagggagacctgtatctccacttcttccga  
 ggctgaggagcctgggtccggttggtatctgtcccagaatcgccgtacataacctcttgccacgcacctggacaac  
 ctccccagagcctgcggctgctgctgcttccgtgacaattatctggctttcttcaactggagcagcctggctctc  
 ctccccagggctggaagccctggacctggcggaaccagctgaaggccctgagcaacggcagcttgccataatgga  
 accagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagctttttgtctggtccacc  
 50 aggtgcgagagctcaacctcagtgcacacgcccctcaagacgggtggagccctcctgggttcgggttctctagcgggc  
 accctgaaagtccatagatgtgactggcaacccctgactgcgcctgtggggcgcccttcgtggacttcttctg  
 gagggtcaggctgcagctgcccggcctgcccagccagctcaagtgtggcagtcagggtcagctccaggccgcagc  
 atctttgcccaggtatctgcgcctctgctggatgaggccctctcctgggactgttttggc

Complete nucleotide and amino acid sequences for murine and human TLR9 are publicly available. For example, an amino acid sequence of murine TLR9 is available as

- 24 -

GenBank accession no. AAK29625, provided as SEQ ID NO:29. Amino acids numbered 1-821 of SEQ ID NO:29 presumptively include the entire extracellular domain and correspond to SEQ ID NO:30. SEQ ID NO:31 corresponds to GenBank accession number AF348140, which is a nucleotide sequence of murine TLR9 cDNA. SEQ ID NO:32 is a nucleotide sequence of murine cDNA encoding amino acids 1-821 of SEQ ID NO:29.

An amino acid sequence of human TLR9 is available as GenBank accession no. AAF78037, provided as SEQ ID NO:33. Amino acids numbered 1-820 of SEQ ID NO:33 presumptively include the entire extracellular domain and correspond to SEQ ID NO:34. SEQ ID NO:35 corresponds to GenBank accession number AF245704, which is a nucleotide sequence of human TLR9 cDNA. SEQ ID NO:36 is a nucleotide sequence of human cDNA encoding amino acids 1-820 of SEQ ID NO:33.

#### SEQ ID NO:29 (Murine TLR9)

MVLRRRTLHPLSLLVQA AVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 15 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNL  
 SHTNIVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVT PGALLGLSNLTHLSLKYNNTKVPRLPPSLEYL  
 LVSYNLIIVKLPEDLANLTSLRVLDVGGNCRRCDHAPNPCI ECGQKSLHHPETFHHLSHLEGLVLKDSSLHTLN  
 SSWFQGLVNL SVLDLSENFLYESINHTNAFQNLTRLRKLNL SFNYRKKVS FARLHLASSFKNLVSLQELNMNGIF  
 20 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVLDSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLPSTPASKNFMDCRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFSMKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLNDLPKSLKLLSLRDNYLSFFNWTSL  
 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 25 MNLTVLDVRSNPLHCACGA AFVDLLEVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFLSLL  
 AVAVGMVVPILHHL CGWDVWYCFHLC LAWLPLLARSRRSAQALPYDAFVVF DKAQSAVADWVYNELRVLEERRG  
 RRALRLCLEDRDWLPGQTLFENLWASIYGSRTLFVLAHTDRVSGLLRTSFLLAQQRLL EDRKDVVVLVILRPDA  
 HRSRYVRLRQRLCRQSVLFWPQQPNGQGFWAQLSTALTRDNHRHFYNQNF CRGPTAE

#### SEQ ID NO:30 (Murine TLR9)

MVLRRRTLHPLSLLVQA AVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 30 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNL  
 SHTNIVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVT PGALLGLSNLTHLSLKYNNTKVPRLPPSLEYL  
 LVSYNLIIVKLPEDLANLTSLRVLDVGGNCRRCDHAPNPCI ECGQKSLHHPETFHHLSHLEGLVLKDSSLHTLN  
 35 SSWFQGLVNL SVLDLSENFLYESINHTNAFQNLTRLRKLNL SFNYRKKVS FARLHLASSFKNLVSLQELNMNGIF  
 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVLDSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLPSTPASKNFMDCRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFSMKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLNDLPKSLKLLSLRDNYLSFFNWTSL  
 40 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLDVRSNPLHCACGA AFVDLLEVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFG

#### SEQ ID NO:31 (Murine TLR9)

tgtcagagggagcctcgggagaatcctccatctcccaacatggttctccgtcgaaggactctgcaccccttgtcc  
 ctctcggtacaggtgcagtgctgctgagactctggccctgggtaccctgcctgccttctaccctgtgagctg

- 25 -

aagcctcatggcctgggtggactgcaattggctgttctgaagtctgtaccccggtttctctgcggcagcatcctgc  
 tccaacatcacccgctctccttgatctccaaccgatatccaccacctgcacaactccgacttcgtccacctgtcc  
 aacctgcggcagctgaacctcaagtggaaactgtccaccactggccttagccccctgcacttctcttgccacatg  
 5 accattgagcccagaaccttctctggctatgcgtacactggaggagctgaacctgagctataatgggtatcaccact  
 gtgccccgactgcccagctcctgggtgaatctgagcctgagccacaccaacatcctgggtctagatgctaacagc  
 ctgcgcggcctatacagcctgcgcgttctctcatggacgggaactgctactacaagaacccctgcacaggagcg  
 gtgaaggtagcccaaggcgccctcctggcctgagcaatctcaccatctgtctctgaagtataacaacctcaca  
 aagggtgccccgccaactgccccccagcctggagtagctcctgggtgctctataacctcattgtcaagctggggcct  
 gaagacctggccaatctgacctccttcgagtacttgatgtgggtgggaattgccgtcgctgcgacctgcccc  
 10 aatccctgtatagaatgtggccaaaagtccctccactgcacctgagacctccatcacctgagccatctggaa  
 ggcctgggtgctgaaggacagctctctccatacactgaactcttctgggttccaaggctgtggtcaacctctcggtg  
 ctggacctaaagcgagaacttctctatgaaagcatcaaccacaccaatgccttccagaacctaacccgctgcgc  
 aagctcaacctgtccttcaattaccgcaagaaggatcctttgcccgcctccacctggcaagttccttcaagaac  
 ctgggtgtcactgcaggagctgaacatgaacggcatcttctccgctcgctcaacaagtacacgctcagatggctg  
 15 gccgatctgcccacaaactccacactctgcatcttcaaatgaacttcatcaaccaggcacagctcagcatcttgggt  
 accttccgagcccttcgcttctgtggacttgtcagacaatcgcatcagtgaggccttcaacgctgcagaagccacc  
 cctgaagaggcagatgatgcagagcaggaggagctgtgtctgcggtatcctcaccagctccactgagcaccct  
 gcttctaagaacttcatggacaggtgaagaacttcaagttcaccatggacctgtctcggaacaacctgggtgact  
 atcaagccagagatgttgtcaatctctcagcctccagtgcttagcctgagccacaactccattgcacaggct  
 20 gtcaatggctctcagttcctgcgcgtgactaatctgcaggtgctggacctgtccataacaaactggacttgtac  
 cactggaaatcgttcagtgagctaccacagttgcaggccctggacctgagctacaacagccagcccttagcatg  
 aagggtataggccacaatttcagtttgtggcccatctgtccatgctacacagccttagcctggcacacaatgac  
 attcatacccgctgtgtcctcacatctcaacagcaactcagtgaggttcttctgacttcagcggcaacgggtatgggc  
 cgcagtgtgggatgaggggggccttctatctccatttcttccaaggcctgagtgccctgctgaagctggacctgtct  
 25 caaaataacctgcatactcctccggccccagaaccttgacaacctccccaaagagcctgaagctgctgagcctccga  
 gacaactacatcttcttcttaactggaccagttctgtccttctgcccacacctggaagtcctagacctggcaggc  
 aaccagctaaaggccctgaccaatggcaccctgcctaattggcaccctcctccagaaactggatgtcagcagcaac  
 agtatcgtctctgtgggtcccagccttcttcgctctggcggtcgagctgaaagaggtcaacctcagccacaacatt  
 ctcaagacgggtggatcgctcctgggttggggccatttgtatgaacctgacagttctagacgtgagaagcaacct  
 30 ctgactgtgctgtgtggggcagccttcgttagacttactgttgagggtgcagaccaaggtgctggcctggcta  
 ggtgtgaagtgtggcagccccggcagctgcaggggcgtagcatcttcgcacaggacctgcggctgtgctggat  
 gaggtcctctcttgggactgcttggccttctactcttggtgtggcgtgggcatgggtgggtgctatactgcac  
 catctctgcggctgggacgtctggtactgttttcatctgtgacctggcatggctaccttggctggccgcagccga  
 cgcagcgcacaaagctctccctatgatgccttctggtgttgcataaggcacagagcgcagttggcgactgggtg  
 35 tataacgagctgcgggtgcggctggaggagcggcggtgcgcgagccctacgcttgtgtctggaggaccgagat  
 tggctgctggccagacgtcttcgagaacctctgggttccatctatgggagccgcaagactctatttgtgtg  
 gccacacggacccgctcagtgccctcctgcgcaccagcttctgctggctcagcagcgctgttgggaagaccgc  
 aaggacgtggtggtgttggtgatcctgcgtccggtgcccacgcctcccgctatgtgagactgcgccagcgtctc  
 40 tgcgcagagtggtgtctcttggccccagcagcccaacggggggccttctggggccagctgagtacagcc  
 ctgactagggaacacccgaccttctataaccagaactctgcgggggacctacagcagaatagctcagagcaaca  
 gctggaaacagctgcacatctcatgcctgggttcccgagttgctctgctgc

## SEQ ID NO:31 (Murine TLR9)

atgggttctccgtgaaggactctgcaccccttgtccctcctgggtacaggctgcagtgctggctgagactctggcc  
 45 ctgggtacacctgccttctaccctgtgagctgaagcctcatggcctgggtggactgcaattggctgttctgtg  
 aagtctgtaccccggttctctgcggcagcatcctgctccaacatcacccgctctccttgatctccaaccgatatc  
 caccactgcacaactccgacttcgtccacctgtccaacctgcggcagctgaacctcaagtggaaactgtccacct  
 actggccttagccccctgcacttctcttgccacatgaccttagccccagaaccttctggctatgcgtacactg  
 50 gaggagctgaacctgagctataatgggtatcaccactgtgcggcactgcccagctcctgggtgaatctgagcctg  
 agccacaccaacatcctgggtctagatgctaacagcctgcgcggcctatacagcctgcgcgttctcttcatggac  
 gggaactgctactacaagaacccctgcacaggagcgggtgaaggtagccccaggcgccctcctgggctgagcaat  
 ctacccatctgtctctgaagtataacaacctcacaagggtgccccgccaactgccccccagcctggagtacctc  
 ctgggtgtcctataacctcatgtcaagctggggcctgaagacctggccaatctgacctcccttcgagtacttgat  
 gtgggtgggaattgccgtcgctgcgacctgcccccaatccctgtatagaatgtggccaaaagtccctccacctg  
 55 caccctgagaccttccatcacctgagccatctggaaggcctgggtgctgaaggacagctctctccatacactgaac  
 tcttccgtggttccaggtctgggtcaacctctcggtgctggacctaaagcgagaacttctctatgaaagcatcaac  
 cacaccaatgccttccagaacctaacccgctgcgaagctcaacctgtccttcaattaccgcaagaaggatcc

- 26 -

tttgccccgctccacctggcaagttccttcaagaacctgggtgtcactgcaggagctgaacatgaacggcatcttc  
 ttccgctcgctcaacaagtacacgctcagatggctggccgatctgccaaactccacactctgcatcttcaaagt  
 aacttcatcaaccaggcacagctcagcatctttggtaccttccgagcccttcgctttgtggacttgtcagacaat  
 5 cgcacagtggtggccttcaacgctgtcagaagccacccctgaagaggcagatgatgcagagcaggaggagctgttg  
 tctgcgatcctcaccagctccactgagcaccctgcttctaagaacttcatggacaggtgtaagaacttcaag  
 ttaccatggagctgtctcggaacaacctgggtgactatcaagccagagatgtttgtcaatctctcacgctccag  
 tgtcttagctcgagccacaaactccattgcacaggctgtcaatggctctcagttcctgcccgtgactaatctgcag  
 gtgctggacctgtcccataacaaactggactgtaccactggaaatcggtcagtgagctaccacaggtgcaggcc  
 10 ctggacctgagctacaacagccagccctttagcatgaagggtataggccacaatttcagttttgtggcccatctg  
 tccatgtcacacagccttagcctggcacacaatgacattcatacccggtgtgtcctcacatctcaacagcaactca  
 gtgaggtttcttgacttcagcggcaacgggtatggcgccgatgtgggatgagggggcctttatctccatttcttc  
 caaggcctgagtggtgctgaagctggacctgtctcaaaataacctgcatactcctccggccccagaaccttgac  
 aacctccccaagagcctgaagctgctgagcctccgagacaactacctatctttctttaactggaccagtctgtcc  
 15 ttcttgcaccaacctggaagtccctagacctggcaggcaaccagctaaaggccctgaccaatggcaccctgcctaat  
 ggcacctcctccagaaactggatgtcagcagaacagatctgtctgtgtggtccagccttctctgctctggcg  
 gtcgagctgaaagaggtcaacctcagccacaacattctcaagacgggtggatcgctcctgggttggcccatgtg  
 atgaacctgacagttctagacgtgagaagcaacctctgcactgtgctgtggggcagccttcgtagacttactg  
 ttggaggtgcagaccaaggtgctggcctggctaagtgtgagtggtggcagccccggccagctgcaggggcgt  
 20 agcatcttcgcacaggacctgcccgtgtgctggatgaggtcctctcttgggactgctttggc

## SEQ ID NO:33 (Human TLR9)

MGFCRSALHPLSLLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWFLKSVPHFSMAAPRGNTVLSLSSNRI  
 HHLHDSDFAHLPRLHLNLKWNCPVGLSPMHFPCHMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 25 SHTNIMLMDASASLAGLHALRFLFMDGNCYYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTLVVPRNLPSSLEYL  
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNPMCPCPRHFPQLHPDTFSHLSRLEGLVLKDSLSWLN  
 ASWFRGLGNLRVLDLSENFLYKCITKTKAFQGLTQLRKLNLNFNYQKRVSAHLSLAPSFGSLVALKELDMHGIF  
 FRSLDETTLRPLARLPLQLTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGEADGGEKVLQ  
 30 GD LAPAPVDT PSED FRPNCSTLNF TDL SRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 LDLSRNKLDLYHEHSFTLPRLEALDLSYNSQPFQMVGHNFSFVAHLRTLRLSLAHNNIHSQVSQQLCSTSL  
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNLHTLLPQTLRNLPKSLQVLRRLDNYLAFFKWWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRLRLDVSCNSISFVAPGFFSKAKELRELNLNLSANALKTVDHSWFGPLAS  
 35 ALQILDVSANPLHCACGAAMDFLLEVQAAVPLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCAFLSLLA  
 VALGLGVPMHLHLCGWDLWYCFHLCLAWLPWRGRQSGRDEALPYDAFVVDKTSQSAVADWVYNELRGQLEECRG  
 RWALRLCLEERDWLPGLTLFENLWASVYGSRKTLFVLAHTDRVSGLLRLASFLLAQQLLEDKDVVVLVILSPDG  
 RRSRYVRLRQRLCRQSVLLWPHQPSGQRSFQAQLGMALTRDNHFFYNRNFQCGPTAE

## SEQ ID NO:34 (Human TLR9)

MGFCRSALHPLSLLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWFLKSVPHFSMAAPRGNTVLSLSSNRI  
 HHLHDSDFAHLPRLHLNLKWNCPVGLSPMHFPCHMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 40 SHTNIMLMDASASLAGLHALRFLFMDGNCYYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTLVVPRNLPSSLEYL  
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNPMCPCPRHFPQLHPDTFSHLSRLEGLVLKDSLSWLN  
 ASWFRGLGNLRVLDLSENFLYKCITKTKAFQGLTQLRKLNLNFNYQKRVSAHLSLAPSFGSLVALKELDMHGIF  
 FRSLDETTLRPLARLPLQLTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGEADGGEKVLQ  
 45 GD LAPAPVDT PSED FRPNCSTLNF TDL SRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 LDLSRNKLDLYHEHSFTLPRLEALDLSYNSQPFQMVGHNFSFVAHLRTLRLSLAHNNIHSQVSQQLCSTSL  
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNLHTLLPQTLRNLPKSLQVLRRLDNYLAFFKWWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRLRLDVSCNSISFVAPGFFSKAKELRELNLNLSANALKTVDHSWFGPLAS  
 ALQILDVSANPLHCACGAAMDFLLEVQAAVPLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCA

## 50 SEQ ID NO:35 (Human TLR9)

aggctggtataaaaaatcttacttctctattctctctgagccgctgctgccccctgtgggaaggggacctcgagtgtga  
 agcatccttccctgtagctgctgtccagctctgccgccagaccctctggagaagccccctgccccccagcatgggt  
 ttctgcccagcgcctgcacccgctgtctctcctgggtgaggccatcatgctggccatgacctggccctgggt



- 27 -

accttgccctgccttccctaccctgtgagctccagccccacggcctgggtgaactgcaactggctgttccctgaagtct  
 gtgccccacttctccatggcagacccccgtggcaatgtcaccagccttctctgtcctccaaccgcatccaccac  
 ctccatgatctgactttgcccacctgccagcctgcccgcctctcaacctcaagtggaaactgcccgcgggttggc  
 5 ctgagccccatgcacttccccctgccacatgaccatcgagcccagcaccttcttggtgtgcccacccctggaagag  
 ctaaactgagctacaacaacatcatgactgtgctgcgtgcccacaaatccctcatatccctgtccctcagccat  
 accaacctcctgatgctagactctgcccagcctgcggcctgcatgcccctgcgttccctattcatggacggcaac  
 tgttattacaagaacccccctgcaggcaggcactggaggtggccccgggtgccctccttggtggcgggcaacctacc  
 cacctgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccctccagcctggagtatctgctgttg  
 10 tccataaccgcatcgtcaaacggcgctgaggacctggccaatctgaccgcccctgcgtgtgctcgatgtgggc  
 ggaaattgcccgcgtgcgaccacgctcccaacccctgcatggagtgcctcgtcacttccccagctacatccc  
 gataccttcagccacctgagccgtcttgaaggcctggtgttgaaggacagtctctctcctcctggctgaatgccagt  
 tgggtccgtgggtgggaaacctccgagtgctggacctgagtgagaacttccctacaaatgcatcactaaaacc  
 aaggccttccagggcctaacacagctgcccgaagcttaacctgtccttcaattacaaaagagggtgtcctttgcc  
 15 cactgtctctggcccccttcttccggagcctggtgcgcctgaaggagctggacatgcacggcactcttctccgc  
 tcactcgatgagaccacgctccggccactggccccctgcccctgctccagactctgcgtctgcagatgaacttc  
 atcaaccaggcccagctcggcatcttcaggcccttccctggcctgcgtacgtggacctgtcggacaaccgcatc  
 agcggagcttccggagctgacagccacatgggggaggcagatggaggggagaaggctgtggtgcagcctggggac  
 cttgctccggccccagtgagactcccagctctgaagacttcaggcccaactgcagcacctcaacttcaccttg  
 20 gatctgtcacggaacaacctgggtgacctgacgcccagagatgttggccagctctcgcacctgcagtgccctgcgc  
 ctgagccacaactgcatctcgcaggcagtcactgggtccaggttccctgcccgtgaccggctctgcaggtgctagac  
 ctgtcccgcataaagctggacctctaccacgagcactcattcacggagctaccgcgactggaggccctggacctc  
 agctacaacagccagcccccttggcatgcagggcgctgggcccacaaactcagcttccgtggctcactgcgcacccctg  
 25 cgccacctcagcctggccccacaacaacatccacagccaagtgtccagcagctctgcagtagctcgtcgtcgggccc  
 ctggacttcagcggcaatgcactggggccatgtggggccgagggagacctctatctgcacttcttccaaggcctg  
 agcgggttgatctggctggactgtcccagaaccgctgcacacctctcctgccccaaacctgcgcaacctcccc  
 aagagcctacaggtgctgcgtctcctgacaaattacctggccttctttaagtggaggcctccacttccctgccc  
 aaactggaaagtctcgcacctggcaggaaaccggctgaaggccctgaccaatggcagcctgctgctggcaccgg  
 30 ctccggaggctggatgtcagctgcaacagcatcagcttccgtggccccccggcttcttttccaaggccaaggagctg  
 cgagagctcaaccttagcgcgaacgcccctcaagacagtggaccactcctgggttggggccccctggcgagtgccctg  
 caaacactcagctgaatgtagcgaacccctcctgcagctgcgctgtggggcgcccttatggacttccgtgaggggtg  
 caggctgcccgtgccccggctctgcccagcgggtgaagtgtggcagtcggggccagctccagggtccagcatctt  
 35 gcacaggacctgcgcctctgcctggatgaggccctctcctgggactgttctgcctctcgtcgtggtgtggct  
 ctgggctgggtgtgcccctgctgcatcacctctgtggtgggacctctgggtactgcttccacctgtgcttggcc  
 tggcttccctggcggggcgccgaagtgggagagatgaggatgcccctgcccacgatgccttccgtggtcttcgac  
 40 aaaacgcagagcgcagtgccagactgggtgtacaacgagcttccggggcagctggaggagtgcctggggcgctgg  
 gcaactccgctgtgctggaggaaacgcgactggctgctggcaaaacctcttggagaacctgtgggctcggtc  
 tatggcagccgcaagacgctgttgtgctggcccacacggacgggtcagtggtctcttgcgcgcagcttccctg  
 ctggcccagcagcgccctgctggaggaccgcaaggacgtcgtgggtgctggtgacccctgagcctgacggccgcgc  
 45 tcccgtacgtgcggtgcccagcgccctctgcccagagtgctcctcctctggccccaccagcccagtggtcag  
 cgcagcttctggggccagctgggcatggccctgaccagggaacaaccacacttctataaccggaacttctgcccag  
 ggacccacggccgaatagccgtgagccggaatcctgcacggtgccacctccacactcacctcacctctgctgccc  
 tggctgacctccccctgctgcctcctcaccacacactgacacagagca

## SEQ ID NO:36 (Human TLR9)

45 atgggtttctgcccagcgcctgcaaccgctgtctctcctgggtgcaggccatcatgctggccatgacctggcc  
 ctgggtaccttgccctgccttccctaccctgtgagctccagccccacggcctgggtgaactgcaactggctgttccctg  
 aagtctgtgccccacttctccatggcagcaccctgggcaatgtcaccagccttctctgtcctccaaccgcatc  
 caccacctccatgatctgactttgcccacctgcccagcctgcccgcctctcaacctcaagtggaaactgcccgcg  
 50 gttggcctcagccccatgcacttccccctgccacatgaccatcgagcccagcaccttcttggtgtgcccacccctg  
 gaagagctaaacctgagctacaacaacatcatgactgtgctgcgtgcccacaaatccctcatatccctgtccctc  
 agccataccaacatcctgatgctagactctgccagcctgcggcctgcatgcccctgcgttccctattcatggac  
 ggcaactgttattacaagaacccctgcaggcaggcactggaggtggccccgggtgccctccttgccctgggcaac  
 ctccccacctgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccttccagcctggagtatctg  
 55 ctggtgtcctacaaccgcatcgtcaaacggcgctgaggacctggccaatctgaccgcccctgcgtgtgctcgat  
 gtggcggaattgcccgcgtgcgaccacgctcccaacccctgcatggagtgcctcgtcacttccccagctac  
 catccccgacacttcagccacctgagccgtcttgaaggcctgggtgttgaaggacagtctctctcctcctggat  
 gccagttgggtccgtgggctgggaaacctccgagtgctggacctgagtgagaacttccctacaaatgcatcact

- 28 -

5 aaaaccaaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattaccaaagagggtgtcc  
 tttgccacctgtctctggcccttccctcgggagcctggcgcctgaaggagctggacatgcacggcatcttc  
 ttccgctcactcgatgagaccagctccggccactggcccgctgcccatgctccagactctgcgtctgcagatg  
 aacttcatcaaccaggcccagctcggcatcttcagggccttccctggcctgcgctacgtggacctgtcggacaac  
 10 cgcatcagcggagcttcggagctgacagccaccatgggggaggcagatggaggggagaaggtctggctgcagcct  
 ggggacctgtgtccggccccagtggaactcccagctctgaagacttcaggcccaactgcagcaccctcaacttc  
 accttggatctgtcacggaacaacctgggtgaccgtgcagccggagatgtttgccagctctcgcacctgcagtgc  
 ctgcgcctgagccacaactgcatctcgcaggcagtcgaatggctcccagttcctgccgctgaccggctcgcagggtg  
 ctagacctgtcccgaataagctggacctctaccacgagcactcattcacggagctaccgcgactggaggccctg  
 15 gacctcagctacaacagccagccctttggcatgcaggcgctgggcccacaacttcagcttcgtggctcacctgcgc  
 acctgcgccacctcagcctggccacaacaacatccacagccaagtgtcccagcagctctgcagtagctcgtg  
 cgggcccctggacttcagcggcaatgcactgggccaatgtgggcccaggaggagacctctatctgcacttcttccaa  
 ggcctgagcgggtttgatctggctggactgttccagaaccgcctgcacacctcctgcccacaacctgcgcaac  
 ctccccaagagcctacaggtgtgtcgtctccgtgacaattacctggccttctttaaagtggaggcctccacttc  
 20 ctgcccactggaagtctcgcacctggcaggaaaccggctgaaggccctgaccaatggcagcctgcctgctggc  
 acccggtccggaggctggatgtcagctgcaacagcatcagcttcgtggcccccggttcttttccaaggccaag  
 gagctgcgagagctcaaccttagcgccaacgcctcaagacagtggaaccactcctgggttggggccccctggcgagt  
 gccctgcaataactagatgtaagcgccaacctctgcactgcgcctgtggggcgccctttatggacttctgctg  
 gaggtgcaggtgccgtgcccggtctgccagccgggtgaagtgtggcagtcggggccagctccagggcctcagc  
 atctttgcacaggacctgcgcctctgcctggatgaggccctctcctgggactgtttcgcc

In addition to the foregoing native rat, porcine, bovine, equine, and ovine TLR9  
 polypeptides and nucleic acid molecules encoding them, chimeric TLR9 polypeptides and  
 nucleic acid molecules encoding them are provided by the invention. The chimeric  
 25 polypeptides include at least one amino acid substitution based on a comparison of  
 conserved and non-conserved amino acids among at least two of rat, murine, porcine, bovine,  
 equine, ovine, canine, feline, and human TLR9. The information contained in a multiple  
 sequence alignment of these various TLR9 polypeptide sequences, provided for example in  
 Figure 1, can be used to identify and select individual amino acid positions and even  
 30 individual amino acids to substitute in designing a chimeric TLR9. The substitution or  
 substitutions can be effected using methods known to those of ordinary skill in molecular  
 biology. Nucleic acids encoding the native or chimeric polypeptides of the invention can be  
 inserted into an expression vector and used to express TLR9 polypeptide.

A conservative amino acid substitution shall refer to a substitution of a first amino  
 35 acid for a second amino acid, wherein side chains of the first amino acid and the second  
 amino acid share similar features in terms of hydrophobicity, size, aromaticity, or tendency to  
 alter conformation. For example, conservative amino acid substitutions generally may be  
 made between members within each of the following groups: hydrophobic (A, I, L, M, V),  
 neutral (C, S, T), acidic (D, E), basic (H, K, N, Q, R), and aromatic (F, W, Y). A non-  
 40 conservative amino acid substitution refers to any other amino acid substitution.

- 29 -

An expression vector for TLR9 will include at least a nucleotide sequence coding for a TLR9, or a fragment thereof coding for a functional TLR9 polypeptide, operably linked to a gene expression sequence which can direct the expression of the TLR9 nucleic acid within a eukaryotic or prokaryotic cell. A "gene expression sequence" is any regulatory nucleotide  
5 sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the nucleic acid to which it is operably linked. With respect to TLR9 nucleic acid, the "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the TLR9 nucleic acid to which it is  
10 operably linked. The gene expression sequence may, for example, be a mammalian or viral promoter, such as a constitutive or inducible promoter. Constitutive mammalian promoters include, but are not limited to, the promoters for the following genes: hypoxanthine phosphoribosyl transferase (HPRT), adenosine deaminase, pyruvate kinase,  $\beta$ -actin promoter, and other constitutive promoters. Exemplary viral promoters which function constitutively in  
15 eukaryotic cells include, for example, promoters from the simian virus (e.g., SV40), papillomavirus, adenovirus, human immunodeficiency virus (HIV), Rous sarcoma virus (RSV), cytomegalovirus (CMV), the long terminal repeats (LTR) of Moloney murine leukemia virus and other retroviruses, and the thymidine kinase (TK) promoter of herpes simplex virus. Other constitutive promoters are known to those of ordinary skill in the art.  
20 The promoters useful as gene expression sequences of the invention also include inducible promoters. Inducible promoters are expressed in the presence of an inducing agent. For example, the metallothionein (MT) promoter is induced to promote transcription and translation in the presence of certain metal ions. Other inducible promoters are known to those of ordinary skill in the art.

25 In general, the gene expression sequence shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribing sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined nucleic acid  
30 coding sequence for a TLR9 polypeptide. The gene expression sequences optionally include enhancer sequences or upstream activator sequences as desired.

- 30 -

Generally a nucleic acid coding sequence and a gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the nucleic acid coding sequence under the influence or control of the gene expression sequence. Thus the TLR9 nucleic acid coding sequence and the gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the TLR9 nucleic acid coding sequence under the influence or control of the gene expression sequence. If it is desired that the TLR9 sequence be translated into a functional protein, two DNA sequences are said to be operably linked if induction of a promoter in the 5' gene expression sequence results in the transcription of the TLR9 sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the TLR9 sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a gene expression sequence would be operably linked to a TLR9 nucleic acid sequence if the gene expression sequence were capable of effecting transcription of that TLR9 nucleic acid sequence such that the resulting transcript might be translated into the desired TLR9 protein or polypeptide.

A “TLR9 ligand” as used herein refers to a molecule that specifically binds a TLR9 polypeptide. In one embodiment the TLR9 ligand specifically binds a TLR9 polypeptide corresponding to at least a ligand-binding portion of the extracellular domain of TLR9. In most instances a TLR9 ligand will also induce TLR9 signaling when contacted with TLR9 under suitable conditions. TLR9 signaling refers to TLR/IL-1R signal transduction mediated through the TLR9, as described in further detail elsewhere herein. As mentioned above, CpG nucleic acids have been reported to be TLR9 ligands, but TLR9 ligands may include other entities as well, including, for example, small molecules. As also previously mentioned, there appears to be a species-specific preference for at least certain TLR9s and certain CpG motifs. As used herein, a species-preferred CpG DNA refers to a particular CpG DNA that is optimized for signal induction by a TLR9 of a particular species. A CpG DNA that is optimized for signal induction by a TLR9 of a particular species refers to a CpG DNA having a sequence that preferentially binds to and/or induces signaling by TLR9 of that species. For example, a human-preferred CpG DNA shall refer to a CpG DNA that optimally stimulates human TLR9 to signal through its TIR domain. Likewise, a murine-preferred CpG DNA

- 31 -

shall refer to a CpG DNA that optimally stimulates murine TLR9 to signal through its TIR domain. Examples of human-preferred and murine-preferred CpG DNA are ODN 2006 (SEQ ID NO:58) and 1668 (SEQ ID NO:60), respectively.

5 The binding and species specificity of TLR9s are believed to be influenced by key amino acids present in the extracellular domain of TLR9. Key amino acids in a TLR9 as used herein refer to those amino acids which contribute significantly to ligand binding and ligand specificity of a particular TLR9 polypeptide.

A "CpG nucleic acid" or a "CpG immunostimulatory nucleic acid" as used herein is a nucleic acid containing at least one unmethylated CpG dinucleotide (cytosine-guanine  
10 dinucleotide sequence, i.e., "CpG DNA" or DNA containing a 5' cytosine followed by 3' guanine and linked by a phosphate bond) which activates a component of the immune system. The entire CpG nucleic acid can be unmethylated or portions may be unmethylated but at least the C of the 5' CG 3' must be unmethylated.

In one embodiment a CpG nucleic acid is represented by at least the formula:

15 
$$5'-N_1X_1CGX_2N_2-3'$$

wherein  $X_1$  and  $X_2$  are nucleotides, N is any nucleotide, and  $N_1$  and  $N_2$  are nucleic acid sequences composed of from about 0-25 N's each. In some embodiments  $X_1$  is adenine, guanine, or thymine and/or  $X_2$  is cytosine, adenine, or thymine. In other embodiments  $X_1$  is cytosine and/or  $X_2$  is guanine.

20 Nucleic acids having modified backbones, such as phosphorothioate backbones, also fall within the class of immunostimulatory nucleic acids. U.S. Pat. Nos. 5,723,335 and 5,663,153 issued to Hutcherson, et al. and related PCT publication WO95/26204 describe immune stimulation using phosphorothioate oligonucleotide analogues. These patents describe the ability of the phosphorothioate backbone to stimulate an immune response in a  
25 non-sequence specific manner.

An immunostimulatory nucleic acid molecule, including for example a CpG DNA, may be double-stranded or single-stranded. Generally, double-stranded molecules may be more stable *in vivo*, while single-stranded molecules may have increased activity. The terms "nucleic acid" and "oligonucleotide" refer to multiple nucleotides (i.e., molecules comprising  
30 a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)) or a modified base. As

- 32 -

used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base-containing polymer. The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides with a covalently modified base and/or sugar. For example, they include nucleic acids having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have amino acid backbone with nucleic acid bases). In some embodiments the nucleic acids are homogeneous in backbone composition.

The substituted purines and pyrimidines of the immunostimulatory nucleic acids include standard purines and pyrimidines such as cytosine as well as base analogs such as C-5 propyne substituted bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, thymine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, 2,6-diaminopurine, hypoxanthine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

The immunostimulatory nucleic acid is a linked polymer of bases or nucleotides. As used herein with respect to linked units of a nucleic acid, "linked" or "linkage" means two entities are bound to one another by any physicochemical means. Any linkage known to those of ordinary skill in the art, covalent or non-covalent, is embraced. Such linkages are well known to those of ordinary skill in the art. Natural linkages, which are those ordinarily found in nature connecting the individual units of a nucleic acid, are most common. The individual units of a nucleic acid may be linked, however, by synthetic or modified linkages.

Whenever a nucleic acid is represented by a sequence of letters it will be understood that the nucleotides are in 5' to 3' (or equivalent) order from left to right and that "A" denotes adenine, "C" denotes cytosine, "G" denotes guanine, "T" denotes thymidine, and "U" denotes uracil unless otherwise noted.

- 33 -

Immunostimulatory nucleic acid molecules useful according to the invention can be obtained from natural nucleic acid sources (e.g., genomic nuclear or mitochondrial DNA or cDNA), or are synthetic (e.g., produced by oligonucleotide synthesis). Nucleic acids isolated from existing nucleic acid sources are referred to herein as native, natural, or isolated nucleic acids. The nucleic acids useful according to the invention may be isolated from any source, including eukaryotic sources, prokaryotic sources, nuclear DNA, mitochondrial DNA, etc. Thus, the term nucleic acid encompasses both synthetic and isolated nucleic acids.

The immunostimulatory nucleic acids can be produced on a large scale in plasmids, (see *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989) and separated into smaller pieces or administered whole. After being administered to a subject the plasmid can be degraded into oligonucleotides. One skilled in the art can purify viral, bacterial, eukaryotic, etc. nucleic acids using standard techniques, such as those employing restriction enzymes, exonucleases or endonucleases.

For use in the instant invention, the immunostimulatory nucleic acids can be synthesized *de novo* using any of a number of procedures well known in the art. For example, the  $\beta$ -cyanoethyl phosphoramidite method (Beaucage SL and Caruthers MH, *Tetrahedron Let* 22:1859 (1981)); nucleoside H-phosphonate method (Garegg et al., *Tetrahedron Let* 27:4051-4054 (1986); Froehler et al., *Nucl Acid Res* 14:5399-5407 (1986); Garegg et al., *Tetrahedron Let* 27:4055-4058 (1986); Gaffney et al., *Tetrahedron Let* 29:2619-2622 (1988)). These chemistries can be performed by a variety of automated oligonucleotide synthesizers available in the market.

The immunostimulatory nucleic acid may be any size of at least 6 nucleotides but in some embodiments are in the range of between 6 and 100 or in some embodiments between 8 and 35 nucleotides in size. Immunostimulatory nucleic acids can be produced on a large scale in plasmids. These may be administered in plasmid form or alternatively they can be degraded into oligonucleotides before administration.

A "stabilized immunostimulatory nucleic acid" shall mean a nucleic acid molecule that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endo-nuclease). Stabilization can be a function of length or secondary structure. Nucleic acids that are tens to hundreds of kbs long are relatively resistant to *in vivo* degradation. For shorter nucleic acids, secondary structure can stabilize and increase their effect. For example, if the 3' end of an

- 34 -

oligonucleotide has self-complementarity to an upstream region, so that it can fold back and form a sort of stem loop structure, then the oligonucleotide becomes stabilized and therefore exhibits more activity.

Some stabilized immunostimulatory nucleic acids have a modified backbone. It has  
5 been demonstrated that modification of the oligonucleotide backbone provides enhanced activity of the immunostimulatory nucleic acids when administered *in vivo*. Nucleic acids, including at least two phosphorothioate linkages at the 5' end of the oligonucleotide and multiple phosphorothioate linkages at the 3' end, preferably 5, may provide maximal activity and protect the oligonucleotide from degradation by intracellular exo- and endo-nucleases.  
10 Other modified oligonucleotides include phosphodiester modified oligonucleotide, combinations of phosphodiester and phosphorothioate oligonucleotide, methylphosphonate, methylphosphorothioate, phosphorodithioate, and combinations thereof. Each of these combinations and their particular effects on immune cells is discussed in more detail in U.S. Pat. Nos. 6,194,388 and 6,207,646, the entire contents of which are incorporated herein by  
15 reference. It is believed that these modified oligonucleotides may show more stimulatory activity due to enhanced nuclease resistance, increased cellular uptake, increased protein binding, and/or altered intracellular localization. Both phosphorothioate and phosphodiester nucleic acids are active in immune cells.

Other stabilized immunostimulatory nucleic acids include: nonionic DNA analogs,  
20 such as alkyl- and aryl-phosphates (in which the charged phosphonate oxygen is replaced by an alkyl or aryl group), phosphodiester and alkylphosphotriesters, in which the charged oxygen moiety is alkylated. Oligonucleotides which contain diol, such as tetraethyleneglycol or hexaethyleneglycol, at either or both termini have also been shown to be substantially resistant to nuclease degradation.

25 Phosphorothioate nucleic acid molecules may be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Patent No. 092,574) can be prepared by automated solid  
30 phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described. Uhlmann E and Peyman A (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165.



- 35 -

Other sources of immunostimulatory nucleic acids useful according to the invention include standard viral and bacterial vectors, many of which are commercially available. In its broadest sense, a "vector" is any nucleic acid material which is ordinarily used to deliver and facilitate the transfer of nucleic acids to cells. The vector as used herein may be an empty  
 5 vector or a vector carrying a gene which can be expressed. In the case when the vector is carrying a gene the vector generally transports the gene to the target cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In this case the vector optionally includes gene expression sequences to enhance expression of the gene in target cells such as immune cells, but it is not required that the gene  
 10 be expressed in the cell.

Nucleic acid-binding fragments of TLRs are believed to include the extracytoplasmic (extracellular) domain or subportions thereof, such as those which include at least an MBD motif, a CXXC motif, or both an MBD motif and a CXXC motif.

Both mouse and human TLR9 have an N-terminal extension of approximately 180  
 15 amino acids compared to other TLRs. An insertion also occurs at amino acids 253-268, which is not found in TLRs 1-6 but is present in human TLR7 and human TLR8. This insert has two CXXC motifs which participate in forming a CXXC domain. The CXXC domain resembles a zinc finger motif and is found in DNA-binding proteins and in certain specific CpG binding proteins, e.g., methyl-CpG binding protein-1 (MBD-1). Fujita N et al. (2000)  
 20 *Mol Cell Biol* 20:5107-18. Both human and mouse TLR9 CXXC domains occur at aa 253-268:

CXXC motif:	GNCXXCXXXXXXXXCXXC	SEQ ID NO:62
Human TLR9:	GNCRRCDHAPNPCMEC	SEQ ID NO:63
25 Murine TLR9:	GNCRRCDHAPNPCMIC	SEQ ID NO:64

An additional motif believed to be involved in CpG binding is the MBD motif, also found in MBD-1, listed below as SEQ ID NO:53. Fujita, N et al.(2000) *Mol Cell Biol* 20:5107-18; Ohki I et al. (1999) *EMBO J* 18:6653-61. Amino acids 524-554 of hTLR9 and  
 30 aa 525-555 of mTLR9 correspond to the MBD motif of MBD-1 as shown:

MBD motif:

- 36 -

MBD-1	R-XXXXXXX-R-X-D-X-Y-XXXXXXXXXX-R-S-XXXXXX-Y	SEQ ID NO:65
hTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXXX-R-L-XXXXXX-Y	SEQ ID NO:66
mTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXXX-Q-L-XXXXXX-Y	SEQ ID NO:67
5 hTLR9	Q-VLDLSRN-K-L-D-L-Y-HEHSFTELP-R-L-EALDLS-Y	SEQ ID NO:68
mTLR9	Q-VLDLSHN-K-L-D-L-Y-HWKSFSLEP-Q-L-QALDLS-Y	SEQ ID NO:69

Although the signaling functions of MBD-1 and TLR9 are quite different, the core D-X-Y is conserved and is believed to be involved in CpG binding.

10 According to another aspect of the invention, a screening method is provided for identifying an immunostimulatory compound. The method according to this aspect of the invention involves contacting a functional TLR9 with a test compound; detecting presence or absence of a response mediated by a TLR9 signal transduction pathway in the presence of the test compound arising as a result of an interaction between the functional TLR9 and the test  
15 compound; and determining the test compound is an immunostimulatory compound when the presence of a response mediated by the TLR9 signal transduction pathway is detected.

An immunostimulatory compound is a natural or synthetic compound that is capable of inducing an immune response when contacted with an immune cell. A TLR9 ligand that is an immunostimulatory compound is a natural or synthetic compound that is capable of  
20 inducing an immune response when contacted with an immune cell that expresses TLR9. A TLR9 ligand that is an immunostimulatory compound is also a natural or synthetic compound that is capable of inducing a TLR/IL-1R signal transduction pathway when contacted with a TLR9. Immunostimulatory compounds include but are not limited to immunostimulatory  
25 molecule, polynucleotide or oligonucleotide, a polypeptide or oligopeptide, a lipid or lipopolysaccharide, a small molecule.

A basis for certain of the screening assays is the presence of a functional TLR9 in a cell. The functional TLR9 in some instances is naturally expressed by a cell. In other instances, expression of the functional TLR9 can involve introduction or reconstitution of  
30 species-specific TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact with an

- 37 -

immunostimulatory nucleic acid. In yet other instances, expression of the functional TLR9 can involve introduction of a chimeric or modified TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact  
5 with an immunostimulatory nucleic acid. Examples of cell lines lacking TLR9 or immunostimulatory nucleic acid responsiveness include, but are not limited to, 293 fibroblasts (ATCC CRL-1573), MonoMac-6, THP-1, U937, CHO, and any TLR9 knock-out. The introduction of the species-specific, chimeric or modified TLR9 into the cell or cell line is preferably accomplished by transient or stable transfection of the cell or cell line with a  
10 TLR9-encoding nucleic acid sequence operatively linked to a gene expression sequence (as described above). Methods for transient and for stable transfection of a cell are well known in the art.

The screening assays can have any of a number of possible readout systems based upon either TLR/IL-1R signaling pathway or other assays useful for assessing response to  
15 immunostimulatory nucleic acids. It has been reported that immune cell activation by CpG immunostimulatory sequences is dependent in some way on endosomal processing.

In certain embodiments, the readout for the screening assay is based on the use of native genes or, alternatively, cotransfected or otherwise co-introduced reporter gene constructs which are responsive to the TLR/IL-1R signal transduction pathway involving  
20 MyD88, TRAF, p38, and/or ERK. Häcker H et al. (1999) *EMBO J* 18:6973-6982. These pathways activate kinases including  $\kappa$ B kinase complex and c-Jun N-terminal kinases. Thus reporter genes and reporter gene constructs particularly useful for the assays can include a reporter gene operatively linked to a promoter sensitive to NF- $\kappa$ B. Examples of such promoters include, without limitation, those for NF- $\kappa$ B, IL-1 $\beta$ , IL-6, IL-8, IL-12 p40, CD80,  
25 CD86, and TNF- $\alpha$ . The reporter gene operatively linked to the TLR-sensitive promoter can include, without limitation, an enzyme (e.g., luciferase, alkaline phosphatase,  $\beta$ -galactosidase, chloramphenicol acetyltransferase (CAT), etc.), a bioluminescence marker (e.g., green-fluorescent protein (GFP, U.S. Pat. No. 5,491,084), blue fluorescent protein, etc.), a surface-expressed molecule (e.g., CD25), and a secreted molecule (e.g., IL-8, IL-12 p40, TNF- $\alpha$ ). In  
30 certain embodiments the reporter is selected from IL-8, TNF- $\alpha$ , NF- $\kappa$ B-luciferase (NF- $\kappa$ B-luc; Häcker H et al. (1999) *EMBO J* 18:6973-6982), IL-12 p40-luc (Murphy TL et al. (1995)

- 38 -

*Mol Cell Biol* 15:5258-5267), and TNF-luc (Häcker H et al. (1999) *EMBO J* 18:6973-6982). At least one of these reporter constructs (NF- $\kappa$ B-luc) is commercially available (Stratagene, La Jolla, CA). In assays relying on enzyme activity readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using FACS analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many such readout systems are well known in the art and are commercially available.

10 According to one embodiment of this method, comparison can be made to a reference immunostimulatory nucleic acid. The reference immunostimulatory nucleic acid may be any suitably selected immunostimulatory nucleic acid, including a CpG nucleic acid. In certain embodiments the screening method is performed using a plurality of test nucleic acids. In certain embodiments comparison of test and reference responses is based on comparison of  
15 quantitative measurements of responses in each instance.

In another aspect the invention provides a screening method for identifying species specificity of an immunostimulatory nucleic acid. The method involves contacting a TLR9 of a first species with a test immunostimulatory nucleic acid; contacting a TLR9 of a second species with the test immunostimulatory nucleic acid; measuring a response mediated by a  
20 TLR signal transduction pathway associated with the contacting the TLR9 of the first species with the test immunostimulatory nucleic acid; measuring a response mediated by the TLR signal transduction pathway associated with the contacting the TLR9 of the second species with the test immunostimulatory nucleic acid; and comparing the two responses. The TLR9 may be expressed by a cell or it may be part of a cell-free system. The TLR9 may be part of  
25 a complex, with either another TLR or with another protein, e.g., MyD88, IRAK, TRAF, I $\kappa$ B, NF- $\kappa$ B, or functional homologues and derivatives thereof. Thus for example a given ODN can be tested against a panel of human fibroblast 293 fibroblast cells transfected with TLR9 from various species and optionally cotransfected with a reporter construct sensitive to TLR/IL-1R activation pathways. Thus in another aspect, the invention provides a method for  
30 screening species selectivity with respect to a given nucleic acid sequence.

Test compounds can include but are not limited to peptide nucleic acids (PNAs), antibodies, polypeptides, carbohydrates, lipids, hormones, and small molecules. Test

- 39 -

compounds can further include variants of a reference immunostimulatory nucleic acid incorporating any one or combination of the substitutions described above. Test compounds can be generated as members of a combinatorial library of compounds.

In preferred embodiments, the screening methods can be performed on a large scale and with high throughput by incorporating, e.g., an array-based assay system and at least one automated or semi-automated step. For example, the assays can be set up using multiple-well plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening assay are well known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are well known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

The following examples are provided for illustrative purposes and are not meant to be limiting in any way.

### Examples

Example 1. Cloning and Sequencing of Rat, Porcine, Bovine, Equine, Ovine, Canine, and Feline TLR9

*Cells and Tissues.* Lymphoid tissues, primarily spleen or blood mononuclear cells (PBMC) from five mammalian species were collected: mouse, pig, bovine, rat and horse. Spleen samples were collected in *RNAlater*<sup>TM</sup> (Ambion<sup>®</sup>, Austin, TX, USA), stabilized at 4°C overnight and stored at -70°C. Blood samples were centrifuged at 500 x g for 25 min at room temperature and the buffy coat, containing enriched PBMC, was then removed and stored at -70°C. The mouse specimen was used as a comparative positive control.

- 40 -

*First-strand cDNA synthesis.* Total RNA from the spleen and PBMC samples was isolated using a monophasic solution of phenol and guanidine isothiocyanate: TRIzol™ reagent (GIBCO BRL®, Burlington, ON, Canada) according to the manufacturer's instructions. First-strand cDNA was synthesized from the total RNA using  
5 SUPERScript™ II reverse transcriptase (GIBCO BRL®, Burlington, ON, Canada). Approximately 3 µg of total RNA was added to 50 pmoles of oligo(dT) primer [poly T<sub>(18)</sub>]; the mixture was heated to 70°C for 10 min and subsequently chilled on ice. The following was added to the cooled reaction mixture: 1 µl of mixed dNTP stock containing 10 mM each dATP, dCTP, dGTP and dTTP (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) at  
10 neutral pH, 1X first strand buffer (50 mM Tris-HCl pH 8.3/ 75 mM KCl/ 3 mM MgCl<sub>2</sub>) and 2 µl of 0.1 M DTT. The mixture was subsequently heated to 42°C for 2 min, followed by addition of 200 units of SUPERScript™ II reverse transcriptase. The reaction was carried out at 42°C for 50 min, followed by 70°C for 15 min. The first-strand cDNA was used as the template for subsequent polymerase chain reaction (PCR) amplifications.

15 *PCR amplification.* TLR9 gene was PCR amplified from each of the above-mentioned species using primers designed from known mouse and human TLR9 sequence in Genbank: Accession AF314224 and AF259262, respectively. The primers were designed using the primer design software, Clone Manager 5 (Scientific and Educational Software, Durham, NC, USA). TLR9 gene-specific primers used were:

20 forward primer 5'-ACCTTGCCTGCCTTCCTACCTGTGA-3' (SEQ ID NO:37) and reverse primer 5'-GTCCGTGTGGGCCAGCACAAA-3' (SEQ ID NO:38).

The 2.7 Kbp fragment was PCR amplified using Advantage® 2 DNA polymerase mix (BD Biosciences Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions. PCR reaction volumes of 25 µl contained 15 pmoles of each primer, 0.2 mM of dNTP mix  
25 and 1 µl of reverse transcription reaction. PCR amplification was conducted by initial denaturation at 94°C for 1 min followed by 30 cycles of 94°C denaturation (15 sec), 65°C annealing (45 sec) and 72°C extensions (2 min), with a final extension at 72°C for 5 min.

*Cloning and sequencing.* The PCR amplified fragment was treated with 500 units of T4 DNA polymerase (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) for 15 min  
30 at room temperature prior to cleaning the reaction with QIAquick PCR purification kit (QIAGEN Inc., Mississauga, ON, Canada). The fragment was then ligated to pZEROTM - 2

- 41 -

vector (Invitrogen™ Life Technologies, Burlington, ON, Canada), treated with *Eco RV* restriction enzyme, using T4 DNA Ligase (GIBCO BRL®, Burlington, ON, Canada). *E. coli* TOP 10 chemically competent cells (Invitrogen™ Life Technologies, Burlington, ON, Canada) were used to transform ligated products. Plasmids containing the 2.7 Kbp fragment  
5 were sequenced using an automated DNA sequencer, CEQ™ 2000XL DNA analysis system (Beckman Coulter Inc., Fullerton, CA, USA).

Sequences of the 2.7 Kbp fragment were derived from three clones of each species selected from independent PCR reactions to account for errors that may have been incurred during the PCR amplifications and to confirm the sequence data.

10 Nucleotide sequences of the rat, porcine, bovine, equine, ovine, canine, and feline TLR9 were extended and completed using standard 5' and 3' RACE PCR and primers designed using the sequences obtained from the 2.7 Kbp fragments.

*Results.* Nucleotide sequences of rat, porcine, bovine, equine, canine, and feline TLR9 cDNA obtained by the methods above are provided as SEQ ID NOs 3, 7, 11, 15, 19,  
15 23, and 27, respectively. Deduced amino acid sequences are provided as SEQ ID NOs 1, 5, 9, 13, 17, 21, and 25, respectively. Deduced amino acid sequences of full-length murine and human TLR9 are provided as SEQ ID NOs 29 and 33, respectively.

#### Example 2. Comparison of Aligned Sequences for TLR9 from Various Mammalian Species.

20 Multiple sequence alignment of deduced amino acid sequences for feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 polypeptides was performed using Clustal W 1.82 (see, for example, [www.cmbi.kun.nl/bioinf/tools/clustalw.shtml](http://www.cmbi.kun.nl/bioinf/tools/clustalw.shtml)). In addition, paired sequence alignment of deduced amino acid sequences for murine and human TLR9 polypeptides was performed using Clustal W 1.82. The results of the multiple  
25 sequence alignment are presented in **Figure 1**. As will be appreciated from Figure 1, certain amino acids are highly conserved across all species examined. Similarly, certain amino acids differ only by conservative amino acid substitutions among the various species. In addition, it is evident that certain amino acids which are conserved between murine and human TLR9 are not conserved in other species. Furthermore, Figure 1 also indicates that certain amino  
30 acids are highly divergent across various species. The information provided by the comparison of multiple species adds significantly to the information available by comparison between only murine and human TLR9 sequences.

- 42 -

The putative transmembrane regions of the TLR9 polypeptides are indicated in boxes in Figure 1. Sequence upstream of each transmembrane region is extracellular domain and is believed to include sequence primarily responsible for binding to TLR9 ligands, including CpG DNA. The extracellular domains of feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 correspond to amino acids numbered 1-820, 1-822, 1-818, 1-821, 1-818, 1-819, 1-820, 1-820, and 1-821, respectively, as shown in Figure 1.

Figure 2 presents an evolutionary relatedness tree for six TLR9 polypeptides examined. The cladogram in Figure 2 was prepared using Clustal W (see above). As can be appreciated from this figure, murine and human TLR9 are nearly the most divergent TLR9s in this group. Surprisingly, human and horse TLR9 appear relatively closely related.

### Example 3. Reconstitution of TLR9 Signaling in 293 Fibroblasts.

Mouse TLR9 cDNA (SEQ ID NO:31) and human TLR9 cDNA (SEQ ID NO:35) in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Since NF- $\kappa$ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-258; Muzio M et al. (1998) *J Exp Med* 187:2097-101), cells were transfected with hTLR9 or co-transfected with hTLR9 and an NF- $\kappa$ B-driven luciferase reporter construct. Human fibroblast 293 cells were transiently transfected with hTLR9 and a six-times NF- $\kappa$ B-luciferase reporter plasmid (NF- $\kappa$ B-luc) or with hTLR9 alone. After stimulus with CpG-ODN (2006, 2 $\mu$ M, TCGTCGTTTTGTCGTTTTGTCGTT, SEQ ID NO:58), GpC-ODN (2006-GC, 2 $\mu$ M, TGCTGCTTTTGTGCTTTTGTGCTT, SEQ ID NO:59), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results representative of three independent experiments showed that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Independently, human fibroblast 293 cells were transiently transfected with mTLR9 and the NF- $\kappa$ B-luc construct or with mTLR9 alone. After stimulation with CpG-ODN (1668, 2 $\mu$ M; TCCATGACGTTCCCTGATGCT, SEQ ID NO:60), GpC-ODN (1668-GC, 2 $\mu$ M;



- 43 -

TCCATGAGCTTCCTGATGCT, SEQ ID NO:61), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results showed that expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG-DNA stimulation.

5 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- $\kappa$ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates ( $2 \times 10^6$  cells/plate) with 16  $\mu$ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR. The clones were also screened for IL-8 production or NF- $\kappa$ B-luciferase activity after stimulation with  
10 ODN. Four different types of clones were generated.

293-hTLR9-luc:	expressing human TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-mTLR9-luc:	expressing murine TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-hTLR9:	expressing human TLR9
15 293-mTLR9:	expressing murine TLR9

Results indicated that stable clones also responded to CpG-ODN.

Example 4. Similar ODN Sequence Specificity of TLR9 of Human and Equine TLR9.

20  $3 \times 10^6$  293T cells were electroporated with 5  $\mu$ g NF- $\kappa$ B-luc plasmid and 5  $\mu$ g of either horse TLR9-pcDNA3.1 plasmid or humanTLR9-pcDNA3.1 plasmid at 200V, 975  $\mu$ F. After the electroporation the cells were plated in 96-well cell culture plates at  $2.5 \times 10^4$  cells per well and grown overnight at 37°C. The cells were stimulated with the indicated concentration of ODN for 16h, after which the supernatant was removed and the cells lysed in lysis buffer and  
25 frozen for at least 2 hours at -80°C. Luciferase activity was measured by adding Luciferase Assay substrate from Promega. Values are given as fold specific induction over non-stimulated control. Results are shown in Figure 3.

As shown in Figure 3, ODN 2006 (TCGTCGTTTTGTCGTTTTGTCGTT; SEQ ID NO:58) has a strong specificity for human TLR9. ODN 1982  
30 (TCCAGGACTTCTCTCAGGTT; SEQ ID NO:70) was the negative control ODN. ODN 5890 (TCCATGACGTTTTTGATGTT; SEQ ID NO:39) has a strong specificity for mouse

- 44 -

TLR9. This experiment demonstrates the similarity of horse TLR9 to human TLR9 in binding specificity, a result predicted by the evolutionary relatedness of horse TLR9 to human TLR9. Mouse TLR9 is more distant from horse TLR9 and human TLR9 in sequence homology, and ODN 5890 was not detected by either human or horse TLR9.

5

Example 5. Non-human, Non-murine Native Mammalian TLR9 Useful in Screening for Human-Preferred CpG DNA.

Native rat, porcine, bovine, equine, and ovine TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Rat, porcine, bovine, equine, or ovine TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

20 Example 6. Chimeric TLR9 Useful in Screening for Human-Preferred CpG DNA.

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

30

Example 7. Chimeric TLR9 Responsive to Both Human-Preferred and Murine-Preferred CpG DNA.

- 45 -

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006) and also screened for binding or TLR9 signaling activity when contacted with murine-preferred CpG DNA (ODN 1668). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in each of these assays are then used as the basis for screening for additional human-preferred CpG DNA and for screening for additional murine-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA or candidate murine-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA. Candidate murine-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as murine-preferred CpG DNA.

### Equivalents

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

We claim:

- 46 -

### Claims

1. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

2. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

3. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

4. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

5. A vector comprising the nucleic acid of any of claims 3-4.

6. A cell comprising the vector of claim 5.

7. An antibody or fragment thereof that binds specifically to the polypeptide of any of claims 1-2.

8. A method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species, comprising:  
aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species;  
generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the

- 47 -

TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

10 9. A method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9, comprising:

aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9;

generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids.

25

10. The method according to claim 9, performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight, said weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

30

- 48 -

11. An isolated polypeptide comprising an amino acid sequence identical to SEQ ID NO:30 except for substitution of at least one key amino acid identified according to the method of any of claims 9 or 10.

5 12. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide according to claim 11.

13. A vector comprising the nucleic acid of claim 12.

10 14. A cell comprising the vector of claim 13.

15. An antibody that binds specifically to the polypeptide of claim 14.

16. A screening method to identify a TLR9 ligand, comprising:  
15 contacting a polypeptide according to any of claims 1, 2, or 11 with a candidate TLR9 ligand;  
measuring a signal in response to the contacting; and  
identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling.

20 17. The method of claim 16, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

25 18. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

19. The method of claim 17, wherein the candidate TLR9 ligand is an immunostimulatory nucleic acid.

30 20. The method of claim 19, wherein the immunostimulatory nucleic acid is CpG DNA.

- 49 -

21. A screening method to identify species-specific CpG-motif preference of an isolated polypeptide of claim 2 or claim 11, comprising:

contacting an isolated polypeptide of claim 2 or claim 11 with a CpG DNA comprising a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGC GTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG;  
measuring a signal in response to the contacting; and  
identifying a species-specific CpG-motif preference when the signal in response to the contacting is consistent with TLR9 signaling.

22. The method of claim 21, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

23. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

24. The method of claim 21, wherein the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

20	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
25	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
30	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
35	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),
	TCCATGACGTCTTTGATGTT	(SEQ ID NO:55),
	TCCATGACGTATTTGATGTT	(SEQ ID NO:56), and
	TCCATGACGTGTTTGATGTT	(SEQ ID NO:57).

# Figure 1 (1/3)

```

feline      MGPCGHGALHPLSLVQAAALAVALAQGTLPFAFLPCELQQRHGLVNCNWFLKSVPHFSAAA 60
canine      MGPCRGALHPLSLVQAAALALALAQGTLPFAFLPCELQPHGLVNCNWFLKSVPRFSAAA 60
bovine      MGP-YCAPHPLSLVQAAALAAALAEGTLPFAFLPCELQPHGQVDCNWFLKSVPHFSAGA 59
mouse       MGP-YCAPHPLSLVQAAALAAALAEGTLPFAFLPCELQPHGQVDCNWFLKSVPHFSAGA 59
ovine       MGP-YCAPHPLSLVQAAALAAALAQGTLPFAFLPCELQPRGVNCNWFLKSVPRFSAGA 59
porcine     MGP-RCTLHPLSLVQVTAALAAALAQGRLPFAFLPCELQPHGLVNCNWFLKSVPHFSAAA 59
horse       MGPCGHGALQPLSLVQAAALAVALAQGTLPFPFLPCELQPHGLVNCNWFLKSVPHFSAAA 60
human       MGFCRSALHPLSLVQAIMLAMTALAGTLPFAFLPCELQPHGLVNCNWFLKSVPHFSMAA 60
rat         MVLCRRTLHPLSLVQAAVLAELALAGTLPFAFLPCELKPHGLVDCNWFLKSVPHFSAAE 60
*           : :*****. ** : ** * ** .***** : * *:*****:*.

feline      PRGNVTSLSLSYNSRIHHLHDSDFVHLSSLRRLNLKWNCPASLSPMHFPCMTIEPHTFL 120
canine      PRGNVTSLSLSYNSRIHHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCMTIEPNTFL 120
bovine      PRANVTSLSLSISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
mouse       PRANVTSLSLSISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
ovine       PRANVTSLSLSISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
porcine     PRANVTSLSLSISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
horse       PRDNVTSLSLSISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 120
human       PRGNVTSLSLSISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 120
rat         PRSNITSLSLSIANRIHHLHNLDFVHLNPNVRQLNLKWNCPAGLSPLHFSRCMTIEPKTFL 120
** :***** :*****: **.: : ***** .***:*.***** **

feline      AVPTLEELNLSYNSITVTPALPSSSVLSLSRSTNIVLDPANLAGLSLRFELFDGNCYY 180
canine      AVPTLEDLNLNSYNSITVTPALPSSSVLSLSRSTNIVLDPATLAGLYALRFELFDGNCYY 180
bovine      AVPTLEELNLSYNGITVTPALPSSSVLSLSRSTNIVLDPATLAGLYALRFELFDGNCYY 179
mouse       AVPTLEELNLSYNGITVTPALPSSSVLSLSRSTNIVLDPATLAGLYALRFELFDGNCYY 179
ovine       AVPTLEELNLSYNGITVTPALPSSSVLSLSRSTNIVLDPATLAGLYALRFELFDGNCYY 179
porcine     AVPTLEELNLSYNSITVTPALPSSSVLSLSRSTNIVLDPATLAGLYALRFELFDGNCYY 179
horse       AVPTLEELNLSYNGITVTPALPSSSVLSLSRSTNIVLDPATLAGLYALRFELFDGNCYY 180
human       AVPTLEELNLSYNNIMTVPALPKSLISLSHTNIMLDSASLAGLHALRFELFDGNCYY 180
rat         AMRMLEELNLSYNGITVTPALPSSSVLSLSRSTNIVLDPATLAGLYALRFELFDGNCYY 180
*: ** :*****. * ** * ** . * ** : * ** : : :*****:*.

feline      KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLLSYNHIITLAPEDL 240
canine      KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLLSYNHIITLAPEDL 240
bovine      MNPCPRALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLDTLLLSYNHIITLAPEDL 239
mouse       MNPCPRALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLDTLLLSYNHIITLAPEDL 239
ovine       KNPCQAVEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLDTLLLSYNHIITLAPEDL 239
porcine     KNPCQALEVVPGALLGLGNLTHLSLKYNNTAVPRGLPPSLDTLLLSYNHIITLAPEDL 239
horse       KNPCGRALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLLSYNHIITLAPEDL 240
human       KNPCQALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLLSYNRIIVKLAPEDL 240
rat         KNPCGAVNVTPDAFLGLSNLTHLSLKYNNTAVPRGLPPSLEYLLLSYNLIVKLGAEDL 240
*** :*:*.*:*.***** ***** ** * : ***** *:*.***

feline      ANLTALRVLDVGGNCRCDHARNPCMECPKGFPHLPDTFSLHNLHLEGLVLKDSSLYNLN 300
canine      ANLTALRVLDVGGNCRCDHARNPCRECPKGFPHLPDTFSLHNLHLEGLVLKDSSLYSLD 300
bovine      ANLTALRVLDVGGNCRCDHARNPCRECPKNFPHLPDTFSLHNLHLEGLVLKDSSLYKLE 299
mouse       ANLTALRVLDVGGNCRCDHARNPCRECPKNFPHLPDTFSLHNLHLEGLVLKDSSLYKLE 299
ovine       ANLTALRVLDVGGNCRCDHARNPCRECPKNFPHLPDTFSLHNLHLEGLVLKDSSLYKLE 299
porcine     ANLTALRVLDVGGNCRCDHARNPCRECPKDPHLPDTFSLHNLHLEGLVLKDSSLYQLN 300
horse       ANLTALRVLDVGGNCRCDHARNPCRECPKDPHLPDTFSLHNLHLEGLVLKDSSLYQLN 300
human       ANLTALRVLDVGGNCRCDHARNPCRECPKDPHLPDTFSLHNLHLEGLVLKDSSLYQLN 300
rat         ANLTALRVLDVGGNCRCDHARNPCRECPKDPHLPDTFSLHNLHLEGLVLKDSSLYQLN 300
*****:*****: * ** : .***:*.*****:***** *:

feline      PRWFHALGNLMVLDLSENFLYDCITKTTFQGLAQLRRLNLSFNHKKVSAHLHLAPSF 360
canine      PRWFHGLGNLMVLDLSENFLYDCITKTTFQGLAQLRRLNLSFNHKKVSAHLHLASSF 360
bovine      KDWFRGLGRLQVLDLSENFLYDYITKTTFQGLAQLRRLNLSFNHKKVSAHLHLASSF 359
mouse       KDWFRGLGRLQVLDLSENFLYDYITKTTFQGLAQLRRLNLSFNHKKVSAHLHLASSF 359
ovine       KDWFRGLGRLQVLDLSENFLYDYITKTTFQGLAQLRRLNLSFNHKKVSAHLHLAPSF 359
porcine     TRWFRGLDRLQVLDLSENFLYDCITKTTFQGLAQLRRLNLSFNHKKVSAHLHLAPSF 359
horse       PRWFHGLGNLMVLDLSENFLYDCITKTTFQGLAQLRRLNLSFNHKKVSAHLHLAPSF 360
human       ASWFRGLGNLMVLDLSENFLYDCITKTTFQGLAQLRRLNLSFNHKKVSAHLHLAPSF 360
rat         SKWFQGLANLSVLDLSENFLYDCITKTTFQGLAQLRRLNLSFNHKKVSAHLHLAPSF 360
*: * . * *****. * ** . * :*: * :***** :*****: * **

```



[illegible]

Figure 1  
(3/3)

feline	SFFALATRLRELNLSANALKTVEPSWFGSLAGTLKVLDVTGNPLHCACGAAAFVDFLLEVQ	778
canine	SFFALAVRLRELNLSANALKTVEPSWFGSLAGALKVLDVTANPLHCACGATFVDFLLEVQ	780
bovine	GFFVRATRLIELNLSANALKTVDPWSWFGSLAGTLKILDVSANPLHCACGAAAFVDFLLERQ	776
mouse	GFFVRATRLIELNLSANALKTVDPWSWFGSLAGTLKILDVSANPLHCACGAAAFVDFLLERQ	776
ovine	GFFVLANRLKELNLSANALKTVDPFWFGRLTETLNILDVSANPLHCACGAAAFVDFLLEMQ	776
porcine	GFFALAKQLEELNLSANALKTVEPSWFGSMVGNLKVLDVSANPLHCACGATFVGFLLEVQ	777
horse	GFFALATRLRELNLSANALRTEEPSWFGFLAGSLEVLDVSANPLHCACGAAAFVDFLLQVQ	778
human	GFFSKAKELRELNLSANALKTVDSWFGPLASALQILDVSANPLHCACGAAAFMDFLLEVQ	778
rat	AFFALAVELKEVNLSHNLIKTVDRSWFGPIVMNLTVDVSSNPLHCACGAPFVDLLLEVQ	779
	..** * . * * : * * * * * : * * * : * * * : * * * * * : * * * : * * * : *	
feline	AAVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG	LSLLTVALGLAVPMLHHL 838
canine	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCF	LSLLAVALSLAVPMLHQL 840
bovine	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSLDCFG	LSLLMVALGLAVPMLHHL 836
mouse	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSLDCFG	LSLLMVALGLAVPMLHHL 836
ovine	AAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETLSLDCFG	LSLLMVALGLAVPMLHHL 836
porcine	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDETLSWNCFG	LSLLAMALGLVVPMLHHL 837
horse	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG	LSLLVVALGLAMPMLHHL 838
human	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG	LSLLAVALGLGVPMMLHHL 838
rat	TKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG	LSLLAVAVGTVLPMLHHL 839
	****. * . **** * * * * * : * * * * * . * * . * : * * * : * * : * * : *	
feline	CGWDLWYCFHLCLAWLPRRGRR--RGADALPYDAFVVFDDKAQSAVADWVYNELRVRLER	896
canine	CGWDLWYCFHLCLAWLPRRGRR--RGVDALAYDAFVVFDDKAQSSVADWVYNELRVQLEER	898
bovine	CGWDLWYCFHLCLAWLPRRRRQ--RGEDTLLYDAVVFDDKVQSAVADWVYNELRVQLEER	894
mouse	CGWDLWYCFHLCLAWLPRRRRQ--RGEDTLLYDAVVFDDKVQSAVADWVYNELRVQLEER	894
ovine	CGWDLWYCFHLCLAWLPRRRRQ--RGEDTLLYDAVVFDDKAQSAVADWVYNELRVQLEER	894
porcine	CGWDLWYCFHLCLAWLPHRGQR--RGADALFYDAFVVFDDKAQSAVADWVYNELRVQLEER	895
horse	CGWDLWYCFHLCLAWLPRRGWQ--RGADALSYPDAFVVFDDKAQSAVADWVYNELRVRLER	896
human	CGWDLWYCFHLCLAWLPRGRQSGRDEDALPYDAFVVFDDKTQSAVADWVYNELRGQLEEC	898
rat	CGWDVWYCFHLCLAWLPLLTRGR--RSAQALPYDAFVVFDDKAQSAVADWVYNELRVRLER	898
	****. * * * * * * * * * * . * . : * * * * * . * * * * * : * * * * * : * * * * *	
feline	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQR	956
canine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQQR	958
bovine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQR	954
mouse	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQR	954
ovine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQR	954
porcine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQQR	955
horse	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQQR	956
human	RGRWALRLCLEERDWPGLKTLFENLWASVYSGSRKTLFVLAHTDRVSGLLRASFLLAQQR	958
rat	RGRRALRLCLEERDWPGLKTLFENLWASVYSGSRKTLFVLAHTDKVSGLLRTSFLLAQQR	958
	*** * * * * * : * * * : * * * * * * : * * * * * . * * * * * : * * * * * : * * * * *	
feline	LEDKRDVVVLVILRPDAHRSRYVRLRQRLCRQSVLLWPHQPSGQSFQAQLGTALTRDNQ	1016
canine	LEDKRDVVVLVILCPDAHRSRYVRLRQRLCRQSVLLWPHQPSGQSFQAQLGTALTRDNR	1018
bovine	LEDKRDVVVLVILRPAAYRSRYVRLRQRLCRQSVLLWPHQPSGQSFQANLGIALTRDNR	1014
mouse	LEDKRDVVVLVILRPAAYRSRYVRLRQRLCRQSVLLWPHQPSGQSFQANLGIALTRDNR	1014
ovine	LEDKRDVVVLVILRPAAYRSRYVRLRQRLCRQSVLLWPHQPSGQSFQANLGIALTRDNR	1014
porcine	LEDKRDVVVLVILRPDAYRSRYVRLRQRLCRQSVLLWPHQPRGQSFQAQLGTALTRDNH	1015
horse	LEDKRDVVVLVILSPDARRSRYVRLRQRLCRQSVLFWPHQPSGQSFQAQLGMALTRDNR	1016
human	LEDKRDVVVLVILSPDARRSRYVRLRQRLCRQSVLLWPHQPSGQSFQAQLGMALTRDNH	1018
rat	LEDKRDVVVLVILRPDAHRSRYVRLRQRLCRQSVLFWPHQPNQGQSFQAQLSTALTRDNH	1018
	***** * . ***** : * * * * * * * * * * : * * * * * : * * * * *	
feline	HFYNQNFRCRGPTTAE-----	1031
canine	HFYNQNFRCRGPTTAE-----	1032
bovine	HFYNRNFCRGPTTAE-----	1029
mouse	HFYNRNFCRGPTTAE-----	1032
ovine	HFYNRNFCRGPTTAE-----	1029
porcine	HFYNRNFCRGPTTAE-----	1030
horse	HFYNQNFRCRGPTMAE-----	1031
human	HFYNRNFCRGPTAE-----	1032
rat	HFYNRNFCRGPTAE-----	1032
	****. * * * : * * *	

Figure 2





Figure 3



## SEQUENCE LISTING

<110> Coley Pharmaceutical GmbH  
 University of Saskatchewan  
 Qiagen GmbH

<120> TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

<130> C1041.70040WO00

<150> US 60/412,479  
 <151> 2002-09-19

<160> 70

<170> PatentIn version 3.1

<210> 1  
 <211> 1032  
 <212> PRT  
 <213> Rattus norvegicus

<400> 1

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
 50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
 100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe

610	615	620
Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys		
625	630	635 640
Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu		
	645	650 655
Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser		
	660	665 670
Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn		
	675	680 685
Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu		
	690	695 700
Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala		
705	710	715 720
Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn		
	725	730 735
Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn		
	740	745 750
Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly		
	755	760 765
Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly		
	770	775 780
Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg		
785	790	795 800
Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser		
	805	810 815
Arg Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Thr Val		
	820	825 830
Leu Pro Leu Leu Gln His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe		
	835	840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Thr Arg Gly Arg Arg Ser  
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Lys Val Ser  
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Phe Trp Pro His Gln Pro Asn Gly Gln Gly Ser Phe Trp Ala Gln  
995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
1025 1030

<210> 2  
<211> 821  
<212> PRT  
<213> Rattus norvegicus

<400> 2

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15



Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
                   20                                  25                                  30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
                   35                                  40                                  45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
                   50                                  55                                  60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
                   65                                  70                                  75                                  80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
                                   85                                  90                                  95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
                                   100                                  105                                  110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
                   115                                  120                                  125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
                   130                                  135                                  140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
                   145                                  150                                  155                                  160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
                                   165                                  170                                  175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
                   180                                  185                                  190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
                   195                                  200                                  205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
                   210                                  215                                  220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
                   225                                  230                                  235                                  240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
                                   245                                  250                                  255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe  
610 615 620

Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys  
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu  
645 650 655

Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser  
660 665 670

Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn  
675 680 685

Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn

725

730

735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
 740 745 750

Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly  
 755 760 765

Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
 770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg  
 785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser  
 805 810 815

Arg Asp Cys Phe Gly  
 820

<210> 3  
 <211> 3099  
 <212> DNA  
 <213> Rattus norvegicus

<400> 3  
 atggttctct gtgcaggac cctgcacccc ttgtctctcc tggtagagga cgcagtgtctg 60  
 gctgaggctc tggccttggg taccctgcct gccttctctac cctgtgaact gaagcctcat 120  
 ggcctggttag actgcaactg gctcttctctg aagtctgtgc ctcaacttctc tgccgcagaa 180  
 ccccgttcca acatcaccag cctttctcttg atcgccaacc gcatccacca cctgcacaac 240  
 ctgcactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300  
 cctggcctca gccccttgca cttctctctgc cgcattgacca ttgagcccaa aaccttctctg 360  
 gctatgcgca tgcctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420  
 ctgcccagct ccctgacgaa tctgagccta agccacacca acatcctggg actcgatgcc 480  
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac 540  
 aagaaccctt gcaacggggc ggtgaacgtg acccgggacg ccttctctggg cttgagcaac 600  
 ctcaccactc tgtcccttaa gtataacaac ctcacagagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctgct gtccataaac ctcacgtgca agctgggggc cgaagaccta 720  
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780

gcccccgacc tctgtacaga atgccggcag aagtcccttg atctgcaccc tcagactttc 840  
 catcacctga gccaccttga aggcctggtg ctgaaggaca gttctctcca ctgctgaac 900  
 tccaagtggg tccaggggtct ggcgaaacctc tcggtgctgg acctaagcga gaactttctc 960  
 tacgagagca tcaacaaaac cagcgccctt cagaacctga cccgtctgcg caagctcgac 1020  
 ctgtccttca attactgcaa gaaggtatcg ttcgcccgc tccacctggc aagttccttc 1080  
 aagagcctgg tgcgctgca ggagctgaac atgaacggca tcttcttcgc cttactcaac 1140  
 aagaacacgc tcaggtgggt ggctggtctg cccaagctcc acacgctgca cttcaaagt 1200  
 aatttcatca accaggcgca gctcagcgtc tttagtagct tccgagccct tcgctttgtg 1260  
 gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320  
 gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccgagc tctcccgagc 1380  
 actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440  
 tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500  
 tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccc 1560  
 ctgaccaacc tgaaggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620  
 tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680  
 agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740  
 cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800  
 gtggagtatc tggacttcag cggcaacggt gtgggcccga tgtgggacga ggaggacctt 1860  
 tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920  
 ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980  
 ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttctt gcccaatctg 2040  
 cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100  
 ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtccagacc 2160  
 ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220  
 gtggatcgct cctggtttgg gccattgtg atgaacctga cggttctaga cgtgagcagc 2280  
 aacctctgct attgtgctg cgggtgcaccc tttgtagact tactgctgga agtgagacc 2340  
 aaggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400  
 agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460  
 ggcctttcac tcctggctgt ggcggtgggc acggtgttgc ctttactgca gcattctctg 2520  
 ggctgggacg tctggtactg tttccatctg tgcctggcat ggctaccttt gctgaccgct 2580

ggccggcgca gcgccaagc tctcccttat gatgccttcg tgggtgttcga taaggcgag 2640  
 agcgcggttg ctgactgggt gtataacgag cttcgagtgc ggctagagga gcggcgcggt 2700  
 cgccgagccc tacgcttgtg tctggaggac cgagattggc tgcctggcca gacactcttc 2760  
 gagaacctct gggcctccat ctatggcagc cgcaagactc tgtttgtgct ggcccacacg 2820  
 gacaagggtca gtggcctcct gcgcaccagc ttctgtctgg ctcagcagcg cctgctggag 2880  
 gaccgcaagg acgtgggtgtt gttggtgatc ctgcgccttg atgccaccg cttccgctac 2940  
 gtgcgactgc gccagcgcct ctgccgccag agtgtgtctt tctggcccca tcagcccaac 3000  
 gggcagggca gcttctgggc ccagctgagt acagccctga ctagggacaa ccaccacttc 3060  
 tataaccgga acttctgccg gggacctaca gcagaatag 3099

<210> 4

<211> 2463

<212> DNA

<213> Rattus norvegicus

<400> 4

atggttctct gtcgcaggac cctgcacccc ttgtctctcc tggtagaggc cgcagtgtctg 60  
 gctgaggctc tggccctggg taccctgcct gccttcctac cctgtgaact gaagcctcat 120  
 ggcctggtag actgcaactg gctcttcctg aagtctgtgc ctcaactctc tgccgcagaa 180  
 ccccgttcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac 240  
 ctgcactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300  
 cctggcctca gcccttgca cttctcctgc cgcattacca ttgagcccaa aaccttctctg 360  
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420  
 ctgcccagct ccctgacgaa tctgagccta agccacacca acatcctggt actcgatgcc 480  
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac 540  
 aagaacccct gcaacggggc ggtgaacgtg accccggacg ccttcctggg cttgagcaac 600  
 ctacccact tgtcccttaa gtataacaac ctacagagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctgct gtcctataac ctcatcgtca agctgggggc cgaagaccta 720  
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780  
 gccccgacc tctgtacaga atgccggcag aagtccttg atctgcacc tcagactttc 840  
 catcacctga gccaccttga aggcctggtg ctgaaggaca gttctctcca ctgctgaac 900  
 tccaagtggg tccagggctt ggcgaacctc tgggtgctgg acctaaagca gaactttctc 960  
 tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac 1020

```

ctgtccttca attactgcaa gaaggatatcg ttcgcccgcc tccacctggc aagttccttc 1080
aagagcctgg tgctgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140
aagaacacgc tcaggtggct ggctgggtctg cccaagctcc acacgctgca ccttcaaattg 1200
aatttcacat accagggcgca gctcagcgtc tttagtacct tccgagccct tcgctttgtg 1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320
gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccgagc tctcccgagc 1380
actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440
tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500
tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccc 1560
ctgaccaacc tgaaggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620
tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680
agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct caccgctcta cagcacctca 1800
gtggagtatc tggacttcag cggcaacggt gtgggcccga tgtgggacga ggaggacctt 1860
tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920
ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980
ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttcct gcccaatctg 2040
cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160
ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220
gtggatcgct cctggtttgg gccattgtg atgaacctga cggttctaga cgtgagcagc 2280
aaccctctgc attgtgcctg cgggtgcaccc tttgtagact tactgctgga agtgcagacc 2340
aaggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400
agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460
ggc 2463

```

```

<210> 5
<211> 1030
<212> PRT
<213> Sus scrofa
<400> 5

```

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15  
 Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30  
 Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45  
 Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60  
 Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80  
 Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110  
 Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125  
 Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140  
 Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160  
 His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175  
 Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190  
 Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205  
 Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220  
 Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240



Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe

705	710	715	720
Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu	725	730	735
Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys	740	745	750
Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr	755	760	765
Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro	770	775	780
Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile	785	790	795
Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn	805	810	815
Cys Phe Gly Ile Ser Leu Leu Ala Met Ala Leu Gly Leu Val Val Pro	820	825	830
Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu	835	840	845
Cys Leu Ala Trp Leu Pro His Arg Gly Gln Arg Arg Gly Ala Asp Ala	850	855	860
Leu Phe Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val	865	870	875
Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg	885	890	895
Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro	900	905	910
Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg	915	920	925
Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu Leu	930	935	940

Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys  
 945 950 955 960

Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala Tyr Arg Ser Arg  
 965 970 975

Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp  
 980 985 990

Pro His Gln Pro Arg Gly Gln Gly Ser Phe Trp Ala Gln Leu Gly Thr  
 995 1000 1005

Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg Asn Phe Cys  
 1010 1015 1020

Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 6  
 <211> 819  
 <212> PRT  
 <213> Sus scrofa

<400> 6

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe  
 705 710 715 720

Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu  
 725 730 735

Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys  
 740 745 750

Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr  
 755 760 765

Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro  
 770 775 780

Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile  
 785 790 795 800

Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn  
 805 810 815

Cys Phe Gly

&lt;210&gt; 7

&lt;211&gt; 3352

&lt;212&gt; DNA

&lt;213&gt; Sus scrofa

&lt;400&gt; 7

```

gagcacgaac atccttcact gtagctgctg cccggtctgc cagccagacc ctttggagaa      60
gacccactc cctgtcatgg gccccgctg caccctgcac cccctttctc tcctgggtgca      120
ggtagacagcg ctggtcgcg ctctggccca gggcaggctg cctgccttcc tgccctgtga      180
gtccagccc cacggcctgg tgaactgcaa ctggtctctc ctgaagtccg tgccccactt      240
ctggcgggca gcgccccggg ccaacgtcac cagcctctcc ttactctcca accgcatcca      300
ccacctgcac gactccgact tcgtccacct gtccagccta cgaactctca acctcaagtg      360
gaactgcccc cgggtgggct tcagccccat gcacttcccc tgccacatga ccatcgagcc      420
caacaccttc ctggcctgct ccacctgga ggagctgaac ctgagctaca acagcatcac      480
gaccgtgcct gccctgccc actccctcgt gtccctgtcg ctgagccgca ccaacatcct      540
ggtgctagac cccaccacc tcactggcct acatgccctg cgctacctgt acatggatgg      600
caactgctac tacaagaacc cctgccaggg ggcgctggag gtggtgccgg gtgccctcct      660
cggcctgggc aacctcacac atctctcact caagtacaac aatctcacgg aggtgccccg      720
cagcctgccc cccagcctgg agaccctgct gttgtcctac aaccacattg tcacctgac      780
gcctgaggac ctggccaatc tgactgccct gcgcgtgctt gatgtggggg ggaactgccg      840
ccgctgtgac catgcccgca acccctgcag ggagtgccc aaggaccacc ccaagctgca      900
ctctgacacc ttcagccacc tgagccgcct cgaaggcctg gtgttgaaag acagttctct      960
ctacaacctg gacaccaggt ggttcgagg cctggacagg ctccaagtgc tggacctgag      1020
tgagaacttc ctctacgact gcatcaccaa gaccacggcc ttccagggcc tggcccgact      1080
gcgcagcctc aacctgtcct tcaattacca caagaagggtg tcctttgccc acctgcacct      1140
ggcaccctcc tttgggcacc tccggtccct gaaggagctg gacatgcatg gcattctctt      1200
ccgctcgctc agtgagacca cgctccaacc tctggtccaa ctgcctatgc tccagaccct      1260
gcgcctgcag atgaacttca ttaaccaggc ccagctcagc atctttgggg ccttcctctg      1320
cctgctgtac gtggacctat cggacaaccg catcagcgga gctgcaaggc cagtggccat      1380
tactagggag gtggatggtg gggagagggg ctggctgcct tccaggaacc tcgctccacg      1440
tccactggac actctccgct cagaggactt catgccaaac tgcaaggcct tcagcttcac      1500

```



cttggacctg tctcggaaca acctggtgac aatccagtcg gagatgtttg ctgcctctc 1560  
 acgcctcgag tgcctgcgcc tgagccacaa cagcatctcc caggcggtea atggctctca 1620  
 gtttgtgccg ctgaccagcc tgcgggtgct ggacctgtcc cacaacaagc tggacctgta 1680  
 tcacggggcg tcgttcacgg agctgccgag cctggaagca ctggacctca gctacaatag 1740  
 ccagcccttt accatgcagg gtgtgggcca caacctcagc ttcgtggccc agctgccgcg 1800  
 cctgcgtac ctccagctgg cgcacaatga catccatagc cgagtgtccc agcagctctg 1860  
 tagcgctca ctgtgcgcc tggactttag cggcaacgat ctgagccgga tgtgggctga 1920  
 gggagacctc tatctccgct tcttccaagg cctaagaagc ctagtctggc tggacctgtc 1980  
 ccagaaccac ctgcacaccc tcctgccagc tgccctggac aacctccca aaagcctgaa 2040  
 gcatctgeat ctccgtgaca ataacctggc cttcttcaac tggagcagcc tgacctcct 2100  
 gcccaagctg gaaaccttg acttggtggt aaaccagctg aaggccctaa gcaatggcag 2160  
 cctgccatct ggcaccagc tgcggaggct ggacctcagt ggcaacagca tcggctttgt 2220  
 gaacctggc tctttgccc tggccaagca gttagaagag ctcaacctca gcgccaatgc 2280  
 cctcaagaca gtggagccct cctgggttg ctgatggtg ggcaacctga aagtcctaga 2340  
 cgtgagcgcc aacctctgc actgtgcctg tggggcgacc ttcgtgggt tctgtctgga 2400  
 ggtacaggct gccgtgcctg ggctgccag ccgctcaag tgtggcagtc cggggcagct 2460  
 ccagggccat agcatctttg cgcaagacct gcgcctctgc ctggatgaga ccctctctg 2520  
 gaactgtttt ggcattctgc tgcctggccat ggccctgggc ctggttgtgc ccatgctgca 2580  
 ccacctctgc ggctgggacc tctggtactg cttccacctg tgcctggcct ggctgcccc 2640  
 ccgagggcag cggcggggcg cagacgcct gttctatgat gccttcgtgg tctttgacaa 2700  
 agctcagagt gctgtggccg actgggtgta caacgagctg cgggtgcagc tggaggagcg 2760  
 ccgtggggcg cgcgcactgc gcctgtgcct ggaggagcga gactggttac ctggcaagac 2820  
 gctcttcgag aacctgtggg cctcagtcta cagcagccgc aagacctgt ttgtgctggc 2880  
 ccacacggac cgtgtcagcg gcctcttgcg tgccagtttc ctgctggccc agcagcgct 2940  
 gctggaggac cgcaaggacg ttgtagtgt ggtgatcctg cgcgccgatg cctaccgctc 3000  
 ccgctacgtg cggctgcgcc agcgcctctg ccgcagagt gtcctcctct ggccccacca 3060  
 gccccgtggg cagggcagct tctgggcca gctgggcaca gccctgacca gggacaacca 3120  
 ccacttctat aaccggaact tctgccgggg cccacgaca gccgaatagc actgagtgc 3180  
 agcccagttg cccagcccc cctggatttg cctctctgcc tggggtgccc caacctgctt 3240  
 tgctcagcca caccactgct ctgctccctg tccccaccc cccccccag cctggcatgt 3300

aacatgtgcc caataaatgc taccggaggg ccaagaaaaa aaaaaaaaaa aa 3352

<210> 8

<211> 2457

<212> DNA

<213> Sus scrofa

<400> 8

atgggcccc gctgcaccct gcacccctt tctctcctgg tgcaggtgac agcgctggct 60  
 ggggctctgg ccagggcag gctgcctgcc ttcctgccct gtgagctcca gcccacggc 120  
 ctggtgaact gcaactggct ctctctgaag tccgtgcccc acttctcggc ggcagcggc 180  
 cgggccaacg tcaccagcct ctcttactc tccaaccgca tccaccacct gcacgactcc 240  
 gacttcgtcc acctgtccag cctacgaact ctcaacctca agtgggaactg cccgccggct 300  
 ggctcagcc ccatgcactt cccctgccac atgaccatcg agcccaacac ctctctggcc 360  
 gtgccacccc tggaggagct gaacctgagc tacaacagca tcacgaccgt gcctgcctg 420  
 cccgactccc tcgtgtccct gtcgctgagc cgcaccaaca tcttggtgct agaccccacc 480  
 cacctactg gcctacatgc cctgcgctac ctgtacatgg atggcaactg ctactacaag 540  
 aaccctgcc agggggcgct ggagggtgtg cggggtgcc tctcggcct gggcaacctc 600  
 acacatctct cactcaagta caacaatctc acggagggtgc cccgcagcct gccccccagc 660  
 ctggagaccc tgctgttgtc ctacaaccac attgtcacc tgacgcctga ggacctggcc 720  
 aatctgactg cctgcgcgt gcttgatgtg ggggggaact gccgcgctg tgacctgcc 780  
 cgcaaccct gcaggagtg ccaaaggac caccacaagc tgcactctga caccttcagc 840  
 cacctgagcc gcctcgaagg cctggtgttg aaagacagtt ctctctacaa cctggacacc 900  
 aggtggttcc gaggcctgga caggctccaa gtgctggacc tgagtgagaa ctctctctac 960  
 gactgcatca ccaagaccac ggcttccag ggctggccc gactgcgcag cctcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttt gccacactgc acctggcacc ctctttggg 1080  
 cacctccggt cctgaagga gctggacatg catggcatct tcttcgctc gctcagtga 1140  
 accacgtcc aacctctggt ccaactgcct atgctccaga cctgcgcct gcagatgaac 1200  
 ttcattaacc agggccagct cagcatcttt ggggccttcc ctggcctgct gtacgtggac 1260  
 ctatcggaca accgcatcag cggagctgca aggccagtgg ccattactag ggagggtgat 1320  
 ggtagggaga ggtctggct gccttccagg aacctcgtc cacgtccact ggacactctc 1380  
 cgctcagagg acttcatgcc aaactgcaag gccttcagct tcaccttga cctgtctcg 1440  
 aacaacctgg tgacaatcca gtcggagatg tttgctgcc tctcacgct cgagtgcctg 1500

cgctgagcc acaacagcat ctcccaggcg gtcaatggct ctcaagttgt gccgctgacc 1560  
 agcctgcggg tgctggacct gtcccacaac aagctggacc tgtatcacgg gcgctcgttc 1620  
 acggagctgc cgcgcctgga agcactggac ctcaagctaca atagccagcc ctttaccatg 1680  
 caggggtgtgg gccacaacct cagcttcgtg gccagctgc ccgcctgcg ctacctcagc 1740  
 ctggcgacaca atgacatcca tagccgagtg tcccagcagc tctgtagcgc ctactgtgac 1800  
 gccctggact ttagcggcaa cgatctgagc cggatgtggg ctgagggaga cctctatctc 1860  
 cgcttcttcc aaggcctaag aagcctagtc tggctggacc tgtcccagaa ccacctgcac 1920  
 accctcctgc cactgtccct ggacaacctc cccaaaagcc tgaagcatct gcatctccgt 1980  
 gacaataacc tggccttctt caactggagc agcctgacct tcctgcccac gctggaaacc 2040  
 ctggacttgg ctggaaacca gctgaaggcc ctaagcaatg gcagcctgcc atctggcacc 2100  
 cagctgcgga ggctggacct cagtggcaac agcatcggct ttgtgaacct tggcttcttt 2160  
 gccctggcca agcagttaga agagctcaac ctcaagcga atgccctcaa gacagtggag 2220  
 ccctcctggt ttggctcgat ggtgggcaac ctgaaagtcc tagacgtgag cgccaaccct 2280  
 ctgcaactgt cctgtggggc gaccttcgtg ggcttctgc tggaggtaca ggctgccgtg 2340  
 cctgggctgc ccagccgcgt caagtgtggc agtccggggc agtccaggg ccatagcatc 2400  
 ttgcgcaag acctgcgcct ctgcctggat gagaccctct cgtggaactg ttttggc 2457

<210> 9  
 <211> 1029  
 <212> PRT  
 <213> Bos taurus

<400> 9

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
                     85                                    90                                    95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
                     100                                    105                                    110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
                     115                                    120                                    125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
                     130                                    135                                    140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
                     145                                    150                                    155                                    160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
                     165                                    170                                    175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
                     180                                    185                                    190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
                     195                                    200                                    205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
                     210                                    215                                    220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
                     225                                    230                                    235                                    240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
                     245                                    250                                    255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
                     260                                    265                                    270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
                     275                                    280                                    285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
                     290                                    295                                    300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr

305	310	315	320
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg	325	330	335
Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His	340	345	350
Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu	355	360	365
Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln	370	375	380
Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn	385	390	395
Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu	405	410	415
Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro	420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu	435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp	450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn	465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu	485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly	500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His	515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln	530	535	540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly Leu Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
 850 855 860

Leu Tyr Asp Ala Val Val Val Phe Asp Lys Val Gln Ser Ala Val Ala  
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg  
 930 935 940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
 965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
 980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Ile Ala  
 995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
 1010 1015 1020

Gly Pro Thr Thr Ala Glu  
1025

<210> 10  
<211> 818  
<212> PRT  
<213> Bos taurus

<400> 10

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
180 185 190



Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg  
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln  
 370 375 380

Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro

420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu		
435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp		
450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn		
465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu		
485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly		
500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His		
515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln		
530	535	540
Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln		
545	550	555
Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg		
565	570	575
Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys		
580	585	590
Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu		
595	600	605
Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly		
610	615	620
Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr		
625	630	635
Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu		
645	650	655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly

<210> 11

<211> 3191

<212> DNA

<213> Bos taurus

<400> 11

gggaagtggg cgccaagcat ccttccttgc agctgcctcc caacctgccc gccagacct	60
ctggagaagc cgcattccct gtcattgggccc cctactgtgc cccgcacccc ctttctctcc	120
tgggtgcaggc ggcggcactg gcagcggccc tggccgaggg caccctgcct gccttctctgc	180
cctgtgagct ccagcccat ggtcagggtg actgcaactg gctgttctctg aagtctgtgc	240
cgcacttttc ggctggagcc ccccgggcca atgtcaccag cctctcctta atctccaacc	300

gcatccacca cttgcatgac tetgacttcg tccacctgtc caacctgagg gtcctcaacc 360  
 tcaagtggaa ctgcccgcgc gccggcctca gcccctatgca cttcccctgc cgtatgacca 420  
 tcgagcccaa caccttcctg gctgtgcccc ccctggagga gctgaacctg agctacaacg 480  
 gcatcacgac cgtgcctgcc ctgcccagtt ccctcgtgtc cctgtcgtg agccacacca 540  
 gcatcctggg gctaggcccc acccaacttca ccggcctgca cgccttgccg tttctgtaca 600  
 tggacggcaa ctgctactac atgaaccctt gcccgccggc cctggagggtg gcccagggcg 660  
 cctcctcggc cctgggcaac ctacgcacc tgctcgtcaa gtacaacaac ctcacggagg 720  
 tgccccgcgc cctgcccccc agcctggaca ccctgctgct gtcctacaac cacattgtca 780  
 ccctggcacc cgaggacctg gccaacctga ctgccctgcg cgtgcttgac gtgggtggga 840  
 actgccgcgc ctgcgaccat gcccgcaacc cctgcaggga gtgcccagag aacttccccca 900  
 agctgcaccc tgacaccttc agtcacctga gccgcctcga aggcctgggtg ttgaaggaca 960  
 gttctctcta caaactagag aaagattggg tccgcggcct gggcaggctc caagtgtcgc 1020  
 acctgagtga gaacttcctc tatgactaca tcaccaagac caccatcttc aacgacctga 1080  
 cccagctgcg cagactcaac ctgtccttca attaccacaa gaagggtgcc ttcgcccacc 1140  
 tgcacctagc gtccctcttt gggagtctgg tgtccctgga gaagctggac atgcacggca 1200  
 tcttcttccg ctccctcacc aacatcacgc tccagtcgct gaccgggctg cccaagctcc 1260  
 agagtctgca tctgcagctg aacttcatca accaggcccc gctcagcatc tttggggcct 1320  
 tcccgagcct gctcttcgtg gacctgtcgg acaaccgcac cagcggagcc gcgacgccag 1380  
 cggccgcctt gggggagggtg gacagcaggg tggaagtctg gcgattgccg aggggcctcg 1440  
 ctccaggccc gctggacgcc gtcagctcaa aggacttcat gccagctgc aacctcaact 1500  
 tcaccttga cctgtcacgg aacaacctgg tgacaatcca gcaagagatg tttaccgcc 1560  
 tctccgcctt ccagtgcctg cgcctgagcc acaacagcat ctcgcaggcg gttaatggct 1620  
 cccagttcgt gccgtgacc agcctgcgag tgctcgacct gtcccacaac aagctggacc 1680  
 tgtaccatgg gcgctcatc acggagctgc cgcagctgga ggcactggac ctcagctaca 1740  
 acagccagcc cttcagcatg cagggcgtgg gccacaacct cagcttcgtg gccagctgc 1800  
 cctccctgcg ctacctcagc cttgcgcaca atggcatcca cagccgcgtg tcacagaagc 1860  
 tcagcagcgc ctggttgccg gccctggact tcagcggcaa ctccctgagc cagatgtggg 1920  
 ccgagggaga cctctatctc tgctttttca aaggcttgag gaacctggtc cagctggacc 1980  
 tgctccagaa ccattctgac accctcctgc ctgctcacct ggacaacctg cccaagagcc 2040

tgcggcagct gcgctctccgg gacaataacc tggccttctt caactggagc agcctgaccg 2100  
 tcctgccccg gctggaagcc ctggatctgg caggaaacca gctgaaggcc ctgagcaacg 2160  
 gcagcctgcc gcctggcatc cggtccaga agctggacgt gagcagcaac agcatcggct 2220  
 tcgtgatecc cggtctcttc gtccgcgcga ctccgctgat agagcttaac ctccagccca 2280  
 atgccctgaa gacagtggat ccctcctggg tgggttctt agcagggacc ctgaaaatcc 2340  
 tagacgtgag cgccaaccgg ctccactgcg cctgcggggc ggcttttggt gacttcctgc 2400  
 tggagagaca ggaggccgtg cccgggctgt ccaggcgctg cacatgtggc agtccggggc 2460  
 agctccaggg ccgcagcatc ttcacacagg acctgcccct ctgcctggat gagaccctct 2520  
 ccttggaactg ctttggcctc tcaactgctaa tgggtggcgt gggcctggca gtgcccattg 2580  
 tgcaccacct ctgtggctgg gaactctggg actgcttcca cctgtgtctg gcccatctgc 2640  
 cccgacggcg gcggcagcgg ggcgaggaca ccctgctcta tgatgccgtc gtggtcttcg 2700  
 acaagggtgca gagtgcagtg gctgattggg tgtacaacga gctccgcgtg cagctggagg 2760  
 agcgcggggg gcgcggggcg ctccgcctct gcctggagga gcgagactgg ctccctggta 2820  
 agacgtctct cgagaacctg tgggcctcgg tctacagcag ccgcaagacc atgttcgtgc 2880  
 tggaccacac ggaccgggtc agcggcctcc tgcgcgccag ctccctgctg gccagcagc 2940  
 gcctgttgga ggaccgcaag gacgtcgtag tgctggtgat cctgcgcccc gccgcctatc 3000  
 ggtcccgtca cgtgcggctg cgccagcgcc tctgcgcga gacgtctctc ctctggcccc 3060  
 accagcccag tggccagggt agtttctggg ccaacctggg catagccctg accagggaca 3120  
 accgtcactt ctataaccgg aacttctgcc ggggccccac gacagccgaa tagcacagag 3180  
 tgactgcca g 3191

&lt;210&gt; 12

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Bos taurus

&lt;400&gt; 12

atgggcccct actgtgcccc gcacccccct tctctcctgg tgcaggcggc ggcaactggca 60  
 gcggccctgg ccgagggcac cctgcctgcc ttcctgccct gtgagctcca gccccatggt 120  
 cagggtggact gcaactggct gttcctgaag tctgtgccgc acttttcggc tggagcccc 180  
 cgggccaatg tcaccagcct ctcccttaac tccaaccgca tccaccactt gcatgactct 240  
 gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtggaaactg cccgccggcc 300  
 ggctcagcc catgcactt cccctgccgt atgaccatcg agcccaacac ctccctggct 360

gtgcccaccc	tggaggagct	gaacctgagc	tacaacggca	tcacgaccgt	gcctgccctg	420
cccagttccc	tcgtgtccct	gtcgctgagc	cacaccagca	tcctggtgct	aggccccacc	480
cacttcaccg	gcctgcacgc	cctgcgcttt	ctgtacatgg	acggcaactg	ctactacatg	540
aaccctgcc	cgcgggccct	ggagggtggc	ccaggcgccc	tcctcggcct	gggcaacctc	600
acgcacctgt	cgctcaagta	caacaacctc	acggagggtgc	cccgcgcct	gccccccagc	660
ctggacaccc	tgtgtgtgtc	ctacaaccac	attgtcaccc	tggcaccgga	ggacctggcc	720
aacctgactg	ccctgcgcgt	gcttgacgtg	ggtgggaact	gccgcgcgtg	cgaccatgcc	780
cgcaaccctt	gcagggagtg	cccaaagaac	ttccccaagc	tgcacctga	caccttcagt	840
cacctgagcc	gcctcgaagg	cctggtgttg	aaggacagtt	ctctctacaa	actagagaaa	900
gattggttcc	gcggcctggg	caggctccaa	gtgctcgacc	tgagtgagaa	cttcctctat	960
gactacatca	ccaagaccac	catcttcaac	gacctgaccc	agctgcgcag	actcaacctg	1020
tccttcaatt	accacaagaa	ggtgtccttc	gccacactgc	acctagcgtc	ctcctttggg	1080
agtctggtgt	ccctggagaa	gctggacatg	cacggcatct	tcttcgcgtc	cctcaccaac	1140
atcacgctcc	agtcgctgac	ccggctgccc	aagctccaga	gtctgcatct	gcagctgaac	1200
ttcatcaacc	aggcccagct	cagcatcttt	ggggccttcc	cgagcctgct	cttcgtggac	1260
ctgtcggaca	accgcatcag	cggagccgcg	acgccagcgg	ccgccctggg	ggagggtggac	1320
agcaggggtg	aagtctggcg	attgcccagg	ggcctcgctc	caggcccgtc	ggacgccgtc	1380
agctcaaagg	acttcatgcc	aagctgcaac	ctcaacttca	ccttggaact	gtcacggaac	1440
aacctggtga	caatccagca	agagatgttt	acccgcctct	cccgcctcca	gtgcctgcgc	1500
ctgagccaca	acagcatctc	gcaggcggtt	aatggctccc	agttcgtgcc	gctgaccagc	1560
ctgcgagtgc	tcgacctgtc	ccacaacaag	ctggacctgt	accatgggcg	ctcattcacg	1620
gagctgccgc	agctggaggc	actggacctc	agctacaaca	gccagccctt	cagcatgcag	1680
ggcgtggggc	acaacctcag	cttcgtggcc	cagctgccct	ccctgcgcta	cctcagcctt	1740
gcgcacaatg	gcatccacag	ccgcgtgtca	cagaagctca	gcagcgcctc	gttgcgcgcc	1800
ctggacttca	gcggcaactc	cctgagccag	atgtgggccc	aggagacct	ctatctctgc	1860
tttttcaaag	gcttgaggaa	cctggtccag	ctggacctgt	ccgagaacca	tctgcacacc	1920
ctcctgcctc	gtcacctgga	caacctgccc	aagagcctgc	ggcagctgcg	tctccgggac	1980
aataacctgg	ccttcttcaa	ctggagcagc	ctgaccgtcc	tgccccggct	ggaagccctg	2040
gatctggcag	gaaaccagct	gaaggccctg	agcaacggca	gcctgccgcc	tggcatccgg	2100
ctccagaagc	tggacgtgag	cagcaacagc	atcggtctcg	tgateccccg	cttcttcgtc	2160

cgcgcgactc ggctgataga gcttaacctc agcgccaatg ccctgaagac agtggatccc 2220  
 tcttggttcg gttccttagc agggaccctg aaaatcctag acgtgagcgc caaccgctc 2280  
 cactgcgcct gcggggcggc ctttgtggac ttcctgctgg agagacagga ggccgtgccc 2340  
 gggctgtcca ggcgcgtcac atgtggcagt ccggggccagc tccagggccg cagcatcttc 2400  
 acacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 13  
 <211> 1031  
 <212> PRT  
 <213> Equus caballus

<400> 13

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro  
 145 150 155 160

Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
195 200 205

Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr  
210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu  
225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe  
260 265 270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
385 390 395 400



Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
 805 810 815

Asp Cys Phe Gly Leu Ser Leu Leu Val Val Ala Leu Gly Leu Ala Met  
 820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
 835 840 845

Leu Gly Leu Ala Trp Leu Pro Arg Arg Gly Trp Gln Arg Gly Ala Asp  
 850 855 860

Ala Leu Ser Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala

865                                      870                                      875                                      880  
 Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
    885                                      890                                      895  
 Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
    900                                      905                                      910  
 Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
    915                                      920                                      925  
 Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Gln Val Ser Gly Leu  
    930                                      935                                      940  
 Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
    945                                      950                                      955                                      960  
 Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Ala Arg Arg Ser  
    965                                      970                                      975  
 Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Phe  
    980                                      985                                      990  
 Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
    995                                      1000                                      1005  
 Met Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln Asn Phe  
    1010                                      1015                                      1020  
 Cys Arg Gly Pro Thr Met Ala Glu  
    1025                                      1030  
  
 <210> 14  
 <211> 820  
 <212> PRT  
 <213> Equus caballus  
  
 <400> 14  
 Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1                                      5                                      10                                      15  
 Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
    20                                      25                                      30  
 Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu

35	40	45	
Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn			
50	55	60	
Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp			
65	70	75	80
Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp			
85	90	95	
Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met			
100	105	110	
Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu			
115	120	125	
Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser			
130	135	140	
Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro			
145	150	155	160
Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly			
165	170	175	
Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro			
180	185	190	
Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr			
195	200	205	
Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr			
210	215	220	
Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu			
225	230	235	240
Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg			
245	250	255	
Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe			
260	265	270	

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
 805 810 815

Asp Cys Phe Gly  
 820

<210> 15  
 <211> 3391  
 <212> DNA  
 <213> Equus caballus

<400> 15  
 ctctgttctc tgagctgttg ccgcgtgaag ggactgagcag cacaagcat cctcctctgc 60  
 agctgctgcc cagtgtgcc gctggaccct ctggatcatc tccactccc tgtcatgggc 120  
 ccttgccatg gtgccctgca gcccctgtct ctcttggtgc aggcggccat gctggccgtg 180  
 gctctggccc aaggcacct gctcccttc ctgccctgtg agctccagcc ccacggcctg 240  
 gtgaactgca actggctgtt cctgaagtcc gtgcccact tctcagcagc agcaccgccg 300  
 gacaatgtca ccagccttc cttgctctcc aaccgcatcc accacctcca cgactccgac 360  
 ttgcccacac tgtccaacct gcagaaactc aacctcaaat ggaactgccc gccagccggc 420  
 ctgagcccca tgcacttccc ctgccacatg accatcgagc ccaacacttt cctggctgta 480  
 cccaccctgg aggagctgaa cctgagctac aacggcatca cgactgtgcc tgccctgccc 540  
 agctccctcg tgtccctgat cctgagccgc accaacatcc tgcagctaga cccaccagc 600  
 ctacagggcc tgcattccct gcgcttcta tacatggatg gcaactgcta ctacaagaac 660  
 ccctgcgggc gggccctgga ggtggcccca ggcgcctcc ttggcctggg caacctcacc 720  
 cacctgtcac tcaagtacaa caacctcaca acggtgcccc gcagcctgcc ccctagcctg 780  
 gagtacctgc tgttgtcta caaccacatt gtcaccctgg cacctgagga cctggccaat 840  
 ctgactgccc tgcgtgtgct cgatgtgggt ggaaactgcc gccgctgtga ccatgcagc 900  
 aaccctgcg tggagtgccc acataaatc cccagctgc actccgacac cttcagccac 960

ctaagccgcc tagaaggcct cgtgttgaag gatagttctc tctaccagct gaaccccaga 1020  
 tgggtccgtg gcctgggcaa cctcacagtg ctgcacctga gtgagaactt cctctacgac 1080  
 tgcataacca aaaccaaggc attccagggc ctggcccagc tgcgaagact caacttgccc 1140  
 ttcaattacc ataagaaggt gtccctcgcc cacctgaagc tggcacccctc cttcgggagc 1200  
 ctgctctccc tgcaggaact ggacatgcat ggcatcttct tccgctcact cagccagaag 1260  
 acgctccagc cactggcccc cctgcccatg ctccagcgctc tgtatctgca gatgaacttc 1320  
 atcaaccagg cccagctcgg catcttcaag gacttccttg gtctgcgcta catagacctg 1380  
 tcagacaacc gcatcagtgg agctgtggag ccggtggcca ccacagggga ggtggatggt 1440  
 gggagaagg tctggctgac atccaggagc ctactccag gccactgga cccccccagc 1500  
 tctgaggact tcatgccaaag ctgcaagaac ctcaagctca ccttggacct gtcacggaac 1560  
 aacctggtaa cagtccagcc agagatgttt gccagctctc cgcgcctcca gtgcctgcgc 1620  
 ctgagccaca acagcatctc gcaggcgggc aatggctcac agttcgtgcc actgaccagc 1680  
 ctgcaggctg tggacctgtc ccataacaaa ctggacctgt accatgggag ctcgtttacg 1740  
 gagctgccgc gactggaggc cctggacctc agctacaaca gccagccctt cagcatgcgg 1800  
 ggtgtggggc acaacctcag ctttgtggcc cagctgcccc ccctgcgcta cctcagcctg 1860  
 gcacacaatg gcatccacag ccgtgtgtcc cagcagctct gcagcacctc gctgtggggc 1920  
 ctggacttca gcggcaattc cctgagccag atgtgggctg agggagacct ctatctccgc 1980  
 ttcttccaag gcctgagaag cctaaccggc ctagacctgt ccagaaatcg tctgcatacc 2040  
 ctctgccat gcacctggg caacctcccc aagagcttgc agctgctgag tctccgtaac 2100  
 aattacctgg ccttcttcaa ttggagcagc ctgacctcc tgcccaacct ggaaacctg 2160  
 gacctggctg gaaaccagct gaaggctctg agcaatggca gcctgccttc tggcaccag 2220  
 ctccagaggc tggacgtcag caggaaacag atcatcttcg tggctccctg cttctttgct 2280  
 ctggccacga ggctgcgaga gctcaacctc agtgccaacg ccctcaggac agaggagccc 2340  
 tcctggtttg gtttcctagc aggtccctt gaagtcctag atgtgagcgc caacctctg 2400  
 cactgcgcct gtggggcagc ctttgtggac ttctgtctgc aggttcaggc tgccgtgcct 2460  
 ggtctgcccc gccgcgtcaa gtgtggcagt ccgggccagc tccagggccg cagcatcttc 2520  
 gcacaagacc tgcgcctctg cctggacaag tccctctcct gggactgttt tggctctctca 2580  
 ttgctggttg tggccctggg cctggccatg cctatgttgc accacctctg cggctgggac 2640  
 ctctgggtact gcttccacct gggcctggcc tggctgcccc ggcgggggtg gcagcggggc 2700



gcggatgccc tgagctatga tgcctttgtg gtcttcgaca aggcacagag cgcagtggcc 2760  
 gactgggtgt acaatgaact ggggtgagg ctagaggagc gccgtgggag cggggcgctc 2820  
 cgctgtgtc tggaggagcg tgactggcta cctggcaaga cgctgttcga aaacctgtgg 2880  
 gcctcagtct acagcagccg caagatgctg tttgtgctgg ccacacgga ccaggtcagt 2940  
 ggctctctgc gtgccagctt cctgctggcc cagcagcgtc tgctggagga ccgcaaggac 3000  
 gttgtggtgc tggtaatcct gagccctgac gcccgcggtt cccgttacgt gggctgctgc 3060  
 cagcgctctt gccgcagag tgctctcttc tggccccacc agcctagtgg ccagcgagc 3120  
 ttctggggcc agctaggcat ggccctgacc agggacaacc gccacttcta taaccagaac 3180  
 ttctgccggg gcccgacgat ggctgagtag cacagagtga cagcctggca tgtacaacc 3240  
 ccagccctga ccttgctct ctgcctatga tgcccagtct gcctcactct gtgacgcccc 3300  
 tgctctgctt ccgccaccct caccctggc atacagcagg cactcaataa atgccactgg 3360  
 caggccaaac agccaaaaaa aaaaaaaaaa a 3391

<210> 16  
 <211> 2460  
 <212> DNA  
 <213> Equus caballus

<400> 16  
 atggggccctt gccatggtgc cctgcagccc ctgtctctcc tgggtgcaggc ggccatgctg 60  
 gccgtggctc tggccaagg caccctgcct cccttcctgc cctgtgagct ccagccccac 120  
 ggctggtga actgcaactg gctgttcctg aagtccgtgc ccacttctc agcagcagca 180  
 cccgggaca atgtaccag cctttccttg ctctccaacc gcatccacca cctccacgac 240  
 tccgactttg cccaactgtc caacctgcag aaactcaacc tcaaattgaa ctgcccgcca 300  
 gccggcctca gcccctatgca cttcccctgc cacatgacca tcgagcccaa cactttcctg 360  
 gctgtaccca cctggagga gctgaacctg agctacaacg gcatcacgac tgtgctgcc 420  
 ctgcccagct ccctcgctgc cctgatcctg agcgcacca acatcctgca gctagacccc 480  
 accagcctca cgggcctgca tgccctgctc ttctataca tggatggcaa ctgtactac 540  
 aagaacccct gggggcgggc cctggagggtg gcccagcg ccctccttg cctgggcaac 600  
 ctcaccaccc tgctactcaa gtacaacaac ctcaaacgg tgcccgcag cctgcccct 660  
 agcctggagt acctgctgtt gtctacaac cacattgtca ccctggcacc tgaggacctg 720  
 gccaatctga ctgccctgcg tgtgctcgat gtgggtggaa actgccgccc ctgtgaccat 780  
 gcacgcaacc cctgcgtgga gtgccacat aaattcccc agctgcactc cgacaccttc 840

```

agccacctaa gcgcctaga aggcctcgtg ttgaaggata gttctctcta ccagctgaac      900
cccagatggg tccgtggcct gggcaacctc acagtgtcg acctgagtga gaacttcctc      960
tacgactgca tcacaaaaac caaggcattc cagggcctgg cccagctgag aagactcaac     1020
ttgtccttca attaccataa gaaggtgtcc ttcgcccacc tgacgtggc accctccttc     1080
gggagcctgc tctccctgca ggaactggac atgcatggca tcttcttcog ctcaactcagc     1140
cagaagacgc tccagccact ggcccgcctg cccatgtctc agcgtctgta tctgcagatg     1200
aacttcatca accaggccca gctcggcatc ttcaaggact tccctggtct gcgctacata     1260
gacctgtcag acaaccgcat cagtggagct gtggagccgg tggccaccac aggggaggtg     1320
gatggtggga agaaggtctg gctgacatcc agggacctca ctccaggccc actggacacc     1380
cccagctctg aggacttcat gccaaagtgc aagaacctca gcttcacctt ggacctgtca     1440
cggaacaacc tggtaacagt ccagccagag atgtttgccc agctctcgcg cctccagtgc     1500
ctgcgcctga gccacaacag catctcgcag gcggtcaatg gctcacagtt cgtgccactg     1560
accagcctgc aggtgctgga cctgtcccat aacaaactgg acctgtacca tgggcgctcg     1620
tttacggagc tgccgcgact ggaggccctg gacctcagct acaacagcca gcccttcagc     1680
atgcgggggtg tgggccacaa cctcagcttt gtggcccagc tgcccaccct gcgctacctc     1740
agcctggcac acaatggcat ccacagccgt gtgtcccagc agctctgcag cacctcgtg     1800
tgggccctgg acttcagcgg caattccctg agccagatgt gggctgaggg agacctctat     1860
ctccgcttct tccaaggcct gagaagccta atccggctag acctgtccca gaatcgtctg     1920
cataccctcc tgccatgcac cctgggcaac ctcccgaaga gcttgcagct gctgcgtctc     1980
cgtaacaatt acctggcctt cttcaattgg agcagcctga ccctcctgcc caacctggaa     2040
acctggacc tggctggaaa ccagctgaag gctctgagca atggcagcct gccttctggc     2100
accagctcc agaggctgga cgtcagcagg aacagcatca tcttcgtggg ccctggcttc     2160
tttgctctgg ccacgaggct gcgagagctc aacctcagtg ccaacgccct caggacagag     2220
gagccctcct ggtttggttt cctagcaggc tcccttgaag tcctagatgt gagcgccaac     2280
cctctgcact gcgcctgtgg ggcagccttt gtggacttcc tgctgcaggt tcaggctgcc     2340
gtgcctggtc tgcccagccg cgtcaagtgt ggcagtccgg gccagctcca gggccgcagc     2400
atcttcgcac aagacctgcg cctctgcctg gacaagtccc tctcctggga ctgttttggg     2460

```

<210> 17  
 <211> 1029  
 <212> PRT  
 <213> Ovis aries

&lt;400&gt; 17

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr  
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala  
225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg  
325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
805 810 815

Phe Gly Phe Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
835 840 845

Leu Ala His Leu Pro Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
850 855 860

Leu Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala  
865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg

930                      935                      940  
 Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945                      950                      955                      960  
 Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
                     965                      970                      975  
 Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
                     980                      985                      990  
 His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Met Ala  
                     995                      1000                      1005  
 Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
                     1010                      1015                      1020  
 Gly Pro Thr Thr Ala Glu  
                     1025  
 <210> 18  
 <211> 818  
 <212> PRT  
 <213> Ovis aries  
 <400> 18  
 Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1                      5                      10                      15  
 Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
                     20                      25                      30  
 Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
                     35                      40                      45  
 Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
                     50                      55                      60  
 Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65                      70                      75                      80  
 Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
                     85                      90                      95  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr

100	105	110
Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn 115 120 125		
Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu 130 135 140		
Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr 145 150 155 160		
His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn 165 170 175		
Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly 180 185 190		
Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn 195 200 205		
Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu 210 215 220		
Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala 225 230 235 240		
Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg 245 250 255		
Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro 260 265 270		
Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu 275 280 285		
Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg 290 295 300		
Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr 305 310 315 320		
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg 325 330 335		



Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
805 810 815

Phe Gly

&lt;210&gt; 19

&lt;211&gt; 3199

&lt;212&gt; DNA

&lt;213&gt; Ovis aries

&lt;400&gt; 19

```

gtcggcacgg gaagtgagcg ccaagcatcc ttccctgcag ctgccgcca acttgcccgc      60
cagaccctct ggagaagccg cattccctgc catgggcccc tactgtgccc cgcaccccct      120
ttctctcttg gtgcaggcgg cggcgctggc agcagccctg gccagggca ccctgcctgc      180
cttctgccc tgtgagctcc agccccgggg taaggtgaac tgcaactggc tgttcctgaa      240
gtctgtgccc cgcttttcgg cggagcccc cggggccaat gtcaccagcc tctccttaat      300
ctccaaccgc atccaccact tgcacgactc tgacttcgtc cacctgtcca acctgcgggt      360
cctcaacctc aagtggaact gcccgccggc cggcctcagc cccatgcact tcccctgccc      420
catgaccatc gagcccaaca ccttcttgcc tgtgcccacc ctggaggagc tgaacctgag      480
ctacaatggc atcacgaccg tgccctgccct gccagttct ctcgatccc tgcgtctgag      540
ccgcaccagc atcctggtgc taggccccac ccacttcacc ggctgcacg ccctgcgctt      600
tctgtacatg gacggcaact gctactataa gaaccctgc cagcaggccg tggaggtggc      660
cccaggcgcc ctcttgggc tgggcaacct cagcacctg tcgctcaagt acaacaacct      720
cacggaggtg ccccgccgcc tgccccccag cctggacacc ctgctgctgt cctacaacca      780
catcatcacc ctggcaccgg aggacctggc caatctgact gccctgcgtg tgcttgatgt      840
ggcggggaac tgccgcccgt gcgaccagc ccgaacccc tgcaaggagt gcccaaagaa      900
cttccccaag ctgcaccctg acaccttcag ccacctgagc cgcctcgaag gcctggtgtt      960
gaaggacagt tctctctaca aactagagaa agactggttc cgcggcctgg gcaggctcca     1020
agtgtctgac ctgagtgaga acttctctta tgactacatc accaagacca ccatcttcag     1080
gaacctgacc cagctgcgca gactcaacct gtccttcaat taccacaaga aggtgtcctt     1140
cgccacctg caactggcac cctcctttgg gggcctggtg tccctggaga agctggacat     1200
gcacggcatc ttcttccgct cctcaccaa caccacgctc cggccgctga cccagctgcc     1260
caagctccag agtctgagtc tgcagctgaa cttcatcaac caggccgagc tcagcatctt     1320
tggggccttc ccgagcctgc tcttcgtgga cctgtcggac aaccgcatca gcggagctgc     1380
gaggccggtg gccgcccctg gggaggtgga cagcggggtg gaagtctggc ggtggcccag     1440

```

```

gggcctcgct ccaggcccgc tggccgcgct cagcgcgaaag gacttcatgc caagctgcaa 1500
cctcaacttc accttgacc tgtcacggaa caacctgggtg acgatccagc aggagatgtt 1560
taccgcctc tccgcctcc agtgccctgc cctgagccac aacagcatct cgcaggcgggt 1620
taatggctcg cagttcgtgc cgtgacccg cctgcgagtg ctgcacctgt cctacaacaa 1680
gctggacctg taccatgggc gctcgttcac ggagctgccg cagctggagg cactggacct 1740
cagctacaac agccagccct tcagcatgca gggcgtgggc cacaacctca gcttcgtggc 1800
ccagctgccg tccctgcgt acctcagcct tgcgcacaaac ggcatccaca gccgcgtgtc 1860
acagaagctc agcagcgct cgtgcgcgc cctggacttc agcggcaact ccctgagcca 1920
gatgtgggccc gagggagacc tctatctctg cttcttcaaa ggcttgagga acctgggtcca 1980
gctggacctg tccaagaacc acctgcacac cctcctgcct cgtcacctgg ataacctgcc 2040
caagagcctg cggcagctgc gtctccggga caataacctg gccttcttca actggagcag 2100
cctgactgtt ctgcccagc tggaagccct ggatctggcg ggaaaccagc tgaaggccct 2160
gagcaacggc agcctgccac ctggcaccgc gctccagaag ctggacgtga gcagcaacag 2220
catcggttt gtgaccctg gcttcttctg ccttgccaac cggctgaaag agcttaacct 2280
cagcgccaac gccctgaaga cagtggatcc cttctgggtc ggctgcttaa cagagacct 2340
gaatatacta gacgtgagcg ccaaccgct ccactgtgcc tgcggggcgg cctttgtgga 2400
cttctgctg gagatgcagg cgccgtgcc tgggctgtcc aggcgcgtca cgtgtggcag 2460
tccggggcag ctccagggcc gcagcatctt cgcacaggac ctgcgcctct gcctggatga 2520
gacctctcc ttggactgct ttggcttctc gctgctaata gtggcgctgg gcctggcggt 2580
gcccatgctg caccacctct gtggctggga cctgtggtac tgcttccacc tgtgtctggc 2640
ccatttgccc cgacggcggc ggcagcgggg cgaggacacc ctgctctacg atgccttcgt 2700
ggtcttcgac aaggcgaga gtgcagtggc cgactgggtg tacaacgagc tccgcgtgca 2760
gctggaggag cgccgcgggc gccgggcgct ccgcctctgc ctggaggagc gagactggct 2820
ccctggcaag acgctcttcg agaacctgtg ggcctcggtc tacagcagcc gtaagaccat 2880
gttcgtgctg gaccacacgg accgggtcag tggcctcctg cgcgccagct tcctgctggc 2940
ccagcagcgc ctgttgagg accgcaagga tgtcgtgggt ctggtgatcc tgcgccccgc 3000
cgcctaccgg tccgctacg tgcggctgcg ccagcgctc tgccgccaga gcgtcctcct 3060
ctggcccccac cagcccagt ggcagggtag cttctggggc aacctgggca tggccctgac 3120
cagggacaac cgccacttct ataaccgga cttctgccgg ggccccacga cagccgaata 3180

```

gcacagagtg actgcccag

3199

&lt;210&gt; 20

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Ovis aries

&lt;400&gt; 20

atggggccct actgtgcccc gcacccccctt tctctcctgg tgcaggcggc ggcgctggca	60
gcagccctgg ccagggcac cctgcctgcc ttctgcccgt gtgagctcca gcccgggggt	120
aaggtgaact gcaactggct gttcctgaag tctgtgccgc gcttttcggc cggagcccc	180
cgggccaatg tcaccagcct ctcttaatc tccaaccgca tccaccactt gcacgactct	240
gacttcgtcc acctgtccaa cctgcggggt ctcaacctca agtggaaactg cccgccggcc	300
ggcctcagcc ccattgcactt cccctgccgc atgaccatcg agcccaaac cttcctgggt	360
gtgcccaccc tggaggagct gaacctgagc tacaatggca tcacgaccgt gcctgccctg	420
cccagttctc tcgtatccct gtgcctgagc cgcaccagca tcctgggtgt agggcccacc	480
cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactataag	540
aaccctgcc agcaggccgt ggaggtggcc ccaggcgccc tccttggcct gggcaacctc	600
acgcacctgt cgctcaagta caacaacctc acggaggtgc cccgccgcct gccccccagc	660
ctggacaccc tgctgctgtc ctacaaccac atcatcacc tggcaccoga ggacctggcc	720
aatctgactg ccctgcgtgt gcttgatgtg ggcggaact gccgccgtg cgaccacgcc	780
cgcaaccct gcagggagtg cccaaagaac ttccccagc tgcacctga caccttcagc	840
cacctgagcc gcctcgaagg cctgggtgtg aaggacagtt ctctctacaa actagagaaa	900
gactggttcc ggggcctggg caggtccaa gtgctcgacc tgagtgagaa cttcctctat	960
gactacatca ccaagaccac catcttcagg aacctgacct agctgcgcag actcaacctg	1020
tccttcaatt accacaagaa ggtgtccttc gccacctgc aactggcacc ctcttttggg	1080
ggcctggtgt ccctggagaa gctggacatg cagggcatct tcttccgctc cctcaccaac	1140
accacgctcc ggccgctgac ccagctgccc aagctccaga gtctgagtct gcagctgaac	1200
ttcatcaacc aggcgagct cagcatcttt ggggccttcc cgagcctgt cttcgtggac	1260
ctgtcggaca accgcatcag cggagctgcg aggccggtgg ccgccctcgg ggaggtggac	1320
agcggggtgg aagtctggcg gtggcccagg ggcctcgctc caggcccgt ggccgccgtc	1380
agcgcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac	1440
aacctggtga cgatccagca ggagatgttt acccgctct cccgcctcca gtgcctgcgc	1500

ctgagccaca acagcatctc gcaggcgggtt aatggctcgc agttcgtgcc gctgaccgcg 1560  
 ctgcgagtgc tcgacctgtc ctacaacaag ctggacctgt accatgggcg ctcgttcacg 1620  
 gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680  
 ggcgtggggc acaacctcag ctctgtggcc cagctgccgt ccctgcgcta cctcagcctt 1740  
 gcgcacaacg gcatccacag ccgcgtgtca cagaagctca gcagcgcctc gctgcgcgcc 1800  
 ctggacttca gcggcaactc cctgagccag atgtgggccc agggagacct ctatctctgc 1860  
 ttcttcaaag gcttgaggaa cctggtccag ctggacctgt ccaagaacca cctgcacacc 1920  
 ctctgcctc gtcacctgga taacctgccc aagagcctgc ggcagctgcg tctccgggac 1980  
 aataacctgg ctttcttcaa ctggagcagc ctgactgttc tgcccagct ggaagccctg 2040  
 gatctggcgg gaaaccagct gaaggccctg agcaacggca gcctgccacc tggcaccggg 2100  
 ctccagaagc tggacgtgag cagcaacagc atcggtttg tgacccttg cttctttgtc 2160  
 cttgccaacc ggctgaaaga gcttaacctc agcgccaacg ccctgaagac agtggatccc 2220  
 ttctggttcg gtcgcttaac agagaccctg aatatcctag acgtgagcgc caaccgctc 2280  
 cactgtgcct gcggggcgcc ctttgtggac ttctgtctgg agatgcaggc ggccgtgcct 2340  
 gggctgtcca ggcgcgtcac gtgtggcagt ccgggccagc tccagggccg cagcatcttc 2400  
 gcacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 21  
 <211> 1032  
 <212> PRT  
 <213> Canis familiaris

<400> 21

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro



545	550	555	560
Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu			
	565	570	575
Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg			
	580	585	590
Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser			
	595	600	605
Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg			
	610	615	620
Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn			
	625	630	635
Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser			
	645	650	655
Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp			
	660	665	670
Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly			
	675	680	685
Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln			
	690	695	700
Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro			
	705	710	715
Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala			
	725	730	735
Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly			
	740	745	750
Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys			
	755	760	765
Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro			
	770	775	780

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
785 790 795 800

Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
805 810 815

Ser Trp Val Cys Phe Ser Leu Ser Leu Leu Ala Val Ala Leu Ser Leu  
820 825 830

Ala Val Pro Met Leu His Gln Leu Cys Gly Trp Asp Leu Trp Tyr Cys  
835 840 845

Phe His Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly  
850 855 860

Val Asp Ala Leu Ala Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ser Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
900 905 910

Trp Val Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
915 920 925

Ser Ser Arg Lys Thr Leu Phe Val Leu Ala Arg Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Cys Pro Asp Ala His  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
995 1000 1005

Leu Gly Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Thr Ala  
1025 1030

<210> 22  
<211> 822  
<212> PRT  
<213> Canis familiaris

<400> 22

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro  
 545 550 555 560

Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu  
 565 570 575

Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg  
 580 585 590

Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser  
 595 600 605

Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg  
 610 615 620

Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn  
 625 630 635 640

Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser  
 645 650 655

Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp

660                                      665                                      670  
 Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly  
       675                                      680                                      685  
 Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln  
       690                                      695                                      700  
 Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro  
       705                                      710                                      715                                      720  
 Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala  
                                     725                                      730                                      735  
 Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly  
                                     740                                      745                                      750  
 Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys  
                                     755                                      760                                      765  
 Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro  
       770                                      775                                      780  
 Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
       785                                      790                                      795                                      800  
 Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
                                     805                                      810                                      815  
 Ser Trp Val Cys Phe Ser  
                                     820

<210> 23  
 <211> 3334  
 <212> DNA  
 <213> Canis familiaris

<400> 23  
 aggaaggggc tgtgagctcc aagcatcctt tctgcagct gctgccccagc ctgccagcca 60  
 gaccctctgg agaagcccc gctccctgtc atgggccct gccgtggcgc cctgcacccc 120  
 ctgtctctcc tgggtcaggc tgccgcgcta gccctggccc tggcccaggg caccctgcct 180  
 gccttctctgc cctgtgagct ccagcccat ggctgggtga actgcaactg gctgttcctc 240  
 aagtccgtgc cccgcttctc ggcagctgca ccccgcggtg acgtcaccag cctttccttg 300

tactccaacc gcatccacca cctccatgac tatgactttg tccacttcgt ccacctgcgg	360
cgtctcaatc tcaagtggaa ctgcccggcc gccagcctca gcccacatgca ctttccctgt	420
cacatgacca ttgagcccaa caccttcctg gctgtgcca ccctagagga cctgaatctg	480
agctataaca gcatcacgac tgtgcccggc ctgccagtt cgcttggtgc cctgtccctg	540
agccgcacca acatcctggt gctggaccct gccaccctgg caggccttta tgccctgcgc	600
ttcctgttcc tggatggcaa ctgctactac aagaaccct gccagcaggc cctgcagggtg	660
gccccagggtg ccctcctggg cctgggcaac ctcacacacc tgtcactcaa gtacaacaac	720
ctcaccgtgg tgccgcgggg cctgcccccc agcctggagt acctgctctt gtccataaac	780
cacatcatca ccctggcacc tgaggacctg gccaatctga ctgccctgcg tgtcctcgat	840
gtgggtggga actgtcgccg ctgtgacct gcccgtaacc cctgcaggga gtgccccaaag	900
ggcttcccc agctgcaccc caacaccttc ggccacctga gccacctcga aggcctgggtg	960
ttgagggaca gctctctcta cagcctggac ccaggtgggt tccatggcct gggcaacctc	1020
atggtgctgg acctgagtga gaacttcctg tatgactgca tcacaaaaac caaagccttc	1080
tacggcctgg ccggtgcgcg cagactcaac ctgtccttca attatcataa gaagggtgtcc	1140
tttgcccacc tgcactcggc atcctccttc gggagcctac tgtccctgca ggagctggac	1200
atacatggca tcttcttccg ctgctcagc aagaccacgc tccagtcgct ggcccacctg	1260
cccatgctcc agcgtctgca tctgcagttg aactttatca gccaggccca gctcagcatc	1320
ttcggcgctt tccctggact gcggtacgtg gacttgctag acaaccgcat cagtggagct	1380
gcagagcccg cggctgccac aggggaggta gaggcagact gtggggagag agtctggcca	1440
cagtcccggg accttgctct gggcccactg ggcaccccg gctcagaggc cttcatgccc	1500
agctgcagga ccctcaactt caccttggac ctgtctcgga acaacctagt gactgttcag	1560
ccggagatgt ttgtccggct ggcgcgcctc cagtgcctgg gcctgagcca caacagcatc	1620
tgcaggcgg tcaatggctc gcagttcgtg cctctgagca acctgcgggt gctggacctg	1680
tcccataaca agctggacct gtaccacggg cgctcgttca cggagctgcc gcggctggag	1740
gccttgacc tcagctacaa cagccagccc ttcagcatgc gggcggtggg ccacaatctc	1800
agctttgtgg cacagctgcc agcctgcgc tacctcagcc tggcgacaaa tggcatccac	1860
agccgcgtgt ccagcagct ccgcagcgc tcgctccggg ccctggactt cagtggcaat	1920
accctgagcc agatgtgggc cgaggagac ctctatctcc gcttcttcca aggcctgaga	1980
agcctggttc agctggacct gtcccagaat cgctgcata ccctcctgcc acgcaacctg	2040
gacaacctcc ccaagagcct gcggctcctg cggtccgtg acaattacct ggctttcttc	2100

aactggagca gcctggccct cctacccaag ctggaagccc tggacctggc gggaaaccag 2160  
ctgaaggccc tgagcaatgg cagcttgccc aacggcaacc agctccagag gctggacctc 2220  
agcggcaaca gcatcggtt cgtggtcccc agcttttttg ccctggccgt gaggttcga 2280  
gagctcaacc tcagcgccaa cgccctcaag acggtggagc cctcctggtt tggttccctg 2340  
gcgggtgccc tgaaagtcc agacgtgacc gccaaccctc tgcatcgcc ttgcggcgca 2400  
accttcgtgg acttcttgct ggaggcag gctgcggtgc ccggcctgcc tagccgtgtc 2460  
aagtgcggca gcccgggcca gctccagggc cgcagcatct tcgcacagga cctgcgcctc 2520  
tgcttgagc aagcgtctc ctgggtctgt ttcagcctct cgctgctggc tgtggccctg 2580  
agcctggctg tgcccatgct gcaccagctc tgtggtggg acctctggta ctgctccac 2640  
ctgtgcctgg cctggctgcc ccggcggggg cgccggcggg gtgtggatgc cctggcctat 2700  
gacgccttcg tggcttcga caaggcag agctcggtgg ccgactgggt gtacaatgag 2760  
ctgcgggtac agctagagga gcgccgtggg ccggcgccgc tacgcctgtg tctggaggaa 2820  
cgtgactggg taccgggcaa aaccctcttc gagaacctct gggcctcagt ttacagcagc 2880  
cgcaagacgc tgtttgtgct ggcccgacg gacagagtc gggcctcct gcgtgccagc 2940  
ttcctgctgg cccaacagcg cctgctggag gaccgcaagg acgtcgtggt gctggtgatc 3000  
ctgtgccccg acgcccaccg ctcccgtat gtgcggtgc gccagcgct ctgccgccag 3060  
agtgtcctcc tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc 3120  
acggccctga ccagggacaa ccgccacttc tacaaccaga acttctgcgc gggccccacg 3180  
acagcctgat aggcagacag ccagcacct tcgcgcccct acaccctgcc tgtctgtctg 3240  
ggatgcccga cctgctggct ctacaccgcc gctctgtctc cctacaccc agccctggca 3300  
taaagcgacc gctcaataaa tgctgctggt agac 3334

<210> 24

<211> 2466

<212> DNA

<213> Canis familiaris

<400> 24

atgggcccct gccgtgggc cctgcacccc ctgtctctcc tggcgcaggc tgccgcgcta 60  
gccctggccc tggccaggc caccctgcct gccttctgc cctgtgagct ccagcccat 120  
ggcctgggta actgcaactg gctgttctc aagtccgtgc ccgcttctc ggcagctgca 180  
ccccgggta acgtcaccag ccttctcttg tactccaacc gcatccacca cctccatgac 240  
tatgactttg tccacttcgt ccacctggg cgtctcaatc tcaagtggaa ctgccgcc 300



gccagcctca gcccacatgca ctttccctgt cacatgacca ttgagcccaa caccttcctg 360  
gctgtgcccc ccctagagga cctgaatctg agctataaca gcatcacgac tgtgccccgcc 420  
ctgcccagtt cgcttgtgtc cctgtccctg agccgcacca acatcctggt gctggaccct 480  
gccaccctgg caggccttta tgccctgccc ttctgttcc tggatggcaa ctgctactac 540  
aagaaccct gccagcaggc cctgcagggt gcccagggt ccctcctggg cctgggcaac 600  
ctcacacacc tgtcaactcaa gtacaacaac ctacacgtgg tgccgcgggg cctgcccccc 660  
agcctggagt acctgtctct gtccataaac cacatcatca ccctggcacc tgaggacctg 720  
gccaatctga ctgcccctgc tgtcctcgat gtgggtggga actgtcgccg ctgtgaccat 780  
gcccgtaac cctgcaggga gtgccccaa ggcttcccc agctgcaccc caacaccttc 840  
ggccacctga gccacctga aggcctggtg ttgagggaca gctctctcta cagcctggac 900  
cccagggtgt tccatggcct gggcaacctc atggtgctgg acctgagtga gaacttcctg 960  
tatgactgca tcacaaaaac caaagccttc tacggcctgg cccggctgcg cagactcaac 1020  
ctgtccttca attatcataa gaagggtgtc ttgcccacc tgcatctggc atcctccttc 1080  
gggagcctac tgtccctgca ggagctggac atacatggca tcttcttcg ctgctcagc 1140  
aagaccagc tccagtcgct gggccacctg cccatgctcc agcgtctgca tctgcagttg 1200  
aactttatca gccaggccca gctcagcatc ttcggcgcct tcctggact gcggtacgtg 1260  
gacttgtcag acaaccgcat cagtggagct gcagagcccg cggctgccac aggggaggta 1320  
gaggcagact gtggggagag agtctggcca cagtccggg accttgcctt gggccactg 1380  
ggcaccctcg gctcagaggc ctcatgccc agctgcagga ccctcaactt caccttgac 1440  
ctgtctcgga acaacctagt gactgttcag ccggagatgt ttgtccggct ggcgcgcctc 1500  
cagtgcctgg gcctgagcca caacagcatc tcgcaggcgg tcaatggctc gcagttcgtg 1560  
cctctgagca acctgcgggt gctggacctg tcccataaca agctggacct gtaccacggg 1620  
cgctcgttca cggagctgcc gggctggag gccttgacc tcagctacaa cagccagccc 1680  
ttcagcatgc ggggcgtggg ccacaatctc agctttgtgg cacagctgcc agccctgccc 1740  
tacctcagcc tggcgacaaa tggcatccac agccgcgtgt ccagcagct ccgcagcgcc 1800  
tcgctccggg ccctggactt cagtggcaat accctgagcc agatgtgggc cgaggagac 1860  
ctctatctcc gcttcttcca aggcctgaga agcctggctt agctggacct gtcccagaat 1920  
cgctgcata ccctcctgcc acgcaacctg gacaacctcc ccaagagcct gcggctcctg 1980  
cggctccgtg acaattacct ggctttcttc aactggagca gcctggcct cctaccaag 2040

```

ctggaagccc tggacctggc gggaaaccag ctgaaggccc tgagcaatgg cagcttgccc 2100
aacggcaccc agctccagag gctggacctc agcggcaaca gcatcggtt cgtggtcccc 2160
agcttttttg ccctggccgt gaggttcga gagctcaacc tcagcgccaa cgccctcaag 2220
acgggtggagc cctcctgggt tggttccctg gcgggtgccc tgaaagtctt agacgtgacc 2280
gccaaccctt tgcattgctg ttgctggcga accttcgtgg acttcttgct ggaggtgcag 2340
gctgcggtgc cgggctgcc tagcgtgtc aagtgcggca gcccgggcca gctccagggc 2400
cgcagcatct tcgcacagga cctgcgcctc tgctggagc aagcgtctc ctgggtctgt 2460
ttcagc 2466

```

```

<210> 25
<211> 1031
<212> PRT
<213> Felis catus

```

```

<400> 25

```

```

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

```

```

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
20           25           30

```

```

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu
35           40           45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn
50           55           60

```

```

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

```

```

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp
85           90           95

```

```

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
100          105          110

```

```

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
115          120          125

```

```

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
130          135          140

```

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe

610	615	620
Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635 640
His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg		
	645	650 655
Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser		
	660	665 670
Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln		
	675	680 685
Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln		
	690	695 700
Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe		
	705	710 715 720
Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala		
	725	730 735
Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu		
	740	745 750
Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala		
	755	760 765
Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu		
	770	775 780
Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser		
	785	790 795 800
Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp		
	805	810 815
Asp Cys Phe Gly Leu Ser Leu Leu Thr Val Ala Leu Gly Leu Ala Val		
	820	825 830
Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His		
	835	840 845

Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly Ala Asp  
 850 855 860

Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala  
 865 870 875 880

Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
 885 890 895

Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
 900 905 910

Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
 915 920 925

Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu  
 930 935 940

Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
 945 950 955 960

Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His Arg Ser  
 965 970 975

Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu  
 980 985 990

Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
 995 1000 1005

Thr Ala Leu Thr Arg Asp Asn Gln His Phe Tyr Asn Gln Asn Phe  
 1010 1015 1020

Cys Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 26  
 <211> 820  
 <212> PRT  
 <213> Felis catus

<400> 26

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
                   20                                  25                                  30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
                   35                                  40                                  45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
                   50                                  55                                  60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
                   65                                  70                                  75                                  80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
                                   85                                  90                                  95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
                   100                                  105                                  110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
                   115                                  120                                  125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
                   130                                  135                                  140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
                   145                                  150                                  155                                  160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
                                   165                                  170                                  175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
                   180                                  185                                  190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
                   195                                  200                                  205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
                   210                                  215                                  220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
                   225                                  230                                  235                                  240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
                                   245                                  250                                  255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
485 490 495



Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
610 615 620

Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu  
625 630 635 640

His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg  
645 650 655

Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
660 665 670

Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln  
675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln  
690 695 700

Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe  
705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala

725	730	735
Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu 740 745 750		
Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala 755 760 765		
Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu 770 775 780		
Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser 785 790 795 800		
Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp 805 810 815		
Asp Cys Phe Gly 820		

```
<210> 27
<211> 3235
<212> DNA
<213> Felis catus
```

<400>	27					
agggtctgcg	agctccaggc	attcttctct	gccatcgctg	cccagtcctgc	catccagacc	60
ctctggagaa	gccccactc	cctgtcatgg	gccctgcca	tggcgccctg	cacccctgt	120
ctctcctggt	gcaggctgcc	gcgctggccg	tggccctggc	ccagggcacc	ctgcctgcct	180
ttctgcccctg	tgagctccag	cgccacggcc	tggatgaattg	cgactggctg	ttcctcaagt	240
ccgtgcccc	cttctcgccg	gcagcgcccc	gtggtaacgt	caccagcctt	tccctgtact	300
ccaaccgcat	ccaccacctc	ca'cgactccg	actttgtcca	cctgtccagc	ctggggcgtc	360
tcaacctcaa	atggaactgc	ccaccggcca	gcctcagccc	catgcacttc	ccctgtcaca	420
tgaccattga	gccccacacc	ttcctggccg	tgcccaccct	ggaggagctg	aacctgagct	480
acaacagcat	cacgacagta	cccgcctctg	ccagttccct	cgtgtccctg	tccttgagcc	540
gtaccaacat	cctggtgctg	gaccctgcca	acctcgagg	gctgcactcc	ctgcgctttc	600
tgttctctgga	tggcaactgc	tactacaaga	acccctgccc	gcaggccctg	caggtggccc	660
cgggcgcct	ccttggcctg	ggcaacctta	cgcacctgtc	actcaagtac	aacaacctca	720
ctgcggtgcc	ccgcggcctg	ccccccagcc	tggagtacct	gctattgtcc	tacaaccaca	780

tcataccacct	ggcacctgag	gacctggcca	acctgaccgc	cctgcgtgtg	ctcgatgtgg	840
gtgggaactg	ccgtcgctgt	gaccacgccc	gcaacccttg	tatggagtgc	cccaagggct	900
tcccgacact	gcacctgac	accttcagcc	acctgaacca	cctcgaaggc	ctgggtgtga	960
aggacagctc	tctctacaac	ctgaacccca	gatggttcca	tgccctgggc	aacctcatgg	1020
tgctggacct	gagtgagaac	ttcctatatg	actgcatcac	caaaaccaca	gccttccagg	1080
gcctggccca	gctgcgcaga	ctcaacttgt	ctttcaatta	ccacaagaag	gtgtcctttg	1140
cccacctgca	tctggcgccc	tccttcggga	gcctgctctc	cctgcagcag	ctggacatgc	1200
atggcatctt	cttcgcgtcg	ctcagcgaga	ccacgctccg	gtcgtgtggtc	cacctgcccc	1260
tgctccagag	tctgcacctg	cagatgaact	tcataaatca	ggcccagctc	agcatcttcg	1320
gggccttccc	tggcctgcga	tacgtggacc	tgtagacaaa	ccgcataagt	ggagccatgg	1380
agctggcggc	tgccacgggg	gaggtggatg	gtggggagag	agtccggctg	ccatctgggg	1440
acctagctct	gggcccaccg	ggcaccctta	gctccgaggg	cttcatgcca	ggctgcaaga	1500
ccctcaactt	caccttggac	ctgtcacgga	acaacctagt	gacaatccag	ccagagatgt	1560
ttgcccggct	ctcgcgctc	cagtgcctgc	tcctgagccg	caacagcatc	tcgcaggcag	1620
tcaacggctc	acaatttatg	ccgctgacca	gcctgcaggt	gctggacctg	tcccataaca	1680
agctggacct	gtaccatggg	cgctctttca	cggagctgcc	gcggctggag	gccctggacc	1740
tcagctacaa	cagccagccc	ttcagcatgc	agggcgtggg	tcacaacctc	agctttgtgg	1800
cacagctgcc	ggccctgcgc	tatctcagcc	tggcgcacaa	cgacatccac	agccgtgtgt	1860
cccagcagct	ctgcagcgcc	tcgctgcggg	ccttggactt	cagcggcaat	gccttgagcc	1920
ggatgtgggc	cgagggagac	ctgtatctcc	acttcttccg	aggcctgagg	agcctggtcc	1980
ggttggatct	gtcccagaat	cgctgcata	ccctcttgcc	acgcaccctg	gacaacctcc	2040
ccaagagcct	gcggctgctg	cgctccgtg	acaattatct	ggctttcttc	aactggagca	2100
gcctggtcct	cctccccagg	ctggaagccc	tggacctggc	gggaaaccag	ctgaaggccc	2160
tgagcaacgg	cagcttgctt	aatggaaccc	agctccagag	gctggacctc	agcagcaaca	2220
gtatcagctt	cgtggcctcc	agcttttttg	ctctggccac	caggctgcga	gagctcaacc	2280
tcagtgcctc	cgccctcaag	acggtggagc	cctcctgggt	cggttctcta	gcgggcaccc	2340
tgaaagtcct	agatgtgact	ggcaaccccc	tgactgcgc	ctgtggggcg	gccttcgtgg	2400
acttcttgct	ggaggtgcag	gctgcagtgc	ccggcctgcc	aggccacgtc	aagtgtggca	2460
gtccaggtca	gctccagggc	cgcagcatct	ttgcgcagga	tctgcgcctc	tgcttgatg	2520
aggccctctc	ctgggactgt	tttggcctct	cgctgctgac	cgtggccctg	ggcctggccg	2580

tgcccatgct gcaccacctc tgtggctggg acctctggta ctgcttcac ctgtgcctgg 2640  
 cctggctgcc ccggcggggg cgccggcggg gcgcggatgc cctgccctac gatgcctttg 2700  
 tggctcttga caaggcacag agcgcggtgg ccgactgggt gtacaacgag ctgcgggtac 2760  
 ggctagagga gcgcgctgga cgccgagcgc tccgcctgtg cctggaggaa cgtgactggc 2820  
 taccgggtaa aacgctcttt gagaacctgt gggcctcagt ttacagcagc cgcaagatgc 2880  
 tgtttgtgct ggcccacaca gacagggtca gcggcctctt gcgcgccagc tttctgctgg 2940  
 ccagcagcgc cctgctggag gaccgcaagg acgttgtggg gctggtgatc ctgcgccccg 3000  
 acgcccaccg ctcccgtat gtgcggctgc gccagcgcct ctgccgccag agcgtcctcc 3060  
 tctggcccca ccagcccagt ggccagcga gcttctgggc ccagctgggc acggccctga 3120  
 ccagggacaa ccagcacttc tataaccaga acttctgcgc gggcccccacg acggcagagt 3180  
 gaccgcccag caccccaagc ctctacacc ttgcctgtct gcctgggatg ccggg 3235

<210> 28

<211> 2460

<212> DNA

<213> Felis catus

<400> 28

atggggccct gccatgggc cctgcacccc ctgtctctcc tgggtgcaggc tgccgcgctg 60  
 gccgtggccc tggcccaggg caccctgcct gcctttctgc cctgtgagct ccagcgccac 120  
 ggccctggta attgcgactg gctgttcttc aagtccgtgc ccacttctc ggccggcagcg 180  
 ccccgctgga acgtcaccag cctttccctg tactccaacc gcatccacca cctccacgac 240  
 tccgactttg tccacctgtc cagcctgcgg cgtctcaacc tcaaattggaa ctgccacccc 300  
 gccagcctca gcccacatgca ctccccctgt cacatgacca ttgagcccca caccttctctg 360  
 gccgtgccca ccctggagga gctgaacctg agctacaaca gcatcacgac agtaccgcc 420  
 ctgcccagtt cctcgtgtc cctgtccttg agccgtacca acatcctggt gctggaccct 480  
 gccaacctcg cagggtgca ctccctgcgc tttctgttcc tggatggcaa ctgtactac 540  
 aagaaccctt gccgcaggc cctgcagggt gcccggggcg ccctccttgg cctgggcaac 600  
 cttacgcacc tgtcactcaa gtacaacaac ctactgcgg tgccccgcgg cctgcccccc 660  
 agcctggagt acctgctatt gtccataaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaacctga ccgccctgcg tgtgctcgat gtgggtggga actgccgtcg ctgtgaccac 780  
 gcccgcaacc cctgtatgga gtgcccgaag ggcttccgc acctgcaccc tgacaccttc 840  
 agccacctga accacctga aggcctgggt ttgaaggaca gctctctcta caacctgaac 900

cccagatggt tccatgccct gggcaacctc atggtgctgg acctgagtga gaacttccta 960  
 tatgactgca tcaccaaac cacagccttc cagggcctgg cccagctgcg cagactcaac 1020  
 ttgtctttca attaccacaa gaaggtgtcc ttgcccacc tgcctctggc gccctccttc 1080  
 gggagcctgc tctccctgca gcagctggac atgcatggca tcttcttccg ctgctcagc 1140  
 gagaccacgc tccggtcgct ggtccacctg cccatgctcc agagtctgca cctgcagatg 1200  
 aacttcacat atcaggccca gctcagcatc ttggggcct tccctggcct gcgatacgtg 1260  
 gacctgtcag acaaccgcat aagtggagcc atggagctgg cggctgccac gggggaggtg 1320  
 gatggtgggg agagagtccg gctgccatct ggggacctag ctctggggcc accgggcacc 1380  
 cctagctccg agggcttcat gccaggctgc aagaccctca acttcacctt ggacctgtca 1440  
 cggaacaacc tagtgacaat ccagccagag atgtttgcc ggctctcgcg cctccagtgc 1500  
 ctgctcctga gccgcaacag catctcgag gcagtaacg gctcacaatt tatgccgtg 1560  
 accagcctgc aggtgctgga cctgtcccat aacaagctgg acctgtacca tgggcgctct 1620  
 ttcacggagc tgccgaggct ggaggccctg gacctcagct acaacagcca gcccttcagc 1680  
 atgcagggcg tgggtcacia cctcagcttt gtggcacagc tgccggccct gcgctatctc 1740  
 agcctggcgc acaacgacat ccacagccgt gtgtcccagc agctctgcag cgcctcgctg 1800  
 cgggccttgg acttcagcgg caatgccttg agccgatgt gggccgaggg agacctgtat 1860  
 ctccacttct tccgaggcct gaggagcctg gtccggttg atctgtcca gaatcgctg 1920  
 catacctct tgccacgcac cctggacaac ctccccaaga gcctgcggct gctgcgtctc 1980  
 cgtgacaatt atctggcttt cttcaactgg agcagcctgg tcctcctccc caggctggaa 2040  
 gccctggacc tggcgggaaa ccagctgaag gccctgagca acggcagctt gcctaattgga 2100  
 accagctcc agaggctgga cctcagcagc aacagtatca gcttcgtggc ctccagcttt 2160  
 ttgtctctgg ccaccaggct gcgagagctc aacctcagt ccaacgccct caagacggtg 2220  
 gagccctcct ggttcggttc tctagcgggc accctgaaag tcctagatgt gactggcaac 2280  
 cccctgcact gcgctgtgg ggcggccttc gtggacttct tgctggaggt gcagctgca 2340  
 gtgcccgcc tgccaggcca cgtcaagtgt ggcagtccag gtcagctoca gggccgcagc 2400  
 atctttgcgc aggatctgcg cctctgcctg gatgaggccc tctcctggga ctgttttggc 2460

<210> 29  
 <211> 1032  
 <212> PRT  
 <213> Mus musculus

&lt;400&gt; 29

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu

225	230	235	240
Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg	245	250	255
Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser	260	265	270
Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly	275	280	285
Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe	290	295	300
Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu	305	310	315
Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu	325	330	335
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala	340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu	355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu	370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met	385	390	395
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala	405	410	415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr	420	425	430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu	435	440	445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser	450	455	460

Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp  
 515 520 525

Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser  
 565 570 575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700



Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val  
820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe  
835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser  
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 30  
 <211> 821  
 <212> PRT  
 <213> Mus musculus

<400> 30

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser  
 260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe  
 290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala

340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu		
355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu		
370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met		
385	390	400
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala		
405	410	415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr		
420	425	430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu		
435	440	445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser		
450	455	460
Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu		
465	470	475
Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu		
485	490	495
Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala		
500	505	510
Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp		
515	520	525
Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu		
530	535	540
Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe		
545	550	555
Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser		
565	570	575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
 705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
 725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
 740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
 755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
 770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
 785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
 805 810 815

Trp Asp Cys Phe Gly  
820

<210> 31  
<211> 3200  
<212> DNA  
<213> Mus musculus

<400> 31  
tgtcagaggg agcctcgga gaatectcca tctcccaaca tggttctccg tcgaaggact 60  
ctgcacccct tgtccctcct ggtacaggct gcagtgtctg ctgagactct ggccctgggt 120  
accctgcctg ccttctacc ctgtgagctg aagcctcatg gcctgggtga ctgcaattgg 180  
ctgttctga agtctgtacc cgtttctct gggcagcat cctgctcaa catcaccgc 240  
cttctctga tctccaaccg tatccaccac ctgcacaact ccgacttct ccacctgtcc 300  
aacctgcggc agctgaacct caagtgaac tgtccacca ctggccttag cccctgcac 360  
ttctcttgcc acatgaccat tgagcccaga accttctgg ctatgcgtac actggaggag 420  
ctgaacctga gctataatgg tatcaccact gtgccccgac tgcccagctc cctgggtgaat 480  
ctgagcctga gccacaccaa catcctggt ctagatgcta acagcctgc cggcctatac 540  
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaaccctg cacaggagcg 600  
gtgaagggtga cccagggcg cctcctgggc ctgagcaatc tcacctatct gtctctgaag 660  
tataacaacc tcacaaagggt gccccgcaa ctgccccca gcctggagta cctcctggtg 720  
tcctataacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttga 780  
gtacttgatg tgggtgggaa ttgccgtgc tgccagcatg ccccaatcc ctgtatagaa 840  
tgtggccaaa agtccctcca cctgcacct gagaccttcc atcacctgag ccctctggaa 900  
ggcctggtgc tgaaggacag ctctctccat aactgaact cttcctggtt ccaaggctctg 960  
gtcaacctct cgggtgtgga cctaagcgag aactttctct atgaaagcat caaccacacc 1020  
aatgcctttc agaacctaac ccgctgcgc aagctcaacc tgccttcaa ttaccgcaag 1080  
aaggatcct ttgccgcct ccacctggca agttccttca agaacctggt gtcactgcag 1140  
gagctgaaca tgaacggcat cttcttccgc tcgctcaaca agtacacgct cagatggctg 1200  
gccgatctgc ccaaactcca cactctgcat cttcaaatga acttcatcaa ccaggcacag 1260  
ctcagcatct ttggtacctt ccgagccctt cgctttgtgg acttgctaga caatcgcatc 1320  
agtgggcctt caacgctgtc agaagccacc cctgaagagg cagatgatgc agagcaggag 1380  
gagctgttgt ctgcggatcc tcaccagct cactgagca cccctgcttc taagaacttc 1440

atggacaggt gtaagaactt caagttcacc atggacctgt ctcggaacaa cctggtgact 1500  
 atcaagccag agatgtttgt caatctctca cgctccaggt gtcttagcct gagccacaac 1560  
 tccattgcac aggctgtcaa tggctctcag ttctgcccgc tgactaatct gcaggtgctg 1620  
 gacctgtccc ataacaaact ggacttgtag cactggaaat cgttcagtga gctaccacag 1680  
 ttgcaggccc tggacctgag ctacaacagc cagcccttta gcatgaaggg tataggccac 1740  
 aatttcagtt ttgtggccca tctgtccatg ctacacagcc ttagcctggc acacaatgac 1800  
 attcataccc gtgtgtctct acatctcaac agcaactcag tgagggtttct tgacttcagc 1860  
 ggcaacggta tgggcccgcg gtgggatgag gggggccttt atctccatct cttccaaggc 1920  
 ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcataatct ccggccccag 1980  
 aaccttgaca acctcccca gagcctgaag ctgctgagcc tccgagacaa ctacctatct 2040  
 ttctttaact ggaccagtct gtccttctct cccaacctgg aagtcctaga cctggcaggc 2100  
 aaccagctaa aggccttgac caatggcacc ctgcctaata gcacctcct ccagaaactg 2160  
 gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct ggcggtcgag 2220  
 ctgaaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctgggttggg 2280  
 ccattgtga tgaacctgac agttctagac gtgagaagca acctctgca ctgtgcctgt 2340  
 ggggcagcct tcgtagactt actgttgagg gtgcagacca aggtgcctgg cctggctaata 2400  
 ggtgtgaagt gtggcagccc cggccagctg caggggcgta gcatcttcgc acaggacctg 2460  
 cggctgtgcc tggatgaggt cctctcttgg gactgctttg gcctttcact cttggctgtg 2520  
 gccgtgggca tgggtggtgcc tatactgcac catctctgcg gctgggacgt ctggtactgt 2580  
 tttcatctgt gcctggcatg gctacctttg ctggcccgca gccgacgcag cggccaagct 2640  
 ctcccctatg atgccttcgt ggtgttcgat aaggcacaga gcgcagttgc ggactgggtg 2700  
 tataacgagc tgcgggtgcg gctggaggag cggcgcggtc gccgagccct acgcttgtgt 2760  
 ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc 2820  
 tatgggagcc gcaagactct atttgtgctg gccacacagg accgcgtcag tggcctcctg 2880  
 cgcaccagct tcctgctggc tcagcagcgc ctgttggaag accgcaagga cgtggtggtg 2940  
 ttggtgatcc tgcgtccgga tgcccaccgc tcccgtatg tgcgactgcg ccagcgtctc 3000  
 tgccgccaga gtgtgctctt ctggccccag cagcccaacg ggcagggggg cttctggggc 3060  
 cagctgagta cagccctgac tagggacaac cgccacttct ataaccagaa cttctgccgg 3120  
 ggacctacag cagaatagct cagagcaaca gctggaaaca gctgcatctt catgcctggg 3180  
 tcccagattg ctctgcctgc 3200

<210> 32  
 <211> 2463  
 <212> DNA  
 <213> Mus musculus

<400> 32  
 atggttctcc gtcgaaggac tctgcacccc ttgtccctcc tggtagaggc tgcagtgtcg 60  
 gctgagactc tggccctggg taccctgcct gccttctctac cctgtgagct gaagcctcat 120  
 ggcctggtgg actgcaattg gctgttctctg aagtctgtac cccgtttctc tgcggcagca 180  
 tectgtcca acatcacccg cctctccttg atctccaacc gtatccacca cctgcacaac 240  
 tccgacttcg tccacctgtc caacctgcgg cagctgaacc tcaagtggaa ctgtccaccc 300  
 actggcctta gccccctgca cttctcttgc cacatgacca ttgagcccag aaccttctctg 360  
 gctatgcgta cactggagga gctgaacctg agctataatg gtatcaccac tgtgccccga 420  
 ctgcccagct ccctggtgaa tctgagcctg agccacacca acatcctggt tctagatgct 480  
 aacagcctcg ccggcctata cagcctgcgc gttctcttca tggacgggaa ctgctactac 540  
 aagaacctct gcacaggagc ggtgaagggtg accccaggcg cctcctggg cctgagcaat 600  
 ctcacccatc tgtctctgaa gtataacaac ctcaaaagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctggt gtcctataac ctcatgtca agctggggcc tgaagacctg 720  
 gccaatctga cctcccttcg agtacttgat gtgggtggga attgccgtcg ctgcgaccat 780  
 gcccccaatc cctgtataga atgtggccaa aagtcctctc acctgcaccc tgagaccttc 840  
 catcacctga gccatctgga aggcctggtg ctgaaggaca gctctctcca tacactgaac 900  
 tcttctctgg tccaaggtct ggtcaacctc tcggtgctgg acctaaagca gaactttctc 960  
 tatgaaagca tcaaccacac caatgccttt cagaacctaa cccgcctgcg caagctcaac 1020  
 ctgtccttca attaccgcaa gaaggtatcc ttgccccgcc tccacctggc aagttccttc 1080  
 aagaacctgg tgtcactgca ggagctgaac atgaacggca tcttcttccg ctcgctcaac 1140  
 aagtacacgc tcagatggct ggccgatctg cccaaactcc acactctgca tcttcaaattg 1200  
 aacttcatca accaggcaca gctcagcatc ttggtacct tccgagccct tcgctttgtg 1260  
 gacttgtcag acaatcgcct cagtgggcct tcaacgctgt cagaagccac ccctgaagag 1320  
 gcagatgatg cagagcagga ggagctgttg tctgcggatc ctacccagc tccactgagc 1380  
 acccctgctt ctaagaactt catggacagg tgtaagaact tcaagttcac catggacctg 1440  
 tctcggaaca acctggtgac tatcaagcca gagatgtttg tcaatctctc acgcctccag 1500  
 tgtcttagcc tgagccacaa ctccattgca caggctgtca atggctctca gttcctgccc 1560



```

ctgactaatc tgcaggtgct ggacctgtcc cataacaaac tggacttgta ccactggaaa 1620
tcgttcagtg agctaccaca gttgcaggcc ctggacctga gctacaacag ccagcccttt 1680
agcatgaagg gtataggcca caatttcagt tttgtggccc atctgtccat gctacacagc 1740
cttagcctgg cacacaatga cattcatacc cgtgtgtcct cacatctcaa cagcaactca 1800
gtgaggtttc ttgacttcag cggcaacggg atgggccgca tgtgggatga ggggggcctt 1860
tatctccatt tcttccaagg cctgagtggc ctgctgaagc tggacctgtc taaaataaac 1920
ctgcatatcc tccggcccca gaaccttgac aacctcccca agagcctgaa gctgctgagc 1980
ctccgagaca actacctatc tttctttaac tggaccagtc tgccttcct gcccaacctg 2040
gaagtccctag acctggcagg caaccagcta aaggccctga ccaatggcac cctgcctaatt 2100
ggcaccctcc tccagaaact ggatgtcagc agcaacagta tcgtctctgt ggtcccagcc 2160
ttcttcgctc tggcggtcga gctgaaagag gtcaacctca gccacaacat tctcaagacg 2220
gtggatcgct cctggtttgg gccattgtg atgaacctga cagttctaga cgtgagaagc 2280
aaccctctgc actgtgcctg tggggcagcc ttcgtagact tactgttgga ggtgcagacc 2340
aagggtgcctg gcctggctaa tgggtgtgaag tgtggcagcc ccggccagct gcagggccgt 2400
agcatcttcg cacaggacct ggggctgtgc ctggatgagg tcctctcttg ggactgcttt 2460
ggc 2463

```

<210> 33  
 <211> 1032  
 <212> PRT  
 <213> Homo sapiens

<400> 33

```

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

```

```

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
          20           25           30

```

```

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
          35           40           45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
50           55           60

```

```

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

```

- 95 -

305	310	315	320
Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu	325	330	335
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala	340	345	350
His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu	355	360	365
Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu	370	375	380
Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met	385	390	395
Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly	405	410	415
Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu	420	425	430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu	435	440	445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu	450	455	460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser	465	470	475
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser	485	490	495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val	500	505	510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu	515	520	525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu	530	535	540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly  
 545 550 555 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr  
 565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
 610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
 660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
 675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
 690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val  
820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp  
850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu  
885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu  
1025 1030

<210> 34  
<211> 820  
<212> PRT  
<213> Homo sapiens  
  
<400> 34

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala  
 340 345 350

His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu  
 370 375 380

Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu

420	425	430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu		
435	440	445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu		
450	455	460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser		
465	470	475
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser		
485	490	495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val		
500	505	510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu		
515	520	525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu		
530	535	540
Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly		
545	550	555
Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr		
565	570	575
Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser		
580	585	590
Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn		
595	600	605
Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe		
610	615	620
Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635
His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln		
645	650	655



Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala  
820

<210> 35  
<211> 3352  
<212> DNA  
<213> Homo sapiens

<400> 35  
aggctggtat aaaaatctta cttcctctat tctctgagcc gctgctgccc ctgtgggaag 60  
ggacctcgag tgtgaagcat ccttcctgt agctgctgtc cagtctgccc gccagaccct 120  
ctggagaagc ccctgcccc cagcatgggt ttctgccgca gcgcctgca cccgctgtct 180  
ctcctgggtgc aggccatcat gctggccatg accotggccc tgggtacctt gcctgccttc 240  
ctaccctgtg agctccagcc ccacggcctg gtgaactgca actggctggt cctgaagtct 300

gtgccccact tctccatggc agcaccocgt ggcaatgtca ccagcctttc cttgtccctcc 360  
 aaccgcatcc accacctcca tgattctgac tttgcccacc tgcccagcct gcggcatctc 420  
 aacctcaagt ggaactgccc gccggttggc ctcagcccca tgcacttccc ctgccacatg 480  
 accatcgagc ccagcacctt cttggtgtg cccaccctgg aagagctaaa cctgagctac 540  
 aacaacatca tgactgtgcc tgcgctgccc aaatccctca tatccctgtc cctcagccat 600  
 accaacatcc tgatgctaga ctctgccagc ctgcgcggcc tgcatgccct gcgcttccta 660  
 ttcattggacg gcaactgtta ttacaagaac cctgcaggc aggcactgga ggtggccccg 720  
 ggtgcctccc ttggcctggg caacctcacc cacctgtcac tcaagtaca caacctcact 780  
 gtggtgcccc gcaacctgcc ttccagcctg gagtatctgc tgttgccta caaccgcatc 840  
 gtcaaactgg cgctgagga cctggccaat ctgaccgccc tgcgtgtgct cgatgtgggc 900  
 ggaaattgcc gccgctgcga ccacgctccc aaccctgca tggagtggcc tcgtcacttc 960  
 cccagctac atcccgatac cttcagccac ctgagccgtc ttgaaggcct ggtgttgaag 1020  
 gacagttctc tctcctggct gaatgccagt tggttccgtg ggctgggaaa cctccgagtg 1080  
 ctggacctga gtgagaactt cctctacaaa tgcactacta aaaccaaggc cttccagggc 1140  
 ctaacacagc tgcgaagct taacctgtcc ttcaattacc aaaagagggt gtcctttgcc 1200  
 cacctgtctc tggcccttc cttcgggagc ctggtcgccc tgaaggagct ggacatgcac 1260  
 ggcatcttct tccgctcact cgatgagacc acgctccggc cactggcccg cctgcccattg 1320  
 ctccagactc tgcgtctgca gatgaacttc atcaaccagg cccagctcgg catcttcagg 1380  
 gccttccctg gcctgcgcta cgtggacctg tcggacaacc gcatcagcgg agcttcggag 1440  
 ctgacagcca ccatggggga ggcagatgga ggggagaagg tctggctgca gcctggggac 1500  
 cttgtccgg cccagtgga cactcccagc tctgaagact tcaggcccaa ctgcagcacc 1560  
 ctcaacttca ccttggatct gtcacggaac aacctggtga ccgtgcagcc ggagatgttt 1620  
 gccagctct cgcacctgca gtgcctgcgc ctgagccaca actgcatctc gcaggcagtc 1680  
 aatggctccc agttcctgcc gctgaccggt ctgcaggtgc tagacctgtc ccgcaataag 1740  
 ctggacctct accacgagca ctcatcagc gagctaccgc gactggaggc cctggacctc 1800  
 agctacaaca gccagccctt tggcatgcag ggcgtgggccc acaacttcag cttcgtggct 1860  
 cacctgcgca ccctgcgcca cctcagcctg gccacaaca acatccacag ccaagtgtcc 1920  
 cagcagctct gcagtacgtc gctgcggggc ctggacttca ggggcaatgc actgggccat 1980  
 atgtgggccc agggagacct ctatctgcac ttcttccaag gcctgagcgg tttgatctgg 2040

ctggacttgt cccagaaccg cctgcacacc ctctgcccc aaacctgcg caacctcccc 2100  
 aagagcctac aggtgctgcg tctccgtgac aattacctgg ccttctttaa gtggtggagc 2160  
 ctccacttcc tgcccaaact ggaagtctc gacctggcag gaaaccggct gaaggccctg 2220  
 accaatggca gcctgcctgc tggcacccgg ctccggaggc tggatgtcag ctgcaacagc 2280  
 atcagcttcg tggcccccg cttcttttcc aaggccaagg agctgcgaga gctcaacctt 2340  
 agcgccaacg ccctcaagac agtggaccac tcctggtttg ggccctggc gagtgcctg 2400  
 caaatactag atgtaagcgc caacctctg cactgcgcct gtggggcggc ctttatggac 2460  
 ttctgctgg aggtgcaggc tgcctgccc ggtctgcca gccgggtgaa gtgtggcagt 2520  
 ccgggccagc tccagggcct cagcatctt gcacaggacc tgcgcctctg cctggatgag 2580  
 gccctctct gggactgtt cgcctctctg ctgctggctg tggctctggg cctgggtgtg 2640  
 cccatgctgc atcacctctg tggtggggac ctctgggtact gcttccacct gtgctggcc 2700  
 tggcttcctt ggccggggcg gcaaagtgg cgagatgagg atgccctgcc ctacgatgcc 2760  
 ttctgtgtct tcgacaaaac gcagagcgca gtggcagact ggggtgtacaa cgagcttcgg 2820  
 gggcagctgg aggagtgcg tgggcgctgg gactccgcc tgtgcctgga ggaacgcgac 2880  
 tggctgcctg gaaaaaccct ctttgagaac ctgtgggcct cggctctatgg cagccgcaag 2940  
 acgctgtttg tgctggcca caccggaccg gtcagtggc tcttgccgc cagcttctg 3000  
 ctggcccagc agcgctgct ggaggaccgc aaggacgtc tgggtctggt gatcctgagc 3060  
 cctgacggcc gccgctcccg ctacgtgcgg ctgcgccagc gcctctgcc ccagagtgtc 3120  
 ctctctggc cccaccagc cagtggtcag cgcagcttct gggcccagct gggcatggcc 3180  
 ctgaccaggg acaaccacca cttctataac cggaaacttct gccagggacc cacggccgaa 3240  
 tagccgtgag ccggaatcct gcacggtgcc acctccacac tcacctcacc tctgcctgcc 3300  
 tggctctgacc ctcccctgct cgcctccctc accccacacc tgacacagag ca 3352

&lt;210&gt; 36

&lt;211&gt; 2460

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 36

atgggtttct gccgcagcgc cctgcacccg ctgtctctcc tgggtcaggc catcatgctg 60  
 gccatgaccc tggccctggg taccttgctt gccttctac cctgtgagct ccagccccac 120  
 ggctgtgta actgcaactg gctgttcttg aagtctgtgc cccacttctc catggcagca 180  
 ccccggtgca atgtcaccag ctttctcttg tcctccaacc gcatccacca cctccatgat 240

tctgactttg cccacctgcc cagcctgcgg catctcaacc tcaagtggaa ctgcccgcg 300  
gttggcctca gcccacatgca cttccctgc cacatgacca tcgagcccag caccttcttg 360  
gctgtgcccc ccttggaaga gctaaacctg agctacaaca acatcatgac tgtgcctgcg 420  
ctgccc aaat cctcatatc cctgtccctc agccatacca acatcctgat gctagactct 480  
gccagcctcg ccggcctgca tgcctgcgc ttcctattca tggacggcaa ctgttattac 540  
aagaaccctt gcaggcaggc actggagggtg gccccgggtg cctccttggt cctgggcaac 600  
ctcaccacc tgctactcaa gtacaacaac ctactgttg tgccccgcaa cctgccttcc 660  
agcctggagt atctgctgtt gtctacaac cgcctcgtca aactggcgcc tgaggacctg 720  
gccaatctga ccgccctgcg tgtgctcgat gtgggcggaa attgccgccg ctgcgaccac 780  
gtccccaacc cctgcatgga gtgcctcgt cacttcccc agctacatcc cgataccttc 840  
agccacctga gccgtcttga aggcctgggtg ttgaaggaca gttctctctc ctggctgaat 900  
gccagtgggt tccgtgggtt gggaaacctc cgagtgttg acctgagtga gaacttcctc 960  
tacaaatgca tactaaaac caaggccttc cagggcctaa cacagctgcg caagcttaac 1020  
ctgtccttca attacaaaa gaggggtgtcc ttgcccacc tgtctctggc ccttctcttc 1080  
gggagcctgg tcgccctgaa ggagctggac atgcacggca tcttcttccg ctactcgat 1140  
gagaccacgc tccggccact ggcccgctg cccatgtcc agactctgcg tctgcagatg 1200  
aacttcatca accaggccca gctcggcatc ttcaggcct tccctggcct gcgtacgtg 1260  
gacctgtcgg acaaccgat cagcggagt tcggagctga cagccaccat gggggaggca 1320  
gatggagggg agaaggtctg gctgcagcct ggggaccttg ctccggcccc agtggacact 1380  
cccagctctg aagacttcag gcccaactgc agcaccctca acttcacctt ggatctgtca 1440  
cggaacaacc tgggtaccgt gcagccggag atgtttgcc agctctcgca cctgcagtgc 1500  
ctgcgcctga gccacaactg catctcgag gcagtcaatg gctcccagtt cctgccgtg 1560  
accggtctgc aggtgctaga cctgtccgc aataagctgg acctctacca cgagcaactca 1620  
ttcacggagc taccgcgact ggaggccctg gacctcagct acaacagcca gccctttggc 1680  
atgcaggcg tgggccacaa cttcagcttc gtggctcacc tgcgcacct gcgccacctc 1740  
agcctggccc acaacaacat ccacagccaa gtgtccagc agctctgcag tacgtcgctg 1800  
cgggcccttg acttcagcgg caatgcactg ggccatatgt gggccgagg agacctctat 1860  
ctgcacttct tccaaggcct gagcggtttg atctggctgg acttgtcca gaaccgctg 1920  
cacaccctcc tgcccaaac cctgcgcaac ctcccaaga gcctacaggt gctgcgtctc 1980  
cgtgacaatt acctggcctt ctttaagtgg tggagcctcc acttctgcc caaactggaa 2040

gtcctcgacc tggcaggaaa ccggetgaag gccctgacca atggcagcct gcctgctggc 2100  
 acccggtccc ggaggctgga tgtcagctgc aacagcatca gcttcgtggc ccccggttc 2160  
 ttttccaagg ccaaggagct gcgagagctc aaccttagcg ccaacgccct caagacagtg 2220  
 gaccactcct ggtttggggc cctggcgagt gccttgcaaa tactagatgt aagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcggccttt atggacttcc tgctggaggt gcaggctgcc 2340  
 gtgcccggtc tgcccagccg ggtgaagtgt ggcagtccgg gccagctcca gggcctcagc 2400  
 atctttgcac aggacctgcg cctctgcctg gatgaggccc tctcctggga ctgtttcgcc 2460

<210> 37

<211> 26

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 37

accttgctg ccttctacc ctgtga

26

<210> 38

<211> 21

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 38

gtccgtgtgg gccagcaca a

21

<210> 39

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 39

tccatgacgt ttttgatgtt

20

<210> 40

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 40  
tccataacgt ttttgatggt

20

<210> 41  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 41  
tccatcacgt ttttgatggt

20

<210> 42  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 42  
tccattacgt ttttgatggt

20

<210> 43  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 43  
tccatggcgt ttttgatggt

20

<210> 44  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 44  
tccatgccgt ttttgatggt

20

<210> 45  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 45

tccatgtcgt ttttgatggt

20

<210> 46

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 46

tccatgatgt ttttgatggt

20

<210> 47

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 47

tccatgaagt ttttgatggt

20

<210> 48

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 48

tccatgaggt ttttgatggt

20

<210> 49

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 49

tccatgacat ttttgatggt

20

<210> 50

<211> 20

<212> DNA

<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 50  
tccatgacct ttttgatggt 20

<210> 51  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 51  
tccatgactt ttttgatggt 20

<210> 52  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 52  
tccatgacgc ttttgatggt 20

<210> 53  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 53  
tccatgacga ttttgatggt 20

<210> 54  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 54  
tccatgacgg ttttgatggt 20

<210> 55  
<211> 20  
<212> DNA  
<213> Artificial sequence



<220>  
<223> Synthetic oligonucleotide

<400> 55  
tccatgacgt ctttgatggt 20

<210> 56  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 56  
tccatgacgt atttgatggt 20

<210> 57  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 57  
tccatgacgt gtttgatggt 20

<210> 58  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 58  
tcgctgtttt gtcgttttgt cggt 24

<210> 59  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 59  
tgctgtttt gtgcttttgt gctt 24

<210> 60  
<211> 20  
<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60

tccatgacgt tcctgatgct

20

<210> 61

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61

tccatgagct tcctgatgct

20

<210> 62

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus oligopeptide

<220>

<221> MISC\_FEATURE

<222> (4)..(5)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (7)..(12)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (14)..(15)

<223> Any amino acid

<400> 62

Gly Asn Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys  
1 5 10 15

<210> 63

<211> 16

<212> PRT

<213> Homo sapiens

<400> 63

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys  
 1 5 10 15

<210> 64  
 <211> 16  
 <212> PRT  
 <213> Mus musculus

<400> 64

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Ile Cys  
 1 5 10 15

<210> 65  
 <211> 31  
 <212> PRT  
 <213> Artificial sequence  
 <220>  
 <223> Consensus oligopeptide

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 65

Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Ser Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                  25                  30

<210> 66  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 66

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1                  5                  10                  15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Leu Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                  25                  30

<210> 67  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 67

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Gln Leu Xaa Xaa Xaa Xaa Xaa Tyr  
 20 25 30

<210> 68  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<400> 68

Gln Val Leu Asp Leu Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His  
 1 5 10 15

Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr  
 20 25 30

<210> 69  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<400> 69

Gln Val Leu Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys

```
<400> 70
tccaggactt ctctcaggtt 20
```